



Miniaturized downlight with leading optical performance and great diversity

LuxSpace G4

LuxSpace Gen4 is the a new LED downlight range combining light comfort and leading performance with luxury looking

Benefits

- Visual comfort
- Multiple options for various applications
- Smart lighting

Features

- Miniaturized form factor
- High optical efficiency
- Great product diversity
- Tunable white

Application

- Office
- shopping mall
- hotel
- retail

Versions



DN58XB DN59XB D100 D125



DN58XB DN59XB D150 D200



DN591B LED20/TWH PSD C D150

| Application Conditions | |
|---------------------------------------|---|
| Ambient temperature range | -20 to +40 °C |
| Suitable for random switching | Not applicable |
| Approval and Application | |
| Mech. impact protection code | IK03 |
| Operating and Electrical | |
| Input Voltage | 220 to 240 V |
| General Information | |
| CE mark | CE mark |
| Optical cover/lens type | Reflector |
| Driver included | Yes |
| Flammability mark | For mounting on normally flammable surfaces |
| Glow-wire test | Temperature 650 °C, duration 30 s |
| Light source replaceable | No |
| Mechanical and Housing | |
| Color | White and black |
| Over Time Performance (IEC Compliant) | |
| Median useful life L80B50 | 50000 h |
| Median useful life L90B50 | 21000 h |

Application Conditions

| Order Code | Full Product Name | Maximum dim level |
|--------------|--------------------------------------|-------------------|
| 911401536641 | DN588B LED6/830 PSU C D100 WH WB GC | Not applicable |
| 911401536741 | DN588B LED6/840 PSU C D100 WH WB GC | Not applicable |
| 911401536841 | DN588B LED6/930 PSU C D100 WH WB GC | Not applicable |
| 911401536941 | DN588B LED6/940 PSU C D100 WH WB GC | Not applicable |
| 911401537041 | DN588B LED6/830 PSU C D100 WH MB GC | Not applicable |
| 911401537141 | DN588B LED6/840 PSU C D100 WH MB GC | Not applicable |
| 911401537241 | DN588B LED6/930 PSU C D100 WH MB GC | Not applicable |
| 911401537341 | DN588B LED6/940 PSU C D100 WH MB GC | Not applicable |
| 911401537441 | DN589B LED10/830 PSU C D125 WH WB GC | Not applicable |
| 911401537541 | DN589B LED10/840 PSU C D125 WH WB GC | Not applicable |
| 911401537641 | DN589B LED10/930 PSU C D125 WH WB GC | Not applicable |
| 911401537741 | DN589B LED10/940 PSU C D125 WH WB GC | Not applicable |
| 911401537841 | DN589B LED10/830 PSU C D125 WH MB GC | Not applicable |
| 911401537941 | DN589B LED10/840 PSU C D125 WH MB GC | Not applicable |
| 911401538041 | DN589B LED10/930 PSU C D125 WH MB GC | Not applicable |
| 911401538141 | DN589B LED10/940 PSU C D125 WH MB GC | Not applicable |
| 911401538241 | DN589B LED10/830 PSD C D125 WH WB GC | 1% |
| 911401538341 | DN589B LED10/840 PSD C D125 WH WB GC | 1% |
| 911401538441 | DN589B LED10/930 PSD C D125 WH WB GC | 1% |
| 911401538541 | DN589B LED10/940 PSD C D125 WH WB GC | 1% |
| 911401538641 | DN589B LED10/830 PSD C D125 WH MB GC | 1% |
| 911401538741 | DN589B LED10/840 PSD C D125 WH MB GC | 1% |
| 911401538841 | DN589B LED10/930 PSD C D125 WH MB GC | 1% |
| 911401538941 | DN589B LED10/940 PSD C D125 WH MB GC | 1% |
| 911401539041 | DN590B LED15/830 PSU C D125 WH WB GC | Not applicable |
| 911401539141 | DN590B LED15/840 PSU C D125 WH WB GC | Not applicable |
| 911401539241 | DN590B LED15/930 PSU C D125 WH WB GC | Not applicable |
| 911401539341 | DN590B LED15/940 PSU C D125 WH WB GC | Not applicable |
| 911401539441 | DN590B LED15/830 PSU C D125 WH MB GC | Not applicable |
| 911401539541 | DN590B LED15/840 PSU C D125 WH MB GC | Not applicable |
| 911401539641 | DN590B LED15/930 PSU C D125 WH MB GC | Not applicable |
| 911401539741 | DN590B LED15/940 PSU C D125 WH MB GC | Not applicable |
| 911401539841 | DN590B LED15/830 PSD C D125 WH WB GC | 1% |
| 911401539941 | DN590B LED15/840 PSD C D125 WH WB GC | 1% |
| 911401540041 | DN590B LED15/930 PSD C D125 WH WB GC | 1% |

| Order Code | Full Product Name | Maximum dim level |
|--------------|--|-------------------|
| 911401540141 | DN590B LED15/940 PSD C D125 WH WB GC | 1% |
| 911401540241 | DN590B LED15/830 PSD C D125 WH MB GC | 1% |
| 911401540341 | DN590B LED15/840 PSD C D125 WH MB GC | 1% |
| 911401540441 | DN590B LED15/930 PSD C D125 WH MB GC | 1% |
| 911401540541 | DN590B LED15/940 PSD C D125 WH MB GC | 1% |
| 911401540641 | DN590B LED15/830 POE C D125 WH WB GC | 30% |
| 911401540741 | DN590B LED15/840 POE C D125 WH WB GC | 30% |
| 911401540941 | DN591B LED20/830 PSU C D125 WH WB GC | Not applicable |
| 911401541041 | DN591B LED20/840 PSU C D125 WH WB GC | Not applicable |
| 911401541141 | DN591B LED20/930 PSU C D125 WH WB GC | Not applicable |
| 911401541241 | DN591B LED20/940 PSU C D125 WH WB GC | Not applicable |
| 911401541341 | DN591B LED20/830 PSU C D125 WH MB GC | Not applicable |
| 911401541441 | DN591B LED20/840 PSU C D125 WH MB GC | Not applicable |
| 911401541541 | DN591B LED20/930 PSU C D125 WH MB GC | Not applicable |
| 911401541641 | DN591B LED20/940 PSU C D125 WH MB GC | Not applicable |
| 911401541741 | DN591B LED20/830 PSD C D125 WH WB GC | 1% |
| 911401541841 | DN591B LED20/840 PSD C D125 WH WB GC | 1% |
| 911401541941 | DN591B LED20/930 PSD C D125 WH WB GC | 1% |
| 911401542041 | DN591B LED20/940 PSD C D125 WH WB GC | 1% |
| 911401542141 | DN591B LED20/830 PSD C D125 WH MB GC | 1% |
| 911401542241 | DN591B LED20/840 PSD C D125 WH MB GC | 1% |
| 911401542341 | DN591B LED20/930 PSD C D125 WH MB GC | 1% |
| 911401542441 | DN591B LED20/940 PSD C D125 WH MB GC | 1% |
| 911401547541 | DN588B LED6/830 PSU C D125 C WH WB GM | Not applicable |
| 911401547641 | DN588B LED6/840 PSU C D125 C WH WB GM | Not applicable |
| 911401548741 | DN588B LED6/840 PSD C D125 WH WB GM | 1% |
| 911401549541 | DN588B LED6/830 PSU C D125 WH WB WP GM | Not applicable |
| 911401549641 | DN588B LED6/840 PSU C D125 WH WB WP GM | Not applicable |
| 911401550541 | DN588B LED6/840 PSD C D125 WH WB WP GM | 1% |
| 911401540841 | DN590B LED20/TWH PSD C D150 WH WB GC | 1% |
| 911401542541 | DN591B LED20/830 PSU C D150 WH WB GC | Not applicable |
| 911401542641 | DN591B LED20/840 PSU C D150 WH WB GC | Not applicable |
| 911401542741 | DN591B LED20/930 PSU C D150 WH WB GC | Not applicable |
| 911401542841 | DN591B LED20/940 PSU C D150 WH WB GC | Not applicable |
| 911401542941 | DN591B LED20/830 PSU C D150 WH MB GC | Not applicable |
| 911401543041 | DN591B LED20/840 PSU C D150 WH MB GC | Not applicable |
| 911401543141 | DN591B LED20/930 PSU C D150 WH MB GC | Not applicable |
| 911401543241 | DN591B LED20/940 PSU C D150 WH MB GC | Not applicable |
| 911401543341 | DN591B LED20/830 PSD C D150 WH WB GC | 1% |
| 911401543441 | DN591B LED20/840 PSD C D150 WH WB GC | 1% |
| 911401543541 | DN591B LED20/930 PSD C D150 WH WB GC | 1% |
| 911401543641 | DN591B LED20/940 PSD C D150 WH WB GC | 1% |
| 911401543741 | DN591B LED20/830 PSD C D150 WH MB GC | 1% |
| 911401543841 | DN591B LED20/840 PSD C D150 WH MB GC | 1% |
| 911401543941 | DN591B LED20/930 PSD C D150 WH MB GC | 1% |
| 911401544041 | DN591B LED20/940 PSD C D150 WH MB GC | 1% |
| 911401544141 | DN592B LED25/830 PSU C D150 WH WB GC | Not applicable |
| 911401544241 | DN592B LED25/840 PSU C D150 WH WB GC | Not applicable |
| 911401544341 | DN592B LED25/930 PSU C D150 WH WB GC | Not applicable |
| 911401544441 | DN592B LED25/940 PSU C D150 WH WB GC | Not applicable |
| 911401544541 | DN592B LED25/830 PSU C D150 WH MB GC | Not applicable |
| 911401544641 | DN592B LED25/840 PSU C D150 WH MB GC | Not applicable |

| Order Code | Full Product Name | Maximum dim level |
|--------------|---|-------------------|
| 911401544741 | DN592B LED25/930 PSU C D150 WH MB GC | Not applicable |
| 911401544841 | DN592B LED25/940 PSU C D150 WH MB GC | Not applicable |
| 911401544941 | DN592B LED25/830 PSD C D150 WH WB GC | 1% |
| 911401545041 | DN592B LED25/840 PSD C D150 WH WB GC | 1% |
| 911401545141 | DN592B LED25/930 PSD C D150 WH WB GC | 1% |
| 911401545241 | DN592B LED25/940 PSD C D150 WH WB GC | 1% |
| 911401545341 | DN592B LED25/830 PSD C D150 WH MB GC | 1% |
| 911401545441 | DN592B LED25/840 PSD C D150 WH MB GC | 1% |
| 911401545541 | DN592B LED25/930 PSD C D150 WH MB GC | 1% |
| 911401545641 | DN592B LED25/940 PSD C D150 WH MB GC | 1% |
| 911401545741 | DN592B LED25/830 POE C D150 WH WB GC | 30% |
| 911401545841 | DN592B LED25/840 POE C D150 WH WB GC | 30% |
| 911401545941 | DN593B LED30/830 PSU C D200 WH WB GC | Not applicable |
| 911401546041 | DN593B LED30/840 PSU C D200 WH WB GC | Not applicable |
| 911401546141 | DN593B LED30/930 PSU C D200 WH WB GC | Not applicable |
| 911401546241 | DN593B LED30/940 PSU C D200 WH WB GC | Not applicable |
| 911401546341 | DN593B LED30/830 PSU C D200 WH MB GC | Not applicable |
| 911401546441 | DN593B LED30/840 PSU C D200 WH MB GC | Not applicable |
| 911401546541 | DN593B LED30/930 PSU C D200 WH MB GC | Not applicable |
| 911401546641 | DN593B LED30/940 PSU C D200 WH MB GC | Not applicable |
| 911401546741 | DN594B LED40/830 PSU C D200 WH WB GC | Not applicable |
| 911401546841 | DN594B LED40/840 PSU C D200 WH WB GC | Not applicable |
| 911401546941 | DN594B LED40/930 PSU C D200 WH WB GC | Not applicable |
| 911401547041 | DN594B LED40/940 PSU C D200 WH WB GC | Not applicable |
| 911401547141 | DN594B LED40/830 PSU C D200 WH MB GC | Not applicable |
| 911401547241 | DN594B LED40/840 PSU C D200 WH MB GC | Not applicable |
| 911401547341 | DN594B LED40/930 PSU C D200 WH MB GC | Not applicable |
| 911401547441 | DN594B LED40/940 PSU C D200 WH MB GC | Not applicable |
| 911401547741 | DN589B LED10/830 PSU C D150 WH WB GM | Not applicable |
| 911401547841 | DN589B LED10/840 PSU C D150 WH WB GM | Not applicable |
| 911401547941 | DN590B LED15/830 PSU C D150 WH WB GM | Not applicable |
| 911401548041 | DN590B LED15/840 PSU C D150 WH WB GM | Not applicable |
| 911401548141 | DN591B LED20/830 PSU C D200 WH WB GM | Not applicable |
| 911401548241 | DN591B LED20/840 PSU C D200 WH WB GM | Not applicable |
| 911401548341 | DN593B LED30/830 PSU C D200 WH WB GM | Not applicable |
| 911401548441 | DN593B LED30/840 PSU C D200 WH WB GM | Not applicable |
| 911401548541 | DN594B LED40/830 PSU C D200 WH WB GM | Not applicable |
| 911401548641 | DN594B LED40/840 PSU C D200 WH WB GM | Not applicable |
| 911401548841 | DN589B LED10/830 PSD C D150 WH WB GM | 1% |
| 911401548941 | DN589B LED10/840 PSD C D150 WH WB GM | 1% |
| 911401549041 | DN590B LED15/840 PSD C D150 WH WB GM | 1% |
| 911401549141 | DN591B LED20/830 PSD C D200 WH WB GM | 1% |
| 911401549241 | DN591B LED20/840 PSD C D200 WH WB GM | 1% |
| 911401549341 | DN593B LED30/840 PSD C D200 WH WB GM | 1% |
| 911401549441 | DN594B LED40/840 PSD C D200 WH WB GM | 1% |
| 911401549741 | DN589B LED10/830 PSU C D150 WH WB WP GM | Not applicable |
| 911401549841 | DN589B LED10/840 PSU C D150 WH WB WP GM | Not applicable |
| 911401549941 | DN590B LED15/830 PSU C D150 WH WB WP GM | Not applicable |
| 911401550041 | DN590B LED15/840 PSU C D150 WH WB WP GM | Not applicable |
| 911401550141 | DN591B LED20/830 PSU C D200 WH WB WP GM | Not applicable |
| 911401550241 | DN591B LED20/840 PSU C D200 WH WB WP GM | Not applicable |
| 911401550341 | DN593B LED30/840 PSU C D200 WH WB WP GM | Not applicable |

| Order Code | Full Product Name | Maximum dim level |
|--------------|--|-------------------|
| 911401550441 | DN594B LED40/840 PSU C D200 WH WB WP GM | Not applicable |
| 911401550641 | DN589B LED10/830 PSD C D150 WH WB WP GM | 1% |
| 911401550741 | DN589B LED10/840 PSD C D150 WH WB WP GM | 1% |
| 911401550841 | DN590B LED15/840 PSD C D150 WH WB WP GM | 1% |
| 911401550941 | DN591B LED20/830 PSD C D200 WH WB WP GM | 1% |
| 911401551041 | DN591B LED20/840 PSD C D200 WH WB WP GM | 1% |
| 911401551141 | DN593B LED30/840 PSD C D200 WH WB WP GM | 1% |
| 911401551241 | DN594B LED40/840 PSD C D200 WH WB WP GM | 1% |
| 911401551341 | DN589B LED10/830 PSU C D150 WH WB CAU | Not applicable |
| 911401551441 | DN589B LED10/840 PSU C D150 WH WB CAU | Not applicable |
| 911401551541 | DN590B LED15/840 PSU C D150 WH WB CAU | Not applicable |
| 911401551641 | DN591B LED20/830 PSU C D200 WH WB CAU | Not applicable |
| 911401551741 | DN591B LED20/840 PSU C D200 WH WB CAU | Not applicable |
| 911401551841 | DN593B LED30/840 PSU C D200 WH WB CAU | Not applicable |
| 911401551941 | DN594B LED40/840 PSU C D200 WH WB CAU | Not applicable |
| 911401552041 | DN589B LED10/830 PSD C D150 WH WB CAU | 1% |
| 911401552141 | DN589B LED10/840 PSD C D150 WH WB CAU | 1% |
| 911401552241 | DN590B LED15/840 PSD C D150 WH WB CAU | 1% |
| 911401552341 | DN591B LED20/830 PSD C D200 WH WB CAU | 1% |
| 911401552441 | DN591B LED20/840 PSD C D200 WH WB CAU | 1% |
| 911401552541 | DN593B LED30/840 PSD C D200 WH WB CAU | 1% |
| 911401552641 | DN594B LED40/840 PSD C D200 WH WB CAU | 1% |
| 911401552741 | DN589B LED10/830 PSU C D150 WH WB WP CAU | Not applicable |
| 911401552841 | DN589B LED10/840 PSU C D150 WH WB WP CAU | Not applicable |
| 911401552941 | DN590B LED15/840 PSU C D150 WH WB WP CAU | Not applicable |
| 911401553041 | DN591B LED20/830 PSU C D200 WH WB WP CAU | Not applicable |
| 911401553141 | DN591B LED20/840 PSU C D200 WH WB WP CAU | Not applicable |
| 911401553241 | DN593B LED30/840 PSU C D200 WH WB WP CAU | Not applicable |
| 911401553341 | DN594B LED40/840 PSU C D200 WH WB WP CAU | Not applicable |
| 911401553441 | DN589B LED10/830 PSD C D150 WH WB WP CAU | 1% |
| 911401553541 | DN589B LED10/840 PSD C D150 WH WB WP CAU | 1% |
| 911401553641 | DN590B LED15/840 PSD C D150 WH WB WP CAU | 1% |
| 911401553741 | DN591B LED20/830 PSD C D200 WH WB WP CAU | 1% |
| 911401553841 | DN591B LED20/840 PSD C D200 WH WB WP CAU | 1% |
| 911401553941 | DN593B LED30/840 PSD C D200 WH WB WP CAU | 1% |
| 911401554041 | DN594B LED40/840 PSD C D200 WH WB WP CAU | 1% |
| 911401554141 | DN590B LED15/830 POE C D150 WH WB GM | 30% |
| 911401554241 | DN590B LED15/840 POE C D150 WH WB GM | 30% |
| 911401554341 | DN592B LED25/830 POE C D200 WH WB GM | 30% |
| 911401554441 | DN592B LED25/840 POE C D200 WH WB GM | 30% |
| 911401542251 | DN591B LED20/TWH PSD C D150 WH MB GM | 1% |
| 911401542351 | DN591B LED20/TWH PSD C D150 WH WB GC | 1% |
| 911401542451 | DN591B LED20/TWH PSD C D150 WH MB GC | 1% |
| 911401542551 | DN591B LED20/TWH PSD C D150 WH WB GM | 1% |

Approval and Application

| Order Code | Full Product Name | Ingress protection code | Order Code | Full Product Name | Ingress protection code |
|--------------|-------------------------------------|-------------------------|--------------|-------------------------------------|-------------------------|
| 911401536641 | DN588B LED6/830 PSU C D100 WH WB GC | IP20 | 911401537041 | DN588B LED6/830 PSU C D100 WH MB GC | IP20 |
| 911401536741 | DN588B LED6/840 PSU C D100 WH WB GC | IP20 | 911401537141 | DN588B LED6/840 PSU C D100 WH MB GC | IP20 |
| 911401536841 | DN588B LED6/930 PSU C D100 WH WB GC | IP20 | 911401537241 | DN588B LED6/930 PSU C D100 WH MB GC | IP20 |
| 911401536941 | DN588B LED6/940 PSU C D100 WH WB GC | IP20 | 911401537341 | DN588B LED6/940 PSU C D100 WH MB GC | IP20 |

| Order Code | Full Product Name | Ingress protection code |
|--------------|---------------------------------------|-------------------------|
| 911401537441 | DN589B LED10/830 PSU C D125 WH WB GC | IP20 |
| 911401537541 | DN589B LED10/840 PSU C D125 WH WB GC | IP20 |
| 911401537641 | DN589B LED10/930 PSU C D125 WH WB GC | IP20 |
| 911401537741 | DN589B LED10/940 PSU C D125 WH WB GC | IP20 |
| 911401537841 | DN589B LED10/830 PSU C D125 WH MB GC | IP20 |
| 911401537941 | DN589B LED10/840 PSU C D125 WH MB GC | IP20 |
| 911401538041 | DN589B LED10/930 PSU C D125 WH MB GC | IP20 |
| 911401538141 | DN589B LED10/940 PSU C D125 WH MB GC | IP20 |
| 911401538241 | DN589B LED10/830 PSD C D125 WH WB GC | IP20 |
| 911401538341 | DN589B LED10/840 PSD C D125 WH WB GC | IP20 |
| 911401538441 | DN589B LED10/930 PSD C D125 WH WB GC | IP20 |
| 911401538541 | DN589B LED10/940 PSD C D125 WH WB GC | IP20 |
| 911401538641 | DN589B LED10/830 PSD C D125 WH MB GC | IP20 |
| 911401538741 | DN589B LED10/840 PSD C D125 WH MB GC | IP20 |
| 911401538841 | DN589B LED10/930 PSD C D125 WH MB GC | IP20 |
| 911401538941 | DN589B LED10/940 PSD C D125 WH MB GC | IP20 |
| 911401539041 | DN590B LED15/830 PSU C D125 WH WB GC | IP20 |
| 911401539141 | DN590B LED15/840 PSU C D125 WH WB GC | IP20 |
| 911401539241 | DN590B LED15/930 PSU C D125 WH WB GC | IP20 |
| 911401539341 | DN590B LED15/940 PSU C D125 WH WB GC | IP20 |
| 911401539441 | DN590B LED15/830 PSU C D125 WH MB GC | IP20 |
| 911401539541 | DN590B LED15/840 PSU C D125 WH MB GC | IP20 |
| 911401539641 | DN590B LED15/930 PSU C D125 WH MB GC | IP20 |
| 911401539741 | DN590B LED15/940 PSU C D125 WH MB GC | IP20 |
| 911401539841 | DN590B LED15/830 PSD C D125 WH WB GC | IP20 |
| 911401539941 | DN590B LED15/840 PSD C D125 WH WB GC | IP20 |
| 911401540041 | DN590B LED15/930 PSD C D125 WH WB GC | IP20 |
| 911401540141 | DN590B LED15/940 PSD C D125 WH WB GC | IP20 |
| 911401540241 | DN590B LED15/830 PSD C D125 WH MB GC | IP20 |
| 911401540341 | DN590B LED15/840 PSD C D125 WH MB GC | IP20 |
| 911401540441 | DN590B LED15/930 PSD C D125 WH MB GC | IP20 |
| 911401540541 | DN590B LED15/940 PSD C D125 WH MB GC | IP20 |
| 911401540641 | DN590B LED15/830 POE C D125 WH WB GC | IP20 |
| 911401540741 | DN590B LED15/840 POE C D125 WH WB GC | IP20 |
| 911401540941 | DN591B LED20/830 PSU C D125 WH WB GC | IP20 |
| 911401541041 | DN591B LED20/840 PSU C D125 WH WB GC | IP20 |
| 911401541141 | DN591B LED20/930 PSU C D125 WH WB GC | IP20 |
| 911401541241 | DN591B LED20/940 PSU C D125 WH WB GC | IP20 |
| 911401541341 | DN591B LED20/830 PSU C D125 WH MB GC | IP20 |
| 911401541441 | DN591B LED20/840 PSU C D125 WH MB GC | IP20 |
| 911401541541 | DN591B LED20/930 PSU C D125 WH MB GC | IP20 |
| 911401541641 | DN591B LED20/940 PSU C D125 WH MB GC | IP20 |
| 911401541741 | DN591B LED20/830 PSD C D125 WH WB GC | IP20 |
| 911401541841 | DN591B LED20/840 PSD C D125 WH WB GC | IP20 |
| 911401541941 | DN591B LED20/930 PSD C D125 WH WB GC | IP20 |
| 911401542041 | DN591B LED20/940 PSD C D125 WH WB GC | IP20 |
| 911401542141 | DN591B LED20/830 PSD C D125 WH MB GC | IP20 |
| 911401542241 | DN591B LED20/840 PSD C D125 WH MB GC | IP20 |
| 911401542341 | DN591B LED20/930 PSD C D125 WH MB GC | IP20 |
| 911401542441 | DN591B LED20/940 PSD C D125 WH MB GC | IP20 |
| 911401547541 | DN588B LED6/830 PSU C D125 C WH WB GM | IP20 |
| 911401547641 | DN588B LED6/840 PSU C D125 C WH WB GM | IP20 |

| Order Code | Full Product Name | Ingress protection code |
|--------------|--|-------------------------|
| 911401548741 | DN588B LED6/840 PSD C D125 WH WB GM | IP20 |
| 911401549541 | DN588B LED6/830 PSU C D125 WH WB WP GM | IP54/20 |
| 911401549641 | DN588B LED6/840 PSU C D125 WH WB WP GM | IP54/20 |
| 911401550541 | DN588B LED6/840 PSD C D125 WH WB WP GM | IP54/20 |
| 911401540841 | DN590B LED20/TWH PSD C D150 WH WB GC | IP20 |
| 911401542541 | DN591B LED20/830 PSU C D150 WH WB GC | IP20 |
| 911401542641 | DN591B LED20/840 PSU C D150 WH WB GC | IP20 |
| 911401542741 | DN591B LED20/930 PSU C D150 WH WB GC | IP20 |
| 911401542841 | DN591B LED20/940 PSU C D150 WH WB GC | IP20 |
| 911401542941 | DN591B LED20/830 PSU C D150 WH MB GC | IP20 |
| 911401543041 | DN591B LED20/840 PSU C D150 WH MB GC | IP20 |
| 911401543141 | DN591B LED20/930 PSU C D150 WH MB GC | IP20 |
| 911401543241 | DN591B LED20/940 PSU C D150 WH MB GC | IP20 |
| 911401543341 | DN591B LED20/830 PSD C D150 WH WB GC | IP20 |
| 911401543441 | DN591B LED20/840 PSD C D150 WH WB GC | IP20 |
| 911401543541 | DN591B LED20/930 PSD C D150 WH WB GC | IP20 |
| 911401543641 | DN591B LED20/940 PSD C D150 WH WB GC | IP20 |
| 911401543741 | DN591B LED20/830 PSD C D150 WH MB GC | IP20 |
| 911401543841 | DN591B LED20/840 PSD C D150 WH MB GC | IP20 |
| 911401543941 | DN591B LED20/930 PSD C D150 WH MB GC | IP20 |
| 911401544041 | DN591B LED20/940 PSD C D150 WH MB GC | IP20 |
| 911401544141 | DN592B LED25/830 PSU C D150 WH WB GC | IP20 |
| 911401544241 | DN592B LED25/840 PSU C D150 WH WB GC | IP20 |
| 911401544341 | DN592B LED25/930 PSU C D150 WH WB GC | IP20 |
| 911401544441 | DN592B LED25/940 PSU C D150 WH WB GC | IP20 |
| 911401544541 | DN592B LED25/830 PSU C D150 WH MB GC | IP20 |
| 911401544641 | DN592B LED25/840 PSU C D150 WH MB GC | IP20 |
| 911401544741 | DN592B LED25/930 PSU C D150 WH MB GC | IP20 |
| 911401544841 | DN592B LED25/940 PSU C D150 WH MB GC | IP20 |
| 911401544941 | DN592B LED25/830 PSD C D150 WH WB GC | IP20 |
| 911401545041 | DN592B LED25/840 PSD C D150 WH WB GC | IP20 |
| 911401545141 | DN592B LED25/930 PSD C D150 WH WB GC | IP20 |
| 911401545241 | DN592B LED25/940 PSD C D150 WH WB GC | IP20 |
| 911401545341 | DN592B LED25/830 PSD C D150 WH MB GC | IP20 |
| 911401545441 | DN592B LED25/840 PSD C D150 WH MB GC | IP20 |
| 911401545541 | DN592B LED25/930 PSD C D150 WH MB GC | IP20 |
| 911401545641 | DN592B LED25/940 PSD C D150 WH MB GC | IP20 |
| 911401545741 | DN592B LED25/830 POE C D150 WH WB GC | IP20 |
| 911401545841 | DN592B LED25/840 POE C D150 WH WB GC | IP20 |
| 911401545941 | DN593B LED30/830 PSU C D200 WH WB GC | IP20 |
| 911401546041 | DN593B LED30/840 PSU C D200 WH WB GC | IP20 |
| 911401546141 | DN593B LED30/930 PSU C D200 WH WB GC | IP20 |
| 911401546241 | DN593B LED30/940 PSU C D200 WH WB GC | IP20 |
| 911401546341 | DN593B LED30/830 PSU C D200 WH MB GC | IP20 |
| 911401546441 | DN593B LED30/840 PSU C D200 WH MB GC | IP20 |
| 911401546541 | DN593B LED30/930 PSU C D200 WH MB GC | IP20 |
| 911401546641 | DN593B LED30/940 PSU C D200 WH MB GC | IP20 |
| 911401546741 | DN594B LED40/830 PSU C D200 WH WB GC | IP20 |
| 911401546841 | DN594B LED40/840 PSU C D200 WH WB GC | IP20 |
| 911401546941 | DN594B LED40/930 PSU C D200 WH WB GC | IP20 |
| 911401547041 | DN594B LED40/940 PSU C D200 WH WB GC | IP20 |
| 911401547141 | DN594B LED40/830 PSU C D200 WH MB GC | IP20 |

| Order Code | Full Product Name | Ingress protection code |
|--------------|--|-------------------------|
| 911401547241 | DN594B LED40/840 PSU C D200 WH MB GC | IP20 |
| 911401547341 | DN594B LED40/930 PSU C D200 WH MB GC | IP20 |
| 911401547441 | DN594B LED40/940 PSU C D200 WH MB GC | IP20 |
| 911401547741 | DN589B LED10/830 PSU C D150 WH WB GM | IP20 |
| 911401547841 | DN589B LED10/840 PSU C D150 WH WB GM | IP20 |
| 911401547941 | DN590B LED15/830 PSU C D150 WH WB GM | IP20 |
| 911401548041 | DN590B LED15/840 PSU C D150 WH WB GM | IP20 |
| 911401548141 | DN591B LED20/830 PSU C D200 WH WB GM | IP20 |
| 911401548241 | DN591B LED20/840 PSU C D200 WH WB GM | IP20 |
| 911401548341 | DN593B LED30/830 PSU C D200 WH WB GM | IP20 |
| 911401548441 | DN593B LED30/840 PSU C D200 WH WB GM | IP20 |
| 911401548541 | DN594B LED40/830 PSU C D200 WH WB GM | IP20 |
| 911401548641 | DN594B LED40/840 PSU C D200 WH WB GM | IP20 |
| 911401548841 | DN589B LED10/830 PSD C D150 WH WB GM | IP20 |
| 911401548941 | DN589B LED10/840 PSD C D150 WH WB GM | IP20 |
| 911401549041 | DN590B LED15/840 PSD C D150 WH WB GM | IP20 |
| 911401549141 | DN591B LED20/830 PSD C D200 WH WB GM | IP20 |
| 911401549241 | DN591B LED20/840 PSD C D200 WH WB GM | IP20 |
| 911401549341 | DN593B LED30/840 PSD C D200 WH WB GM | IP20 |
| 911401549441 | DN594B LED40/840 PSD C D200 WH WB GM | IP20 |
| 911401549741 | DN589B LED10/830 PSU C D150 WH WB WP GM | IP54/20 |
| 911401549841 | DN589B LED10/840 PSU C D150 WH WB WP GM | IP54/20 |
| 911401549941 | DN590B LED15/830 PSU C D150 WH WB WP GM | IP54/20 |
| 911401550041 | DN590B LED15/840 PSU C D150 WH WB WP GM | IP54/20 |
| 911401550141 | DN591B LED20/830 PSU C D200 WH WB WP GM | IP54/20 |
| 911401550241 | DN591B LED20/840 PSU C D200 WH WB WP GM | IP54/20 |
| 911401550341 | DN593B LED30/840 PSU C D200 WH WB WP GM | IP54/20 |
| 911401550441 | DN594B LED40/840 PSU C D200 WH WB WP GM | IP54/20 |
| 911401550641 | DN589B LED10/830 PSD C D150 WH WB WP GM | IP54/20 |
| 911401550741 | DN589B LED10/840 PSD C D150 WH WB WP GM | IP54/20 |
| 911401550841 | DN590B LED15/840 PSD C D150 WH WB WP GM | IP54/20 |
| 911401550941 | DN591B LED20/830 PSD C D200 WH WB WP GM | IP54/20 |
| 911401551041 | DN591B LED20/840 PSD C D200 WH WB WP GM | IP54/20 |
| 911401551141 | DN593B LED30/840 PSD C D200 WH WB WP GM | IP54/20 |
| 911401551241 | DN594B LED40/840 PSD C D200 WH WB WP GM | IP54/20 |

| Order Code | Full Product Name | Ingress protection code |
|--------------|---|-------------------------|
| 911401551341 | DN589B LED10/830 PSU C D150 WH WB CAU | IP20 |
| 911401551441 | DN589B LED10/840 PSU C D150 WH WB CAU | IP20 |
| 911401551541 | DN590B LED15/840 PSU C D150 WH WB CAU | IP20 |
| 911401551641 | DN591B LED20/830 PSU C D200 WH WB CAU | IP20 |
| 911401551741 | DN591B LED20/840 PSU C D200 WH WB CAU | IP20 |
| 911401551841 | DN593B LED30/840 PSU C D200 WH WB CAU | IP20 |
| 911401551941 | DN594B LED40/840 PSU C D200 WH WB CAU | IP20 |
| 911401552041 | DN589B LED10/830 PSD C D150 WH WB CAU | IP20 |
| 911401552141 | DN589B LED10/840 PSD C D150 WH WB CAU | IP20 |
| 911401552241 | DN590B LED15/840 PSD C D150 WH WB CAU | IP20 |
| 911401552341 | DN591B LED20/830 PSD C D200 WH WB CAU | IP20 |
| 911401552441 | DN591B LED20/840 PSD C D200 WH WB CAU | IP20 |
| 911401552541 | DN593B LED30/840 PSD C D200 WH WB CAU | IP20 |
| 911401552641 | DN594B LED40/840 PSD C D200 WH WB CAU | IP20 |
| 911401552741 | DN589B LED10/830 PSU C D150 WH WB WP CAU | IP54/20 |
| 911401552841 | DN589B LED10/840 PSU C D150 WH WB WP CAU | IP54/20 |
| 911401552941 | DN590B LED15/840 PSU C D150 WH WB WP CAU | IP54/20 |
| 911401553041 | DN591B LED20/830 PSU C D200 WH WB WP CAU | IP54/20 |
| 911401553141 | DN591B LED20/840 PSU C D200 WH WB WP CAU | IP54/20 |
| 911401553241 | DN593B LED30/840 PSU C D200 WH WB WP CAU | IP54/20 |
| 911401553341 | DN594B LED40/840 PSU C D200 WH WB WP CAU | IP54/20 |
| 911401553441 | DN589B LED10/830 PSD C D150 WH WB WP CAU | IP54/20 |
| 911401553541 | DN589B LED10/840 PSD C D150 WH WB WP CAU | IP54/20 |
| 911401553641 | DN590B LED15/840 PSD C D150 WH WB WP CAU | IP54/20 |
| 911401553741 | DN591B LED20/830 PSD C D200 WH WB WP CAU | IP54/20 |
| 911401553841 | DN591B LED20/840 PSD C D200 WH WB WP CAU | IP54/20 |
| 911401553941 | DN593B LED30/840 PSD C D200 WH WB WP CAU | IP54/20 |
| 911401554041 | DN594B LED40/840 PSD C D200 WH WB WP CAU | IP54/20 |
| 911401554141 | DN590B LED15/830 POE C D150 WH WB GM | IP20 |
| 911401554241 | DN590B LED15/840 POE C D150 WH WB GM | IP20 |
| 911401554341 | DN592B LED25/830 POE C D200 WH WB GM | IP20 |
| 911401554441 | DN592B LED25/840 POE C D200 WH WB GM | IP20 |
| 911401542251 | DN591B LED20/TWH PSD C D150 WH MB GM | IP20 |
| 911401542351 | DN591B LED20/TWH PSD C D150 WH WB GC | IP20 |
| 911401542451 | DN591B LED20/TWH PSD C D150 WH MB GC | IP20 |
| 911401542551 | DN591B LED20/TWH PSD C D150 WH WB GM | IP20 |

Controls and Dimming

| Order Code | Full Product Name | Dimmable | Order Code | Full Product Name | Dimmable |
|--------------|--------------------------------------|----------|--------------|--|----------|
| 911401536641 | DN588B LED6/830 PSU C D100 WH WB GC | No | 911401541941 | DN591B LED20/930 PSD C D125 WH WB GC | Yes |
| 911401536741 | DN588B LED6/840 PSU C D100 WH WB GC | No | 911401542041 | DN591B LED20/940 PSD C D125 WH WB GC | Yes |
| 911401536841 | DN588B LED6/930 PSU C D100 WH WB GC | No | 911401542141 | DN591B LED20/830 PSD C D125 WH MB GC | Yes |
| 911401536941 | DN588B LED6/940 PSU C D100 WH WB GC | No | 911401542241 | DN591B LED20/840 PSD C D125 WH MB GC | Yes |
| 911401537041 | DN588B LED6/830 PSU C D100 WH MB GC | No | 911401542341 | DN591B LED20/930 PSD C D125 WH MB GC | Yes |
| 911401537141 | DN588B LED6/840 PSU C D100 WH MB GC | No | 911401542441 | DN591B LED20/940 PSD C D125 WH MB GC | Yes |
| 911401537241 | DN588B LED6/930 PSU C D100 WH MB GC | No | 911401547541 | DN588B LED6/830 PSU C D125 C WH WB GM | No |
| 911401537341 | DN588B LED6/940 PSU C D100 WH MB GC | No | 911401547641 | DN588B LED6/840 PSU C D125 C WH WB GM | No |
| 911401537441 | DN589B LED10/830 PSU C D125 WH WB GC | No | 911401548741 | DN588B LED6/840 PSD C D125 WH WB GM | Yes |
| 911401537541 | DN589B LED10/840 PSU C D125 WH WB GC | No | 911401549541 | DN588B LED6/830 PSU C D125 WH WB WP GM | No |
| 911401537641 | DN589B LED10/930 PSU C D125 WH WB GC | No | 911401549641 | DN588B LED6/840 PSU C D125 WH WB WP GM | No |
| 911401537741 | DN589B LED10/940 PSU C D125 WH WB GC | No | 911401550541 | DN588B LED6/840 PSD C D125 WH WB WP GM | Yes |
| 911401537841 | DN589B LED10/830 PSU C D125 WH MB GC | No | 911401540841 | DN590B LED20/TWH PSD C D150 WH WB GC | Yes |
| 911401537941 | DN589B LED10/840 PSU C D125 WH MB GC | No | 911401542541 | DN591B LED20/830 PSU C D150 WH WB GC | No |
| 911401538041 | DN589B LED10/930 PSU C D125 WH MB GC | No | 911401542641 | DN591B LED20/840 PSU C D150 WH WB GC | No |
| 911401538141 | DN589B LED10/940 PSU C D125 WH MB GC | No | 911401542741 | DN591B LED20/930 PSU C D150 WH WB GC | No |
| 911401538241 | DN589B LED10/830 PSD C D125 WH WB GC | Yes | 911401542841 | DN591B LED20/940 PSU C D150 WH WB GC | No |
| 911401538341 | DN589B LED10/840 PSD C D125 WH WB GC | Yes | 911401542941 | DN591B LED20/830 PSU C D150 WH MB GC | No |
| 911401538441 | DN589B LED10/930 PSD C D125 WH WB GC | Yes | 911401543041 | DN591B LED20/840 PSU C D150 WH MB GC | No |
| 911401538541 | DN589B LED10/940 PSD C D125 WH WB GC | Yes | 911401543141 | DN591B LED20/930 PSU C D150 WH MB GC | No |
| 911401538641 | DN589B LED10/830 PSD C D125 WH MB GC | Yes | 911401543241 | DN591B LED20/940 PSU C D150 WH MB GC | No |
| 911401538741 | DN589B LED10/840 PSD C D125 WH MB GC | Yes | 911401543341 | DN591B LED20/830 PSD C D150 WH WB GC | Yes |
| 911401538841 | DN589B LED10/930 PSD C D125 WH MB GC | Yes | 911401543441 | DN591B LED20/840 PSD C D150 WH WB GC | Yes |
| 911401538941 | DN589B LED10/940 PSD C D125 WH MB GC | Yes | 911401543541 | DN591B LED20/930 PSD C D150 WH WB GC | Yes |
| 911401539041 | DN590B LED15/830 PSU C D125 WH WB GC | No | 911401543641 | DN591B LED20/940 PSD C D150 WH WB GC | Yes |
| 911401539141 | DN590B LED15/840 PSU C D125 WH WB GC | No | 911401543741 | DN591B LED20/830 PSD C D150 WH MB GC | Yes |
| 911401539241 | DN590B LED15/930 PSU C D125 WH WB GC | No | 911401543841 | DN591B LED20/840 PSD C D150 WH MB GC | Yes |
| 911401539341 | DN590B LED15/940 PSU C D125 WH WB GC | No | 911401543941 | DN591B LED20/930 PSD C D150 WH MB GC | Yes |
| 911401539441 | DN590B LED15/830 PSU C D125 WH MB GC | No | 911401544041 | DN591B LED20/940 PSD C D150 WH MB GC | Yes |
| 911401539541 | DN590B LED15/840 PSU C D125 WH MB GC | No | 911401544141 | DN592B LED25/830 PSU C D150 WH WB GC | No |
| 911401539641 | DN590B LED15/930 PSU C D125 WH MB GC | No | 911401544241 | DN592B LED25/840 PSU C D150 WH WB GC | No |
| 911401539741 | DN590B LED15/940 PSU C D125 WH MB GC | No | 911401544341 | DN592B LED25/930 PSU C D150 WH WB GC | No |
| 911401539841 | DN590B LED15/830 PSD C D125 WH WB GC | Yes | 911401544441 | DN592B LED25/940 PSU C D150 WH WB GC | No |
| 911401539941 | DN590B LED15/840 PSD C D125 WH WB GC | Yes | 911401544541 | DN592B LED25/830 PSU C D150 WH MB GC | No |
| 911401540041 | DN590B LED15/930 PSD C D125 WH WB GC | Yes | 911401544641 | DN592B LED25/840 PSU C D150 WH MB GC | No |
| 911401540141 | DN590B LED15/940 PSD C D125 WH WB GC | Yes | 911401544741 | DN592B LED25/930 PSU C D150 WH MB GC | No |
| 911401540241 | DN590B LED15/830 PSD C D125 WH MB GC | Yes | 911401544841 | DN592B LED25/940 PSU C D150 WH MB GC | No |
| 911401540341 | DN590B LED15/840 PSD C D125 WH MB GC | Yes | 911401544941 | DN592B LED25/830 PSD C D150 WH WB GC | Yes |
| 911401540441 | DN590B LED15/930 PSD C D125 WH MB GC | Yes | 911401545041 | DN592B LED25/840 PSD C D150 WH WB GC | Yes |
| 911401540541 | DN590B LED15/940 PSD C D125 WH MB GC | Yes | 911401545141 | DN592B LED25/930 PSD C D150 WH WB GC | Yes |
| 911401540641 | DN590B LED15/830 POE C D125 WH WB GC | Yes | 911401545241 | DN592B LED25/940 PSD C D150 WH WB GC | Yes |
| 911401540741 | DN590B LED15/840 POE C D125 WH WB GC | Yes | 911401545341 | DN592B LED25/830 PSD C D150 WH MB GC | Yes |
| 911401540941 | DN591B LED20/830 PSU C D125 WH WB GC | No | 911401545441 | DN592B LED25/840 PSD C D150 WH MB GC | Yes |
| 911401541041 | DN591B LED20/840 PSU C D125 WH WB GC | No | 911401545541 | DN592B LED25/930 PSD C D150 WH MB GC | Yes |
| 911401541141 | DN591B LED20/930 PSU C D125 WH WB GC | No | 911401545641 | DN592B LED25/940 PSD C D150 WH MB GC | Yes |
| 911401541241 | DN591B LED20/940 PSU C D125 WH WB GC | No | 911401545741 | DN592B LED25/830 POE C D150 WH WB GC | Yes |
| 911401541341 | DN591B LED20/830 PSU C D125 WH MB GC | No | 911401545841 | DN592B LED25/840 POE C D150 WH WB GC | Yes |
| 911401541441 | DN591B LED20/840 PSU C D125 WH MB GC | No | 911401545941 | DN593B LED30/830 PSU C D200 WH WB GC | No |
| 911401541541 | DN591B LED20/930 PSU C D125 WH MB GC | No | 911401546041 | DN593B LED30/840 PSU C D200 WH WB GC | No |
| 911401541641 | DN591B LED20/940 PSU C D125 WH MB GC | No | 911401546141 | DN593B LED30/930 PSU C D200 WH WB GC | No |
| 911401541741 | DN591B LED20/830 PSD C D125 WH WB GC | Yes | 911401546241 | DN593B LED30/940 PSU C D200 WH WB GC | No |
| 911401541841 | DN591B LED20/840 PSD C D125 WH WB GC | Yes | 911401546341 | DN593B LED30/830 PSU C D200 WH MB GC | No |

| Order Code | Full Product Name | Dimmable |
|--------------|---|----------|
| 911401546441 | DN593B LED30/840 PSU C D200 WH MB GC | No |
| 911401546541 | DN593B LED30/930 PSU C D200 WH MB GC | No |
| 911401546641 | DN593B LED30/940 PSU C D200 WH MB GC | No |
| 911401546741 | DN594B LED40/830 PSU C D200 WH WB GC | No |
| 911401546841 | DN594B LED40/840 PSU C D200 WH WB GC | No |
| 911401546941 | DN594B LED40/930 PSU C D200 WH WB GC | No |
| 911401547041 | DN594B LED40/940 PSU C D200 WH WB GC | No |
| 911401547141 | DN594B LED40/830 PSU C D200 WH MB GC | No |
| 911401547241 | DN594B LED40/840 PSU C D200 WH MB GC | No |
| 911401547341 | DN594B LED40/930 PSU C D200 WH MB GC | No |
| 911401547441 | DN594B LED40/940 PSU C D200 WH MB GC | No |
| 911401547741 | DN589B LED10/830 PSU C D150 WH WB GM | No |
| 911401547841 | DN589B LED10/840 PSU C D150 WH WB GM | No |
| 911401547941 | DN590B LED15/830 PSU C D150 WH WB GM | No |
| 911401548041 | DN590B LED15/840 PSU C D150 WH WB GM | No |
| 911401548141 | DN591B LED20/830 PSU C D200 WH WB GM | No |
| 911401548241 | DN591B LED20/840 PSU C D200 WH WB GM | No |
| 911401548341 | DN593B LED30/830 PSU C D200 WH WB GM | No |
| 911401548441 | DN593B LED30/840 PSU C D200 WH WB GM | No |
| 911401548541 | DN594B LED40/830 PSU C D200 WH WB GM | No |
| 911401548641 | DN594B LED40/840 PSU C D200 WH WB GM | No |
| 911401548841 | DN589B LED10/830 PSD C D150 WH WB GM | Yes |
| 911401548941 | DN589B LED10/840 PSD C D150 WH WB GM | Yes |
| 911401549041 | DN590B LED15/840 PSD C D150 WH WB GM | Yes |
| 911401549141 | DN591B LED20/830 PSD C D200 WH WB GM | Yes |
| 911401549241 | DN591B LED20/840 PSD C D200 WH WB GM | Yes |
| 911401549341 | DN593B LED30/840 PSD C D200 WH WB GM | Yes |
| 911401549441 | DN594B LED40/840 PSD C D200 WH WB GM | Yes |
| 911401549741 | DN589B LED10/830 PSU C D150 WH WB WP GM | No |
| 911401549841 | DN589B LED10/840 PSU C D150 WH WB WP GM | No |
| 911401549941 | DN590B LED15/830 PSU C D150 WH WB WP GM | No |
| 911401550041 | DN590B LED15/840 PSU C D150 WH WB WP GM | No |
| 911401550141 | DN591B LED20/830 PSU C D200 WH WB WP GM | No |
| 911401550241 | DN591B LED20/840 PSU C D200 WH WB WP GM | No |
| 911401550341 | DN593B LED30/840 PSU C D200 WH WB WP GM | No |
| 911401550441 | DN594B LED40/840 PSU C D200 WH WB WP GM | No |
| 911401550641 | DN589B LED10/830 PSD C D150 WH WB WP GM | Yes |
| 911401550741 | DN589B LED10/840 PSD C D150 WH WB WP GM | Yes |
| 911401550841 | DN590B LED15/840 PSD C D150 WH WB WP GM | Yes |
| 911401550941 | DN591B LED20/830 PSD C D200 WH WB WP GM | Yes |

| Order Code | Full Product Name | Dimmable |
|--------------|--|----------|
| 911401551041 | DN591B LED20/840 PSD C D200 WH WB WP GM | Yes |
| 911401551141 | DN593B LED30/840 PSD C D200 WH WB WP GM | Yes |
| 911401551241 | DN594B LED40/840 PSD C D200 WH WB WP GM | Yes |
| 911401551341 | DN589B LED10/830 PSU C D150 WH WB CAU | No |
| 911401551441 | DN589B LED10/840 PSU C D150 WH WB CAU | No |
| 911401551541 | DN590B LED15/840 PSU C D150 WH WB CAU | No |
| 911401551641 | DN591B LED20/830 PSU C D200 WH WB CAU | No |
| 911401551741 | DN591B LED20/840 PSU C D200 WH WB CAU | No |
| 911401551841 | DN593B LED30/840 PSU C D200 WH WB CAU | No |
| 911401551941 | DN594B LED40/840 PSU C D200 WH WB CAU | No |
| 911401552041 | DN589B LED10/830 PSD C D150 WH WB CAU | Yes |
| 911401552141 | DN589B LED10/840 PSD C D150 WH WB CAU | Yes |
| 911401552241 | DN590B LED15/840 PSD C D150 WH WB CAU | Yes |
| 911401552341 | DN591B LED20/830 PSD C D200 WH WB CAU | Yes |
| 911401552441 | DN591B LED20/840 PSD C D200 WH WB CAU | Yes |
| 911401552541 | DN593B LED30/840 PSD C D200 WH WB CAU | Yes |
| 911401552641 | DN594B LED40/840 PSD C D200 WH WB CAU | Yes |
| 911401552741 | DN589B LED10/830 PSU C D150 WH WB WP CAU | No |
| 911401552841 | DN589B LED10/840 PSU C D150 WH WB WP CAU | No |
| 911401552941 | DN590B LED15/840 PSU C D150 WH WB WP CAU | No |
| 911401553041 | DN591B LED20/830 PSU C D200 WH WB WP CAU | No |
| 911401553141 | DN591B LED20/840 PSU C D200 WH WB WP CAU | No |
| 911401553241 | DN593B LED30/840 PSU C D200 WH WB WP CAU | No |
| 911401553341 | DN594B LED40/840 PSU C D200 WH WB WP CAU | No |
| 911401553441 | DN589B LED10/830 PSD C D150 WH WB WP CAU | Yes |
| 911401553541 | DN589B LED10/840 PSD C D150 WH WB WP CAU | Yes |
| 911401553641 | DN590B LED15/840 PSD C D150 WH WB WP CAU | Yes |
| 911401553741 | DN591B LED20/830 PSD C D200 WH WB WP CAU | Yes |
| 911401553841 | DN591B LED20/840 PSD C D200 WH WB WP CAU | Yes |
| 911401553941 | DN593B LED30/840 PSD C D200 WH WB WP CAU | Yes |
| 911401554041 | DN594B LED40/840 PSD C D200 WH WB WP CAU | Yes |
| 911401554141 | DN590B LED15/830 POE C D150 WH WB GM | Yes |
| 911401554241 | DN590B LED15/840 POE C D150 WH WB GM | Yes |
| 911401554341 | DN592B LED25/830 POE C D200 WH WB GM | Yes |
| 911401554441 | DN592B LED25/840 POE C D200 WH WB GM | Yes |
| 911401542251 | DN591B LED20/TWH PSD C D150 WH MB GM | Yes |
| 911401542351 | DN591B LED20/TWH PSD C D150 WH WB GC | Yes |
| 911401542451 | DN591B LED20/TWH PSD C D150 WH MB GC | Yes |
| 911401542551 | DN591B LED20/TWH PSD C D150 WH WB GM | Yes |

General Information (1/2)

| Order Code | Full Product Name | Beam angle of light | | | |
|--------------|-------------------------------------|---------------------|----------------------|-----------|----------------------|
| | | source | Protection class IEC | ENEC mark | Number of gear units |
| 911401536641 | DN588B LED6/830 PSU C D100 WH WB GC | - | Safety class II | - | 1 unit |
| 911401536741 | DN588B LED6/840 PSU C D100 WH WB GC | - | Safety class II | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light | | | |
|--------------|-------------------------------------|---------------------|----------------------|-----------|----------------------|
| | | source | Protection class IEC | ENEC mark | Number of gear units |
| 911401536841 | DN588B LED6/930 PSU C D100 WH WB GC | - | Safety class II | - | 1 unit |
| 911401536941 | DN588B LED6/940 PSU C D100 WH WB GC | - | Safety class II | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|--------------------------------------|----------------------------|----------------------|-----------|----------------------|
| 911401537041 | DN588B LED6/830 PSU C D100 WH MB GC | - | Safety class II | - | 1 unit |
| 911401537141 | DN588B LED6/840 PSU C D100 WH MB GC | - | Safety class II | - | 1 unit |
| 911401537241 | DN588B LED6/930 PSU C D100 WH MB GC | - | Safety class II | - | 1 unit |
| 911401537341 | DN588B LED6/940 PSU C D100 WH MB GC | - | Safety class II | - | 1 unit |
| 911401537441 | DN589B LED10/830 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401537541 | DN589B LED10/840 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401537641 | DN589B LED10/930 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401537741 | DN589B LED10/940 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401537841 | DN589B LED10/830 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401537941 | DN589B LED10/840 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401538041 | DN589B LED10/930 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401538141 | DN589B LED10/940 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401538241 | DN589B LED10/830 PSD C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401538341 | DN589B LED10/840 PSD C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401538441 | DN589B LED10/930 PSD C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401538541 | DN589B LED10/940 PSD C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401538641 | DN589B LED10/830 PSD C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401538741 | DN589B LED10/840 PSD C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401538841 | DN589B LED10/930 PSD C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401538941 | DN589B LED10/940 PSD C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401539041 | DN590B LED15/830 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401539141 | DN590B LED15/840 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401539241 | DN590B LED15/930 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401539341 | DN590B LED15/940 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|--------------------------------------|----------------------------|----------------------|-----------|----------------------|
| 911401539441 | DN590B LED15/830 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401539541 | DN590B LED15/840 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401539641 | DN590B LED15/930 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401539741 | DN590B LED15/940 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401539841 | DN590B LED15/830 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |
| 911401539941 | DN590B LED15/840 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |
| 911401540041 | DN590B LED15/930 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |
| 911401540141 | DN590B LED15/940 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |
| 911401540241 | DN590B LED15/830 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401540341 | DN590B LED15/840 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401540441 | DN590B LED15/930 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401540541 | DN590B LED15/940 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401540641 | DN590B LED15/830 POE C D125 WH WB GC | - | Safety class III | - | 1 unit |
| 911401540741 | DN590B LED15/840 POE C D125 WH WB GC | - | Safety class III | - | 1 unit |
| 911401540941 | DN591B LED20/830 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401541041 | DN591B LED20/840 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401541141 | DN591B LED20/930 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401541241 | DN591B LED20/940 PSU C D125 WH WB GC | - | Safety class II | - | 1 unit |
| 911401541341 | DN591B LED20/830 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401541441 | DN591B LED20/840 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401541541 | DN591B LED20/930 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401541641 | DN591B LED20/940 PSU C D125 WH MB GC | - | Safety class II | - | 1 unit |
| 911401541741 | DN591B LED20/830 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |
| 911401541841 | DN591B LED20/840 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|---|----------------------------|----------------------|-----------|----------------------|
| 911401541941 | DN591B LED20/930 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |
| 911401542041 | DN591B LED20/940 PSD C D125 WH WB GC | - | Safety class I | - | 1 unit |
| 911401542141 | DN591B LED20/830 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401542241 | DN591B LED20/840 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401542341 | DN591B LED20/930 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401542441 | DN591B LED20/940 PSD C D125 WH MB GC | - | Safety class I | - | 1 unit |
| 911401547541 | DN588B LED6/830 PSU C D125 C WH WB GM | - | Safety class II | - | 1 unit |
| 911401547641 | DN588B LED6/840 PSU C D125 C WH WB GM | - | Safety class II | - | 1 unit |
| 911401548741 | DN588B LED6/840 PSD C D125 WH WB GM | - | Safety class II | - | 1 unit |
| 911401549541 | DN588B LED6/830 PSU C D125 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401549641 | DN588B LED6/840 PSU C D125 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550541 | DN588B LED6/840 PSD C D125 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401540841 | DN590B LED20/TWH PSD C D150 WH WB GC | - | Safety class I | - | 2 units |
| 911401542541 | DN591B LED20/830 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401542641 | DN591B LED20/840 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401542741 | DN591B LED20/930 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401542841 | DN591B LED20/940 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401542941 | DN591B LED20/830 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401543041 | DN591B LED20/840 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401543141 | DN591B LED20/930 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401543241 | DN591B LED20/940 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401543341 | DN591B LED20/830 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |
| 911401543441 | DN591B LED20/840 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |
| 911401543541 | DN591B LED20/930 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|---|----------------------------|----------------------|-----------|----------------------|
| 911401543641 | DN591B LED20/940 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |
| 911401543741 | DN591B LED20/830 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401543841 | DN591B LED20/840 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401543941 | DN591B LED20/930 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401544041 | DN591B LED20/940 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401544141 | DN592B LED25/830 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401544241 | DN592B LED25/840 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401544341 | DN592B LED25/930 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401544441 | DN592B LED25/940 PSU C D150 WH WB GC | - | Safety class II | - | 1 unit |
| 911401544541 | DN592B LED25/830 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401544641 | DN592B LED25/840 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401544741 | DN592B LED25/930 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401544841 | DN592B LED25/940 PSU C D150 WH MB GC | - | Safety class II | - | 1 unit |
| 911401544941 | DN592B LED25/830 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |
| 911401545041 | DN592B LED25/840 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |
| 911401545141 | DN592B LED25/930 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |
| 911401545241 | DN592B LED25/940 PSD C D150 WH WB GC | - | Safety class I | - | 1 unit |
| 911401545341 | DN592B LED25/830 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401545441 | DN592B LED25/840 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401545541 | DN592B LED25/930 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401545641 | DN592B LED25/940 PSD C D150 WH MB GC | - | Safety class I | - | 1 unit |
| 911401545741 | DN592B LED25/830 POE C D150 WH WB GC | - | Safety class III | - | 1 unit |
| 911401545841 | DN592B LED25/840 POE C D150 WH WB GC | - | Safety class III | - | 1 unit |
| 911401545941 | DN593B LED30/830 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|---|----------------------------|----------------------|-----------|----------------------|
| 911401546041 | DN593B LED30/840 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |
| 911401546141 | DN593B LED30/930 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |
| 911401546241 | DN593B LED30/940 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |
| 911401546341 | DN593B LED30/830 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401546441 | DN593B LED30/840 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401546541 | DN593B LED30/930 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401546641 | DN593B LED30/940 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401546741 | DN594B LED40/830 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |
| 911401546841 | DN594B LED40/840 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |
| 911401546941 | DN594B LED40/930 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |
| 911401547041 | DN594B LED40/940 PSU C D200 WH WB GC | - | Safety class II | - | 1 unit |
| 911401547141 | DN594B LED40/830 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401547241 | DN594B LED40/840 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401547341 | DN594B LED40/930 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401547441 | DN594B LED40/940 PSU C D200 WH MB GC | - | Safety class II | - | 1 unit |
| 911401547741 | DN589B LED10/830 PSU C D150 WH WB GM | - | Safety class II | - | 1 unit |
| 911401547841 | DN589B LED10/840 PSU C D150 WH WB GM | - | Safety class II | - | 1 unit |
| 911401547941 | DN590B LED15/830 PSU C D150 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548041 | DN590B LED15/840 PSU C D150 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548141 | DN591B LED20/830 PSU C D200 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548241 | DN591B LED20/840 PSU C D200 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548341 | DN593B LED30/830 PSU C D200 WH WB GM | - | Safety class II | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|--|----------------------------|----------------------|-----------|----------------------|
| 911401548441 | DN593B LED30/840 PSU C D200 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548541 | DN594B LED40/830 PSU C D200 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548641 | DN594B LED40/840 PSU C D200 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548841 | DN589B LED10/830 PSD C D150 WH WB GM | - | Safety class II | - | 1 unit |
| 911401548941 | DN589B LED10/840 PSD C D150 WH WB GM | - | Safety class II | - | 1 unit |
| 911401549041 | DN590B LED15/840 PSD C D150 WH WB GM | - | Safety class I | - | 1 unit |
| 911401549141 | DN591B LED20/830 PSD C D200 WH WB GM | - | Safety class I | - | 1 unit |
| 911401549241 | DN591B LED20/840 PSD C D200 WH WB GM | - | Safety class I | - | 1 unit |
| 911401549341 | DN593B LED30/840 PSD C D200 WH WB GM | - | Safety class I | - | 1 unit |
| 911401549441 | DN594B LED40/840 PSD C D200 WH WB GM | - | Safety class I | - | 1 unit |
| 911401549741 | DN589B LED10/830 PSU C D150 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401549841 | DN589B LED10/840 PSU C D150 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401549941 | DN590B LED15/830 PSU C D150 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550041 | DN590B LED15/840 PSU C D150 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550141 | DN591B LED20/830 PSU C D200 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550241 | DN591B LED20/840 PSU C D200 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550341 | DN593B LED30/840 PSU C D200 WH WB WP GM | - | Safety class II | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|---|----------------------------|----------------------|-----------|----------------------|
| 911401550441 | DN594B LED40/840 PSU C D200 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550641 | DN589B LED10/830 PSD C D150 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550741 | DN589B LED10/840 PSD C D150 WH WB WP GM | - | Safety class II | - | 1 unit |
| 911401550841 | DN590B LED15/840 PSD C D150 WH WB WP GM | - | Safety class I | - | 1 unit |
| 911401550941 | DN591B LED20/830 PSD C D200 WH WB WP GM | - | Safety class I | - | 1 unit |
| 911401551041 | DN591B LED20/840 PSD C D200 WH WB WP GM | - | Safety class I | - | 1 unit |
| 911401551141 | DN593B LED30/840 PSD C D200 WH WB WP GM | - | Safety class I | - | 1 unit |
| 911401551241 | DN594B LED40/840 PSD C D200 WH WB WP GM | - | Safety class I | - | 1 unit |
| 911401551341 | DN589B LED10/830 PSU C D150 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401551441 | DN589B LED10/840 PSU C D150 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401551541 | DN590B LED15/840 PSU C D150 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401551641 | DN591B LED20/830 PSU C D200 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401551741 | DN591B LED20/840 PSU C D200 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401551841 | DN593B LED30/840 PSU C D200 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401551941 | DN594B LED40/840 PSU C D200 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401552041 | DN589B LED10/830 PSD C D150 WH WB CAU | - | Safety class II | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|--|----------------------------|----------------------|-----------|----------------------|
| 911401552141 | DN589B LED10/840 PSD C D150 WH WB CAU | - | Safety class II | - | 1 unit |
| 911401552241 | DN590B LED15/840 PSD C D150 WH WB CAU | - | Safety class I | - | 1 unit |
| 911401552341 | DN591B LED20/830 PSD C D200 WH WB CAU | - | Safety class I | - | 1 unit |
| 911401552441 | DN591B LED20/840 PSD C D200 WH WB CAU | - | Safety class I | - | 1 unit |
| 911401552541 | DN593B LED30/840 PSD C D200 WH WB CAU | - | Safety class I | - | 1 unit |
| 911401552641 | DN594B LED40/840 PSD C D200 WH WB CAU | - | Safety class I | - | 1 unit |
| 911401552741 | DN589B LED10/830 PSU C D150 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401552841 | DN589B LED10/840 PSU C D150 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401552941 | DN590B LED15/840 PSU C D150 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401553041 | DN591B LED20/830 PSU C D200 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401553141 | DN591B LED20/840 PSU C D200 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401553241 | DN593B LED30/840 PSU C D200 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401553341 | DN594B LED40/840 PSU C D200 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401553441 | DN589B LED10/830 PSD C D150 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401553541 | DN589B LED10/840 PSD C D150 WH WB WP CAU | - | Safety class II | - | 1 unit |
| 911401553641 | DN590B LED15/840 PSD C D150 WH WB WP CAU | - | Safety class I | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|--|----------------------------|----------------------|-----------|----------------------|
| 911401553741 | DN591B LED20/830 PSD C D200 WH WB WP CAU | - | Safety class I | - | 1 unit |
| 911401553841 | DN591B LED20/840 PSD C D200 WH WB WP CAU | - | Safety class I | - | 1 unit |
| 911401553941 | DN593B LED30/840 PSD C D200 WH WB WP CAU | - | Safety class I | - | 1 unit |
| 911401554041 | DN594B LED40/840 PSD C D200 WH WB WP CAU | - | Safety class I | - | 1 unit |
| 911401554141 | DN590B LED15/830 POE C D150 WH WB GM | - | Safety class III | - | 1 unit |
| 911401554241 | DN590B LED15/840 POE C D150 WH WB GM | - | Safety class III | - | 1 unit |

| Order Code | Full Product Name | Beam angle of light source | Protection class IEC | ENEC mark | Number of gear units |
|--------------|--|----------------------------|----------------------|-----------|----------------------|
| 911401554341 | DN592B LED25/830 POE C D200 WH WB GM | - | Safety class III | - | 1 unit |
| 911401554441 | DN592B LED25/840 POE C D200 WH WB GM | - | Safety class III | - | 1 unit |
| 911401542251 | DN591B LED20/TWH PSD C D150 WH MB GM | 32 ° | Safety class II | - | 1 unit |
| 911401542351 | DN591B LED20/TWH PSD C D150 WH WB GC | 62 ° | Safety class II | - | 1 unit |
| 911401542451 | DN591B LED20/TWH PSD C D150 WH MB GC | 32 ° | Safety class II | - | 1 unit |
| 911401542551 | DN591B LED20/TWH PSD C D150 WH WB GM | 62 ° | Safety class II | - | 1 unit |

General Information (2/2)

| Order Code | Full Product Name | Optic type |
|--------------|---|--|
| 911401536641 | DN588B LED6/830 PSU C D100 WH WB GC | Facetted reflector with beam angle 60° |
| 911401536741 | DN588B LED6/840 PSU C D100 WH WB GC | Facetted reflector with beam angle 60° |
| 911401536841 | DN588B LED6/930 PSU C D100 WH WB GC | Facetted reflector with beam angle 60° |
| 911401536941 | DN588B LED6/940 PSU C D100 WH WB GC | Facetted reflector with beam angle 60° |
| 911401537041 | DN588B LED6/830 PSU C D100 WH MB GC | Facetted reflector with beam angle 30° |
| 911401537141 | DN588B LED6/840 PSU C D100 WH MB GC | Facetted reflector with beam angle 30° |
| 911401537241 | DN588B LED6/930 PSU C D100 WH MB GC | Facetted reflector with beam angle 30° |
| 911401537341 | DN588B LED6/940 PSU C D100 WH MB GC | Facetted reflector with beam angle 30° |
| 911401537441 | DN589B LED10/830 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401537541 | DN589B LED10/840 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401537641 | DN589B LED10/930 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401537741 | DN589B LED10/940 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401537841 | DN589B LED10/830 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401537941 | DN589B LED10/840 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |

| Order Code | Full Product Name | Optic type |
|--------------|---|--|
| 911401538041 | DN589B LED10/930 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401538141 | DN589B LED10/940 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401538241 | DN589B LED10/830 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401538341 | DN589B LED10/840 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401538441 | DN589B LED10/930 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401538541 | DN589B LED10/940 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401538641 | DN589B LED10/830 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401538741 | DN589B LED10/840 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401538841 | DN589B LED10/930 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401538941 | DN589B LED10/940 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401539041 | DN590B LED15/830 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401539141 | DN590B LED15/840 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401539241 | DN590B LED15/930 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401539341 | DN590B LED15/940 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |

| Order Code | Full Product Name | Optic type |
|--------------|--------------------------------------|--|
| 911401539441 | DN590B LED15/830 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401539541 | DN590B LED15/840 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401539641 | DN590B LED15/930 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401539741 | DN590B LED15/940 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401539841 | DN590B LED15/830 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401539941 | DN590B LED15/840 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401540041 | DN590B LED15/930 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401540141 | DN590B LED15/940 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401540241 | DN590B LED15/830 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401540341 | DN590B LED15/840 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401540441 | DN590B LED15/930 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401540541 | DN590B LED15/940 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401540641 | DN590B LED15/830 POE C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401540741 | DN590B LED15/840 POE C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401540941 | DN591B LED20/830 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401541041 | DN591B LED20/840 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401541141 | DN591B LED20/930 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401541241 | DN591B LED20/940 PSU C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401541341 | DN591B LED20/830 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401541441 | DN591B LED20/840 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401541541 | DN591B LED20/930 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401541641 | DN591B LED20/940 PSU C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401541741 | DN591B LED20/830 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401541841 | DN591B LED20/840 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401541941 | DN591B LED20/930 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |
| 911401542041 | DN591B LED20/940 PSD C D125 WH WB GC | Facetted reflector with beam angle 60° |

| Order Code | Full Product Name | Optic type |
|--------------|--|--|
| 911401542141 | DN591B LED20/830 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401542241 | DN591B LED20/840 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401542341 | DN591B LED20/930 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401542441 | DN591B LED20/940 PSD C D125 WH MB GC | Facetted reflector with beam angle 30° |
| 911401547541 | DN588B LED6/830 PSU C D125 C WH WB GM | Facetted reflector with beam angle 60° |
| 911401547641 | DN588B LED6/840 PSU C D125 C WH WB GM | Facetted reflector with beam angle 60° |
| 911401548741 | DN588B LED6/840 PSD C D125 WH WB GM | Facetted reflector with beam angle 60° |
| 911401549541 | DN588B LED6/830 PSU C D125 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401549641 | DN588B LED6/840 PSU C D125 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550541 | DN588B LED6/840 PSD C D125 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401540841 | DN590B LED20/TWH PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401542541 | DN591B LED20/830 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401542641 | DN591B LED20/840 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401542741 | DN591B LED20/930 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401542841 | DN591B LED20/940 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401542941 | DN591B LED20/830 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401543041 | DN591B LED20/840 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401543141 | DN591B LED20/930 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401543241 | DN591B LED20/940 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401543341 | DN591B LED20/830 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401543441 | DN591B LED20/840 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401543541 | DN591B LED20/930 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401543641 | DN591B LED20/940 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401543741 | DN591B LED20/830 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401543841 | DN591B LED20/840 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401543941 | DN591B LED20/930 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |

| Order Code | Full Product Name | Optic type |
|--------------|--------------------------------------|--|
| 911401544041 | DN591B LED20/940 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401544141 | DN592B LED25/830 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401544241 | DN592B LED25/840 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401544341 | DN592B LED25/930 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401544441 | DN592B LED25/940 PSU C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401544541 | DN592B LED25/830 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401544641 | DN592B LED25/840 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401544741 | DN592B LED25/930 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401544841 | DN592B LED25/940 PSU C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401544941 | DN592B LED25/830 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401545041 | DN592B LED25/840 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401545141 | DN592B LED25/930 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401545241 | DN592B LED25/940 PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401545341 | DN592B LED25/830 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401545441 | DN592B LED25/840 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401545541 | DN592B LED25/930 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401545641 | DN592B LED25/940 PSD C D150 WH MB GC | Facetted reflector with beam angle 30° |
| 911401545741 | DN592B LED25/830 POE C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401545841 | DN592B LED25/840 POE C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401545941 | DN593B LED30/830 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401546041 | DN593B LED30/840 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401546141 | DN593B LED30/930 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401546241 | DN593B LED30/940 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401546341 | DN593B LED30/830 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |
| 911401546441 | DN593B LED30/840 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |
| 911401546541 | DN593B LED30/930 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |

| Order Code | Full Product Name | Optic type |
|--------------|--------------------------------------|--|
| 911401546641 | DN593B LED30/940 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |
| 911401546741 | DN594B LED40/830 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401546841 | DN594B LED40/840 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401546941 | DN594B LED40/930 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401547041 | DN594B LED40/940 PSU C D200 WH WB GC | Facetted reflector with beam angle 60° |
| 911401547141 | DN594B LED40/830 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |
| 911401547241 | DN594B LED40/840 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |
| 911401547341 | DN594B LED40/930 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |
| 911401547441 | DN594B LED40/940 PSU C D200 WH MB GC | Facetted reflector with beam angle 30° |
| 911401547741 | DN589B LED10/830 PSU C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401547841 | DN589B LED10/840 PSU C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401547941 | DN590B LED15/830 PSU C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548041 | DN590B LED15/840 PSU C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548141 | DN591B LED20/830 PSU C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548241 | DN591B LED20/840 PSU C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548341 | DN593B LED30/830 PSU C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548441 | DN593B LED30/840 PSU C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548541 | DN594B LED40/830 PSU C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548641 | DN594B LED40/840 PSU C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548841 | DN589B LED10/830 PSD C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401548941 | DN589B LED10/840 PSD C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401549041 | DN590B LED15/840 PSD C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401549141 | DN591B LED20/830 PSD C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401549241 | DN591B LED20/840 PSD C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401549341 | DN593B LED30/840 PSD C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401549441 | DN594B LED40/840 PSD C D200 WH WB GM | Facetted reflector with beam angle 60° |

| Order Code | Full Product Name | Optic type |
|--------------|---|--|
| 911401549741 | DN589B LED10/830 PSU C D150 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401549841 | DN589B LED10/840 PSU C D150 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401549941 | DN590B LED15/830 PSU C D150 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550041 | DN590B LED15/840 PSU C D150 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550141 | DN591B LED20/830 PSU C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550241 | DN591B LED20/840 PSU C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550341 | DN593B LED30/840 PSU C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550441 | DN594B LED40/840 PSU C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550641 | DN589B LED10/830 PSD C D150 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550741 | DN589B LED10/840 PSD C D150 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550841 | DN590B LED15/840 PSD C D150 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401550941 | DN591B LED20/830 PSD C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401551041 | DN591B LED20/840 PSD C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401551141 | DN593B LED30/840 PSD C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401551241 | DN594B LED40/840 PSD C D200 WH WB WP GM | Facetted reflector with beam angle 60° |
| 911401551341 | DN589B LED10/830 PSU C D150 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401551441 | DN589B LED10/840 PSU C D150 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401551541 | DN590B LED15/840 PSU C D150 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401551641 | DN591B LED20/830 PSU C D200 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401551741 | DN591B LED20/840 PSU C D200 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401551841 | DN593B LED30/840 PSU C D200 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401551941 | DN594B LED40/840 PSU C D200 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401552041 | DN589B LED10/830 PSD C D150 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401552141 | DN589B LED10/840 PSD C D150 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401552241 | DN590B LED15/840 PSD C D150 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401552341 | DN591B LED20/830 PSD C D200 WH WB CAU | Facetted reflector with beam angle 60° |

| Order Code | Full Product Name | Optic type |
|--------------|--|--|
| 911401552441 | DN591B LED20/840 PSD C D200 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401552541 | DN593B LED30/840 PSD C D200 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401552641 | DN594B LED40/840 PSD C D200 WH WB CAU | Facetted reflector with beam angle 60° |
| 911401552741 | DN589B LED10/830 PSU C D150 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401552841 | DN589B LED10/840 PSU C D150 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401552941 | DN590B LED15/840 PSU C D150 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553041 | DN591B LED20/830 PSU C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553141 | DN591B LED20/840 PSU C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553241 | DN593B LED30/840 PSU C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553341 | DN594B LED40/840 PSU C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553441 | DN589B LED10/830 PSD C D150 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553541 | DN589B LED10/840 PSD C D150 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553641 | DN590B LED15/840 PSD C D150 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553741 | DN591B LED20/830 PSD C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553841 | DN591B LED20/840 PSD C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401553941 | DN593B LED30/840 PSD C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401554041 | DN594B LED40/840 PSD C D200 WH WB WP CAU | Facetted reflector with beam angle 60° |
| 911401554141 | DN590B LED15/830 POE C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401554241 | DN590B LED15/840 POE C D150 WH WB GM | Facetted reflector with beam angle 60° |
| 911401554341 | DN592B LED25/830 POE C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401554441 | DN592B LED25/840 POE C D200 WH WB GM | Facetted reflector with beam angle 60° |
| 911401542251 | DN591B LED20/TWH PSD C D150 WH MB GM | Facetted reflector with beam angle 36° |
| 911401542351 | DN591B LED20/TWH PSD C D150 WH WB GC | Facetted reflector with beam angle 60° |
| 911401542451 | DN591B LED20/TWH PSD C D150 WH MB GC | Facetted reflector with beam angle 36° |
| 911401542551 | DN591B LED20/TWH PSD C D150 WH WB GM | Facetted reflector with beam angle 60° |

Initial Performance (IEC Compliant) (1/2)

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401536641 | DN588B LED6/830 PSU C D100 WH WB GC | - | 3000 K | >80 | 102 lm/W |
| 911401536741 | DN588B LED6/840 PSU C D100 WH WB GC | - | 4000 K | >90 | 112 lm/W |
| 911401536841 | DN588B LED6/930 PSU C D100 WH WB GC | - | 3000 K | >80 | 88 lm/W |
| 911401536941 | DN588B LED6/940 PSU C D100 WH WB GC | - | 4000 K | >90 | 95 lm/W |
| 911401537041 | DN588B LED6/830 PSU C D100 WH MB GC | - | 3000 K | >80 | 102 lm/W |
| 911401537141 | DN588B LED6/840 PSU C D100 WH MB GC | - | 4000 K | >90 | 112 lm/W |
| 911401537241 | DN588B LED6/930 PSU C D100 WH MB GC | - | 3000 K | >80 | 88 lm/W |
| 911401537341 | DN588B LED6/940 PSU C D100 WH MB GC | - | 4000 K | >90 | 95 lm/W |
| 911401537441 | DN589B LED10/830 PSU C D125 WH WB GC | - | 3000 K | >80 | 103 lm/W |
| 911401537541 | DN589B LED10/840 PSU C D125 WH WB GC | - | 4000 K | >90 | 108 lm/W |
| 911401537641 | DN589B LED10/930 PSU C D125 WH WB GC | - | 3000 K | >80 | 86 lm/W |
| 911401537741 | DN589B LED10/940 PSU C D125 WH WB GC | - | 4000 K | >90 | 92 lm/W |
| 911401537841 | DN589B LED10/830 PSU C D125 WH MB GC | - | 3000 K | >80 | 103 lm/W |
| 911401537941 | DN589B LED10/840 PSU C D125 WH MB GC | - | 4000 K | >90 | 108 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401538041 | DN589B LED10/930 PSU C D125 WH MB GC | - | 3000 K | >80 | 86 lm/W |
| 911401538141 | DN589B LED10/940 PSU C D125 WH MB GC | - | 4000 K | >90 | 92 lm/W |
| 911401538241 | DN589B LED10/830 PSD C D125 WH WB GC | - | 3000 K | >80 | 103 lm/W |
| 911401538341 | DN589B LED10/840 PSD C D125 WH WB GC | - | 4000 K | >90 | 108 lm/W |
| 911401538441 | DN589B LED10/930 PSD C D125 WH WB GC | - | 3000 K | >80 | 86 lm/W |
| 911401538541 | DN589B LED10/940 PSD C D125 WH WB GC | - | 4000 K | >90 | 92 lm/W |
| 911401538641 | DN589B LED10/830 PSD C D125 WH MB GC | - | 3000 K | >80 | 103 lm/W |
| 911401538741 | DN589B LED10/840 PSD C D125 WH MB GC | - | 4000 K | >90 | 108 lm/W |
| 911401538841 | DN589B LED10/930 PSD C D125 WH MB GC | - | 3000 K | >80 | 86 lm/W |
| 911401538941 | DN589B LED10/940 PSD C D125 WH MB GC | - | 4000 K | >90 | 92 lm/W |
| 911401539041 | DN590B LED15/830 PSU C D125 WH WB GC | - | 3000 K | >80 | 104 lm/W |
| 911401539141 | DN590B LED15/840 PSU C D125 WH WB GC | - | 4000 K | >90 | 111 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401539241 | DN590B LED15/930 PSU C D125 WH WB GC | - | 3000 K | >80 | 88 lm/W |
| 911401539341 | DN590B LED15/940 PSU C D125 WH WB GC | - | 4000 K | >90 | 94 lm/W |
| 911401539441 | DN590B LED15/830 PSU C D125 WH MB GC | - | 3000 K | >80 | 104 lm/W |
| 911401539541 | DN590B LED15/840 PSU C D125 WH MB GC | - | 4000 K | >90 | 111 lm/W |
| 911401539641 | DN590B LED15/930 PSU C D125 WH MB GC | - | 3000 K | >80 | 88 lm/W |
| 911401539741 | DN590B LED15/940 PSU C D125 WH MB GC | - | 4000 K | >90 | 94 lm/W |
| 911401539841 | DN590B LED15/830 PSD C D125 WH WB GC | - | 3000 K | >80 | 104 lm/W |
| 911401539941 | DN590B LED15/840 PSD C D125 WH WB GC | - | 4000 K | >90 | 111 lm/W |
| 911401540041 | DN590B LED15/930 PSD C D125 WH WB GC | - | 3000 K | >80 | 88 lm/W |
| 911401540141 | DN590B LED15/940 PSD C D125 WH WB GC | - | 4000 K | >90 | 94 lm/W |
| 911401540241 | DN590B LED15/830 PSD C D125 WH MB GC | - | 3000 K | >80 | 104 lm/W |
| 911401540341 | DN590B LED15/840 PSD C D125 WH MB GC | - | 4000 K | >90 | 111 lm/W |
| 911401540441 | DN590B LED15/930 PSD | - | 3000 K | >80 | 88 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| | C D125 WH MB GC | | | | |
| 911401540541 | DN590B LED15/940 PSD C D125 WH MB GC | - | 4000 K | >90 | 94 lm/W |
| 911401540641 | DN590B LED15/830 POE C D125 WH WB GC | - | 3000 K | >80 | 104 lm/W |
| 911401540741 | DN590B LED15/840 POE C D125 WH WB GC | - | 4000 K | >90 | 111 lm/W |
| 911401540941 | DN591B LED20/830 PSU C D125 WH WB GC | - | 3000 K | >80 | 104 lm/W |
| 911401541041 | DN591B LED20/840 PSU C D125 WH WB GC | - | 4000 K | >90 | 109 lm/W |
| 911401541141 | DN591B LED20/930 PSU C D125 WH WB GC | - | 3000 K | >80 | 87 lm/W |
| 911401541241 | DN591B LED20/940 PSU C D125 WH WB GC | - | 4000 K | >90 | 93 lm/W |
| 911401541341 | DN591B LED20/830 PSU C D125 WH MB GC | - | 3000 K | >80 | 104 lm/W |
| 911401541441 | DN591B LED20/840 PSU C D125 WH MB GC | - | 4000 K | >90 | 109 lm/W |
| 911401541541 | DN591B LED20/930 PSU C D125 WH MB GC | - | 3000 K | >80 | 87 lm/W |
| 911401541641 | DN591B LED20/940 PSU C D125 WH MB GC | - | 4000 K | >90 | 93 lm/W |
| 911401541741 | DN591B LED20/830 PSD C D125 WH WB GC | - | 3000 K | >80 | 104 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401541841 | DN591B LED20/840 PSD C D125 WH WB GC | - | 4000 K | >90 | 109 lm/W |
| 911401541941 | DN591B LED20/930 PSD C D125 WH WB GC | - | 3000 K | >80 | 87 lm/W |
| 911401542041 | DN591B LED20/940 PSD C D125 WH WB GC | - | 4000 K | >90 | 93 lm/W |
| 911401542141 | DN591B LED20/830 PSD C D125 WH MB GC | - | 3000 K | >80 | 104 lm/W |
| 911401542241 | DN591B LED20/840 PSD C D125 WH MB GC | - | 4000 K | >90 | 109 lm/W |
| 911401542341 | DN591B LED20/930 PSD C D125 WH MB GC | - | 3000 K | >80 | 87 lm/W |
| 911401542441 | DN591B LED20/940 PSD C D125 WH MB GC | - | 4000 K | >90 | 93 lm/W |
| 911401547541 | DN588B LED6/830 PSU C D125 C WH WB GM | - | 3000 K | >80 | 109 lm/W |
| 911401547641 | DN588B LED6/840 PSU C D125 C WH WB GM | - | 4000 K | >80 | 114 lm/W |
| 911401548741 | DN588B LED6/840 PSD C D125 WH WB GM | - | 4000 K | >80 | 114 lm/W |
| 911401549541 | DN588B LED6/830 PSU C D125 WH WB WP GM | - | 3000 K | >80 | 103 lm/W |
| 911401549641 | DN588B LED6/840 PSU C D125 WH WB WP GM | - | 4000 K | >80 | 108 lm/W |
| 911401550541 | DN588B LED6/840 PSD C | - | 4000 K | >80 | 108 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| | D125 WH WB WP GM | | | | |
| 911401540841 | DN590B LED20/TWH PSD C D150 WH WB GC | - | 2700 to 6500 K | - | 185 lm/W |
| 911401542541 | DN591B LED20/830 PSU C D150 WH WB GC | - | 3000 K | >80 | 109 lm/W |
| 911401542641 | DN591B LED20/840 PSU C D150 WH WB GC | - | 4000 K | >90 | 111 lm/W |
| 911401542741 | DN591B LED20/930 PSU C D150 WH WB GC | - | 3000 K | >80 | 91 lm/W |
| 911401542841 | DN591B LED20/940 PSU C D150 WH WB GC | - | 4000 K | >90 | 98 lm/W |
| 911401542941 | DN591B LED20/830 PSU C D150 WH MB GC | - | 3000 K | >80 | 109 lm/W |
| 911401543041 | DN591B LED20/840 PSU C D150 WH MB GC | - | 4000 K | >90 | 111 lm/W |
| 911401543141 | DN591B LED20/930 PSU C D150 WH MB GC | - | 3000 K | >80 | 91 lm/W |
| 911401543241 | DN591B LED20/940 PSU C D150 WH MB GC | - | 4000 K | >90 | 98 lm/W |
| 911401543341 | DN591B LED20/830 PSD C D150 WH WB GC | - | 3000 K | >80 | 109 lm/W |
| 911401543441 | DN591B LED20/840 PSD C D150 WH WB GC | - | 4000 K | >90 | 111 lm/W |
| 911401543541 | DN591B LED20/930 PSD C D150 WH WB GC | - | 3000 K | >80 | 91 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401543641 | DN591B LED20/940 PSD C D150 WH WB GC | - | 4000 K | >90 | 98 lm/W |
| 911401543741 | DN591B LED20/830 PSD C D150 WH MB GC | - | 3000 K | >80 | 109 lm/W |
| 911401543841 | DN591B LED20/840 PSD C D150 WH MB GC | - | 4000 K | >90 | 111 lm/W |
| 911401543941 | DN591B LED20/930 PSD C D150 WH MB GC | - | 3000 K | >80 | 91 lm/W |
| 911401544041 | DN591B LED20/940 PSD C D150 WH MB GC | - | 4000 K | >90 | 98 lm/W |
| 911401544141 | DN592B LED25/830 PSU C D150 WH WB GC | - | 3000 K | >80 | 109 lm/W |
| 911401544241 | DN592B LED25/840 PSU C D150 WH WB GC | - | 4000 K | >90 | 113 lm/W |
| 911401544341 | DN592B LED25/930 PSU C D150 WH WB GC | - | 3000 K | >80 | 92 lm/W |
| 911401544441 | DN592B LED25/940 PSU C D150 WH WB GC | - | 4000 K | >90 | 98 lm/W |
| 911401544541 | DN592B LED25/830 PSU C D150 WH MB GC | - | 3000 K | >80 | 109 lm/W |
| 911401544641 | DN592B LED25/840 PSU C D150 WH MB GC | - | 4000 K | >90 | 113 lm/W |
| 911401544741 | DN592B LED25/930 PSU C D150 WH MB GC | - | 3000 K | >80 | 92 lm/W |
| 911401544841 | DN592B LED25/940 PSU | - | 4000 K | >90 | 98 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| | C D150 WH MB GC | | | | |
| 911401544941 | DN592B LED25/830 PSD C D150 WH WB GC | - | 3000 K | >80 | 109 lm/W |
| 911401545041 | DN592B LED25/840 PSD C D150 WH WB GC | - | 4000 K | >90 | 113 lm/W |
| 911401545141 | DN592B LED25/930 PSD C D150 WH WB GC | - | 3000 K | >80 | 92 lm/W |
| 911401545241 | DN592B LED25/940 PSD C D150 WH WB GC | - | 4000 K | >90 | 98 lm/W |
| 911401545341 | DN592B LED25/830 PSD C D150 WH MB GC | - | 3000 K | >80 | 109 lm/W |
| 911401545441 | DN592B LED25/840 PSD C D150 WH MB GC | - | 4000 K | >90 | 113 lm/W |
| 911401545541 | DN592B LED25/930 PSD C D150 WH MB GC | - | 3000 K | >80 | 92 lm/W |
| 911401545641 | DN592B LED25/940 PSD C D150 WH MB GC | - | 4000 K | >90 | 98 lm/W |
| 911401545741 | DN592B LED25/830 POE C D150 WH WB GC | - | 3000 K | >80 | 113 lm/W |
| 911401545841 | DN592B LED25/840 POE C D150 WH WB GC | - | 4000 K | >80 | 113 lm/W |
| 911401545941 | DN593B LED30/830 PSU C D200 WH WB GC | - | 3000 K | >80 | 102 lm/W |
| 911401546041 | DN593B LED30/840 PSU C D200 WH WB GC | - | 4000 K | >80 | 105 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401546141 | DN593B LED30/930 PSU C D200 WH WB GC | - | 3000 K | >90 | 85 lm/W |
| 911401546241 | DN593B LED30/940 PSU C D200 WH WB GC | - | 4000 K | >90 | 91 lm/W |
| 911401546341 | DN593B LED30/830 PSU C D200 WH MB GC | - | 3000 K | >80 | 102 lm/W |
| 911401546441 | DN593B LED30/840 PSU C D200 WH MB GC | - | 4000 K | >80 | 105 lm/W |
| 911401546541 | DN593B LED30/930 PSU C D200 WH MB GC | - | 3000 K | >90 | 85 lm/W |
| 911401546641 | DN593B LED30/940 PSU C D200 WH MB GC | - | 4000 K | >90 | 91 lm/W |
| 911401546741 | DN594B LED40/830 PSU C D200 WH WB GC | - | 3000 K | >80 | 103 lm/W |
| 911401546841 | DN594B LED40/840 PSU C D200 WH WB GC | - | 4000 K | >80 | 108 lm/W |
| 911401546941 | DN594B LED40/930 PSU C D200 WH WB GC | - | 3000 K | >90 | 87 lm/W |
| 911401547041 | DN594B LED40/940 PSU C D200 WH WB GC | - | 4000 K | >90 | 93 lm/W |
| 911401547141 | DN594B LED40/830 PSU C D200 WH MB GC | - | 3000 K | >80 | 103 lm/W |
| 911401547241 | DN594B LED40/840 PSU C D200 WH MB GC | - | 4000 K | >80 | 108 lm/W |
| 911401547341 | DN594B LED40/930 PSU | - | 3000 K | >90 | 87 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| | C D200 WH MB GC | | | | |
| 911401547441 | DN594B LED40/940 PSU C D200 WH MB GC | - | 4000 K | >90 | 93 lm/W |
| 911401547741 | DN589B LED10/830 PSU C D150 WH WB GM | - | 3000 K | >80 | 118 lm/W |
| 911401547841 | DN589B LED10/840 PSU C D150 WH WB GM | - | 4000 K | >80 | 125 lm/W |
| 911401547941 | DN590B LED15/830 PSU C D150 WH WB GM | - | 3000 K | >80 | 176 lm/W |
| 911401548041 | DN590B LED15/840 PSU C D150 WH WB GM | - | 4000 K | >80 | 185 lm/W |
| 911401548141 | DN591B LED20/830 PSU C D200 WH WB GM | - | 3000 K | >80 | 113 lm/W |
| 911401548241 | DN591B LED20/840 PSU C D200 WH WB GM | - | 4000 K | >80 | 119 lm/W |
| 911401548341 | DN593B LED30/830 PSU C D200 WH WB GM | - | 3000 K | >80 | 102 lm/W |
| 911401548441 | DN593B LED30/840 PSU C D200 WH WB GM | - | 4000 K | >80 | 105 lm/W |
| 911401548541 | DN594B LED40/830 PSU C D200 WH WB GM | - | 3000 K | >80 | 103 lm/W |
| 911401548641 | DN594B LED40/840 PSU C D200 WH WB GM | - | 4000 K | >80 | 108 lm/W |
| 911401548841 | DN589B LED10/830 PSD C D150 WH WB GM | - | 3000 K | >80 | 118 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|--|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401548941 | DN589B LED10/840 PSD C D150 WH WB GM | - | 4000 K | >80 | 125 lm/W |
| 911401549041 | DN590B LED15/840 PSD C D150 WH WB GM | - | 4000 K | >80 | 115 lm/W |
| 911401549141 | DN591B LED20/830 PSD C D200 WH WB GM | - | 3000 K | >80 | 105 lm/W |
| 911401549241 | DN591B LED20/840 PSD C D200 WH WB GM | - | 4000 K | >80 | 111 lm/W |
| 911401549341 | DN593B LED30/840 PSD C D200 WH WB GM | - | 4000 K | >80 | 105 lm/W |
| 911401549441 | DN594B LED40/840 PSD C D200 WH WB GM | - | 4000 K | >80 | 108 lm/W |
| 911401549741 | DN589B LED10/830 PSU C D150 WH WB WP GM | - | 3000 K | >80 | 112 lm/W |
| 911401549841 | DN589B LED10/840 PSU C D150 WH WB WP GM | - | 4000 K | >80 | 119 lm/W |
| 911401549941 | DN590B LED15/830 PSU C D150 WH WB WP GM | - | 3000 K | >80 | 104 lm/W |
| 911401550041 | DN590B LED15/840 PSU C D150 WH WB WP GM | - | 4000 K | >80 | 109 lm/W |
| 911401550141 | DN591B LED20/830 PSU C D200 WH WB WP GM | - | 3000 K | >80 | 107 lm/W |
| 911401550241 | DN591B LED20/840 PSU C D200 WH WB WP GM | - | 4000 K | >80 | 113 lm/W |
| 911401550341 | DN593B LED30/840 PSU | - | 4000 K | >80 | 99 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|--|----------------------|-------------------------------|-----------------------------|--------------------------------|
| | C D200 WH WB WP GM | | | | |
| 911401550441 | DN594B LED40/840 PSU C D200 WH WB WP GM | - | 4000 K | >80 | 103 lm/W |
| 911401550641 | DN589B LED10/830 PSD C D150 WH WB WP GM | - | 3000 K | >80 | 112 lm/W |
| 911401550741 | DN589B LED10/840 PSD C D150 WH WB WP GM | - | 4000 K | >80 | 119 lm/W |
| 911401550841 | DN590B LED15/840 PSD C D150 WH WB WP GM | - | 4000 K | >80 | 109 lm/W |
| 911401550941 | DN591B LED20/830 PSD C D200 WH WB WP GM | - | 3000 K | >80 | 107 lm/W |
| 911401551041 | DN591B LED20/840 PSD C D200 WH WB WP GM | - | 4000 K | >80 | 113 lm/W |
| 911401551141 | DN593B LED30/840 PSD C D200 WH WB WP GM | - | 4000 K | >80 | 99 lm/W |
| 911401551241 | DN594B LED40/840 PSD C D200 WH WB WP GM | - | 4000 K | >80 | 103 lm/W |
| 911401551341 | DN589B LED10/830 PSU C D150 WH WB CAU | - | 3000 K | >80 | 118 lm/W |
| 911401551441 | DN589B LED10/840 PSU C D150 WH WB CAU | - | 4000 K | >80 | 125 lm/W |
| 911401551541 | DN590B LED15/840 PSU C D150 WH WB CAU | - | 4000 K | >80 | 115 lm/W |
| 911401551641 | DN591B LED20/830 PSU C D200 WH WB CAU | - | 3000 K | >80 | 150 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401551741 | DN591B LED20/840 PSU C D200 WH WB CAU | - | 4000 K | >80 | 119 lm/W |
| 911401551841 | DN593B LED30/840 PSU C D200 WH WB CAU | - | 4000 K | >80 | 189 lm/W |
| 911401551941 | DN594B LED40/840 PSU C D200 WH WB CAU | - | 4000 K | >80 | 132 lm/W |
| 911401552041 | DN589B LED10/830 PSD C D150 WH WB CAU | - | 3000 K | >80 | 25 lm/W |
| 911401552141 | DN589B LED10/840 PSD C D150 WH WB CAU | - | 4000 K | >80 | 125 lm/W |
| 911401552241 | DN590B LED15/840 PSD C D150 WH WB CAU | - | 4000 K | >80 | 115 lm/W |
| 911401552341 | DN591B LED20/830 PSD C D200 WH WB CAU | - | 3000 K | >80 | 113 lm/W |
| 911401552441 | DN591B LED20/840 PSD C D200 WH WB CAU | - | 4000 K | >80 | 119 lm/W |
| 911401552541 | DN593B LED30/840 PSD C D200 WH WB CAU | - | 4000 K | >80 | 105 lm/W |
| 911401552641 | DN594B LED40/840 PSD C D200 WH WB CAU | - | 4000 K | >80 | 108 lm/W |
| 911401552741 | DN589B LED10/830 PSU C D150 WH WB WP CAU | - | 3000 K | >80 | 112 lm/W |
| 911401552841 | DN589B LED10/840 PSU C D150 WH WB WP CAU | - | 4000 K | >80 | 119 lm/W |
| 911401552941 | DN590B LED15/840 PSU | - | 4000 K | >80 | 109 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| | C D150 WH WB WP CAU | | | | |
| 911401553041 | DN591B LED20/830 PSU C D200 WH WB WP CAU | - | 3000 K | >80 | 107 lm/W |
| 911401553141 | DN591B LED20/840 PSU C D200 WH WB WP CAU | - | 4000 K | >80 | 113 lm/W |
| 911401553241 | DN593B LED30/840 PSU C D200 WH WB WP CAU | - | 4000 K | >80 | 105 lm/W |
| 911401553341 | DN594B LED40/840 PSU C D200 WH WB WP CAU | - | 4000 K | >80 | 108 lm/W |
| 911401553441 | DN589B LED10/830 PSD C D150 WH WB WP CAU | - | 3000 K | >80 | 112 lm/W |
| 911401553541 | DN589B LED10/840 PSD C D150 WH WB WP CAU | - | 4000 K | >80 | 119 lm/W |
| 911401553641 | DN590B LED15/840 PSD C D150 WH WB WP CAU | - | 4000 K | >80 | 109 lm/W |
| 911401553741 | DN591B LED20/830 PSD C D200 WH WB WP CAU | - | 3000 K | >80 | 107 lm/W |
| 911401553841 | DN591B LED20/840 PSD C D200 WH WB WP CAU | - | 4000 K | >80 | 113 lm/W |
| 911401553941 | DN593B LED30/840 PSD C D200 WH WB WP CAU | - | 4000 K | >80 | 105 lm/W |
| 911401554041 | DN594B LED40/840 PSD C D200 WH WB WP CAU | - | 4000 K | >80 | 108 lm/W |
| 911401554141 | DN590B LED15/830 POE C D150 WH WB GM | - | 3000 K | >80 | 103 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| 911401554241 | DN590B LED15/840 POE C D150 WH WB GM | - | 4000 K | >80 | 108 lm/W |
| 911401554341 | DN592B LED25/830 POE C D200 WH WB GM | - | 3000 K | >80 | 109 lm/W |
| 911401554441 | DN592B LED25/840 POE C D200 WH WB GM | - | 4000 K | >80 | 113 lm/W |
| 911401542251 | DN591B LED20/TWH PSD | - | - | >80 | 88 lm/W |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Color Temperature | Init. Color Rendering Index | Initial LED luminaire efficacy |
|--------------|---|----------------------|-------------------------------|-----------------------------|--------------------------------|
| | C D150 WH MB GM | | | | |
| 911401542351 | DN591B LED20/TWH PSD C D150 WH WB GC | - | - | >80 | 88 lm/W |
| 911401542451 | DN591B LED20/TWH PSD C D150 WH MB GC | - | - | >80 | 88 lm/W |
| 911401542551 | DN591B LED20/TWH PSD C D150 WH WB GM | - | - | >80 | 88 lm/W |

Initial Performance (IEC Compliant) (2/2)

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|-----------------------|-------------------------|---------------------|
| 911401536641 | DN588B LED6/830 PSU C D100 WH WB GC | 670 lm | +/-10% | 6.6 W |
| 911401536741 | DN588B LED6/840 PSU C D100 WH WB GC | 740 lm | +/-10% | 6.6 W |
| 911401536841 | DN588B LED6/930 PSU C D100 WH WB GC | 580 lm | +/-10% | 6.6 W |
| 911401536941 | DN588B LED6/940 PSU C D100 WH WB GC | 630 lm | +/-10% | 6.6 W |
| 911401537041 | DN588B LED6/830 PSU C D100 WH MB GC | 670 lm | +/-10% | 6.6 W |
| 911401537141 | DN588B LED6/840 PSU C D100 WH MB GC | 740 lm | +/-10% | 6.6 W |
| 911401537241 | DN588B LED6/930 PSU C D100 WH MB GC | 580 lm | +/-10% | 6.6 W |
| 911401537341 | DN588B LED6/940 PSU C D100 WH MB GC | 630 lm | +/-10% | 6.6 W |
| 911401537441 | DN589B LED10/830 PSU C D125 WH WB GC | 960 lm | +/-10% | 9.3 W |
| 911401537541 | DN589B LED10/840 PSU C D125 WH WB GC | 1000 lm | +/-10% | 9.3 W |
| 911401537641 | DN589B LED10/930 PSU C D125 WH WB GC | 800 lm | +/-10% | 9.3 W |
| 911401537741 | DN589B LED10/940 PSU C D125 WH WB GC | 860 lm | +/-10% | 9.3 W |
| 911401537841 | DN589B LED10/830 PSU C D125 WH MB GC | 960 lm | +/-10% | 9.3 W |
| 911401537941 | DN589B LED10/840 PSU C D125 WH MB GC | 1000 lm | +/-10% | 9.3 W |
| 911401538041 | DN589B LED10/930 PSU C D125 WH MB GC | 800 lm | +/-10% | 9.3 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|-----------------------|-------------------------|---------------------|
| 911401538141 | DN589B LED10/940 PSU C D125 WH MB GC | 860 lm | +/-10% | 9.3 W |
| 911401538241 | DN589B LED10/830 PSD C D125 WH WB GC | 960 lm | +/-10% | 9.3 W |
| 911401538341 | DN589B LED10/840 PSD C D125 WH WB GC | 1000 lm | +/-10% | 9.3 W |
| 911401538441 | DN589B LED10/930 PSD C D125 WH WB GC | 800 lm | +/-10% | 9.3 W |
| 911401538541 | DN589B LED10/940 PSD C D125 WH WB GC | 860 lm | +/-10% | 9.3 W |
| 911401538641 | DN589B LED10/830 PSD C D125 WH MB GC | 960 lm | +/-10% | 9.3 W |
| 911401538741 | DN589B LED10/840 PSD C D125 WH MB GC | 1000 lm | +/-10% | 9.3 W |
| 911401538841 | DN589B LED10/930 PSD C D125 WH MB GC | 800 lm | +/-10% | 9.3 W |
| 911401538941 | DN589B LED10/940 PSD C D125 WH MB GC | 860 lm | +/-10% | 9.3 W |
| 911401539041 | DN590B LED15/830 PSU C D125 WH WB GC | 1410 lm | +/-10% | 13.5 W |
| 911401539141 | DN590B LED15/840 PSU C D125 WH WB GC | 1500 lm | +/-10% | 13.5 W |
| 911401539241 | DN590B LED15/930 PSU C D125 WH WB GC | 1190 lm | +/-10% | 13.5 W |
| 911401539341 | DN590B LED15/940 PSU C D125 WH WB GC | 1270 lm | +/-10% | 13.5 W |
| 911401539441 | DN590B LED15/830 PSU C D125 WH MB GC | 1410 lm | +/-10% | 13.5 W |
| 911401539541 | DN590B LED15/840 PSU C D125 WH MB GC | 1500 lm | +/-10% | 13.5 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|-----------------------|-------------------------|---------------------|
| 911401539641 | DN590B LED15/930 PSU C D125 WH MB GC | 1190 lm | +/-10% | 13.5 W |
| 911401539741 | DN590B LED15/940 PSU C D125 WH MB GC | 1270 lm | +/-10% | 13.5 W |
| 911401539841 | DN590B LED15/830 PSD C D125 WH WB GC | 1410 lm | +/-10% | 13.5 W |
| 911401539941 | DN590B LED15/840 PSD C D125 WH WB GC | 1500 lm | +/-10% | 13.5 W |
| 911401540041 | DN590B LED15/930 PSD C D125 WH WB GC | 1190 lm | +/-10% | 13.5 W |
| 911401540141 | DN590B LED15/940 PSD C D125 WH WB GC | 1270 lm | +/-10% | 13.5 W |
| 911401540241 | DN590B LED15/830 PSD C D125 WH MB GC | 1410 lm | +/-10% | 13.5 W |
| 911401540341 | DN590B LED15/840 PSD C D125 WH MB GC | 1500 lm | +/-10% | 13.5 W |
| 911401540441 | DN590B LED15/930 PSD C D125 WH MB GC | 1190 lm | +/-10% | 13.5 W |
| 911401540541 | DN590B LED15/940 PSD C D125 WH MB GC | 1270 lm | +/-10% | 13.5 W |
| 911401540641 | DN590B LED15/830 POE C D125 WH WB GC | 1410 lm | +/-10% | 13.5 W |
| 911401540741 | DN590B LED15/840 POE C D125 WH WB GC | 1500 lm | +/-10% | 13.5 W |
| 911401540941 | DN591B LED20/830 PSU C D125 WH WB GC | 2000 lm | +/-10% | 19.3 W |
| 911401541041 | DN591B LED20/840 PSU C D125 WH WB GC | 2100 lm | +/-10% | 19.3 W |
| 911401541141 | DN591B LED20/930 PSU C D125 WH WB GC | 1670 lm | +/-10% | 19.3 W |
| 911401541241 | DN591B LED20/940 PSU C D125 WH WB GC | 1800 lm | +/-10% | 19.3 W |
| 911401541341 | DN591B LED20/830 PSU C D125 WH MB GC | 2000 lm | +/-10% | 19.3 W |
| 911401541441 | DN591B LED20/840 PSU C D125 WH MB GC | 2100 lm | +/-10% | 19.3 W |
| 911401541541 | DN591B LED20/930 PSU C D125 WH MB GC | 1670 lm | +/-10% | 19.3 W |
| 911401541641 | DN591B LED20/940 PSU C D125 WH MB GC | 1800 lm | +/-10% | 19.3 W |
| 911401541741 | DN591B LED20/830 PSD C D125 WH WB GC | 2000 lm | +/-10% | 19.3 W |
| 911401541841 | DN591B LED20/840 PSD C D125 WH WB GC | 2100 lm | +/-10% | 19.3 W |
| 911401541941 | DN591B LED20/930 PSD C D125 WH WB GC | 1670 lm | +/-10% | 19.3 W |
| 911401542041 | DN591B LED20/940 PSD C D125 WH WB GC | 1800 lm | +/-10% | 19.3 W |
| 911401542141 | DN591B LED20/830 PSD C D125 WH MB GC | 2000 lm | +/-10% | 19.3 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|-----------------------|-------------------------|---------------------|
| 911401542241 | DN591B LED20/840 PSD C D125 WH MB GC | 2100 lm | +/-10% | 19.3 W |
| 911401542341 | DN591B LED20/930 PSD C D125 WH MB GC | 1670 lm | +/-10% | 19.3 W |
| 911401542441 | DN591B LED20/940 PSD C D125 WH MB GC | 1800 lm | +/-10% | 19.3 W |
| 911401547541 | DN588B LED6/830 PSU C D125 C WH WB GM | 720 lm | +/-10% | 6.6 W |
| 911401547641 | DN588B LED6/840 PSU C D125 C WH WB GM | 750 lm | +/-10% | 6.6 W |
| 911401548741 | DN588B LED6/840 PSD C D125 WH WB GM | 750 lm | +/-10% | 6.6 W |
| 911401549541 | DN588B LED6/830 PSU C D125 WH WB WP GM | 680 lm | +/-10% | 6.6 W |
| 911401549641 | DN588B LED6/840 PSU C D125 WH WB WP GM | 710 lm | +/-10% | 6.6 W |
| 911401550541 | DN588B LED6/840 PSD C D125 WH WB WP GM | 710 lm | +/-10% | 6.6 W |
| 911401540841 | DN590B LED20/TWH PSD C D150 WH WB GC | 2500 lm | +/-10% | 13.5 W |
| 911401542541 | DN591B LED20/830 PSU C D150 WH WB GC | 2100 lm | +/-10% | 19.3 W |
| 911401542641 | DN591B LED20/840 PSU C D150 WH WB GC | 2150 lm | +/-10% | 19.3 W |
| 911401542741 | DN591B LED20/930 PSU C D150 WH WB GC | 1760 lm | +/-10% | 19.3 W |
| 911401542841 | DN591B LED20/940 PSU C D150 WH WB GC | 1890 lm | +/-10% | 19.3 W |
| 911401542941 | DN591B LED20/830 PSU C D150 WH MB GC | 2100 lm | +/-10% | 19.3 W |
| 911401543041 | DN591B LED20/840 PSU C D150 WH MB GC | 2150 lm | +/-10% | 19.3 W |
| 911401543141 | DN591B LED20/930 PSU C D150 WH MB GC | 1760 lm | +/-10% | 19.3 W |
| 911401543241 | DN591B LED20/940 PSU C D150 WH MB GC | 1890 lm | +/-10% | 19.3 W |
| 911401543341 | DN591B LED20/830 PSD C D150 WH WB GC | 2100 lm | +/-10% | 19.3 W |
| 911401543441 | DN591B LED20/840 PSD C D150 WH WB GC | 2150 lm | +/-10% | 19.3 W |
| 911401543541 | DN591B LED20/930 PSD C D150 WH WB GC | 1760 lm | +/-10% | 19.3 W |
| 911401543641 | DN591B LED20/940 PSD C D150 WH WB GC | 1890 lm | +/-10% | 19.3 W |
| 911401543741 | DN591B LED20/830 PSD C D150 WH MB GC | 2100 lm | +/-10% | 19.3 W |
| 911401543841 | DN591B LED20/840 PSD C D150 WH MB GC | 2150 lm | +/-10% | 19.3 W |
| 911401543941 | DN591B LED20/930 PSD C D150 WH MB GC | 1760 lm | +/-10% | 19.3 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|-----------------------|-------------------------|---------------------|
| 911401544041 | DN591B LED20/940 PSD C D150 WH MB GC | 1890 lm | +/-10% | 19.3 W |
| 911401544141 | DN592B LED25/830 PSU C D150 WH WB GC | 2510 lm | +/-10% | 23 W |
| 911401544241 | DN592B LED25/840 PSU C D150 WH WB GC | 2600 lm | +/-10% | 23 W |
| 911401544341 | DN592B LED25/930 PSU C D150 WH WB GC | 2110 lm | +/-10% | 23 W |
| 911401544441 | DN592B LED25/940 PSU C D150 WH WB GC | 2260 lm | +/-10% | 23 W |
| 911401544541 | DN592B LED25/830 PSU C D150 WH MB GC | 2510 lm | +/-10% | 23 W |
| 911401544641 | DN592B LED25/840 PSU C D150 WH MB GC | 2600 lm | +/-10% | 23 W |
| 911401544741 | DN592B LED25/930 PSU C D150 WH MB GC | 2110 lm | +/-10% | 23 W |
| 911401544841 | DN592B LED25/940 PSU C D150 WH MB GC | 2260 lm | +/-10% | 23 W |
| 911401544941 | DN592B LED25/830 PSD C D150 WH WB GC | 2510 lm | +/-10% | 23 W |
| 911401545041 | DN592B LED25/840 PSD C D150 WH WB GC | 2600 lm | +/-10% | 23 W |
| 911401545141 | DN592B LED25/930 PSD C D150 WH WB GC | 2110 lm | +/-10% | 23 W |
| 911401545241 | DN592B LED25/940 PSD C D150 WH WB GC | 2260 lm | +/-10% | 23 W |
| 911401545341 | DN592B LED25/830 PSD C D150 WH MB GC | 2510 lm | +/-10% | 23 W |
| 911401545441 | DN592B LED25/840 PSD C D150 WH MB GC | 2600 lm | +/-10% | 23 W |
| 911401545541 | DN592B LED25/930 PSD C D150 WH MB GC | 2110 lm | +/-10% | 23 W |
| 911401545641 | DN592B LED25/940 PSD C D150 WH MB GC | 2260 lm | +/-10% | 23 W |
| 911401545741 | DN592B LED25/830 POE C D150 WH WB GC | 2600 lm | +/-10% | 23 W |
| 911401545841 | DN592B LED25/840 POE C D150 WH WB GC | 2600 lm | +/-10% | 23 W |
| 911401545941 | DN593B LED30/830 PSU C D200 WH WB GC | 3300 lm | +/-10% | 32.5 W |
| 911401546041 | DN593B LED30/840 PSU C D200 WH WB GC | 3400 lm | +/-10% | 32.5 W |
| 911401546141 | DN593B LED30/930 PSU C D200 WH WB GC | 2770 lm | +/-10% | 32.5 W |
| 911401546241 | DN593B LED30/940 PSU C D200 WH WB GC | 2970 lm | +/-10% | 32.5 W |
| 911401546341 | DN593B LED30/830 PSU C D200 WH MB GC | 3300 lm | +/-10% | 32.5 W |
| 911401546441 | DN593B LED30/840 PSU C D200 WH MB GC | 3400 lm | +/-10% | 32.5 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|-----------------------|-------------------------|---------------------|
| 911401546541 | DN593B LED30/930 PSU C D200 WH MB GC | 2770 lm | +/-10% | 32.5 W |
| 911401546641 | DN593B LED30/940 PSU C D200 WH MB GC | 2970 lm | +/-10% | 32.5 W |
| 911401546741 | DN594B LED40/830 PSU C D200 WH WB GC | 4100 lm | +/-10% | 39.7 W |
| 911401546841 | DN594B LED40/840 PSU C D200 WH WB GC | 4300 lm | +/-10% | 39.7 W |
| 911401546941 | DN594B LED40/930 PSU C D200 WH WB GC | 3440 lm | +/-10% | 39.7 W |
| 911401547041 | DN594B LED40/940 PSU C D200 WH WB GC | 3700 lm | +/-10% | 39.7 W |
| 911401547141 | DN594B LED40/830 PSU C D200 WH MB GC | 4100 lm | +/-10% | 39.7 W |
| 911401547241 | DN594B LED40/840 PSU C D200 WH MB GC | 4300 lm | +/-10% | 39.7 W |
| 911401547341 | DN594B LED40/930 PSU C D200 WH MB GC | 3440 lm | +/-10% | 39.7 W |
| 911401547441 | DN594B LED40/940 PSU C D200 WH MB GC | 3700 lm | +/-10% | 39.7 W |
| 911401547741 | DN589B LED10/830 PSU C D150 WH WB GM | 990 lm | +/-10% | 8.4 W |
| 911401547841 | DN589B LED10/840 PSU C D150 WH WB GM | 1050 lm | +/-10% | 8.4 W |
| 911401547941 | DN590B LED15/830 PSU C D150 WH WB GM | 1480 lm | +/-10% | 8.4 W |
| 911401548041 | DN590B LED15/840 PSU C D150 WH WB GM | 1550 lm | +/-10% | 8.4 W |
| 911401548141 | DN591B LED20/830 PSU C D200 WH WB GM | 2030 lm | +/-10% | 18 W |
| 911401548241 | DN591B LED20/840 PSU C D200 WH WB GM | 2150 lm | +/-10% | 18 W |
| 911401548341 | DN593B LED30/830 PSU C D200 WH WB GM | 3300 lm | +/-10% | 32.5 W |
| 911401548441 | DN593B LED30/840 PSU C D200 WH WB GM | 3400 lm | +/-10% | 32.5 W |
| 911401548541 | DN594B LED40/830 PSU C D200 WH WB GM | 4100 lm | +/-10% | 39.7 W |
| 911401548641 | DN594B LED40/840 PSU C D200 WH WB GM | 4300 lm | +/-10% | 39.7 W |
| 911401548841 | DN589B LED10/830 PSD C D150 WH WB GM | 990 lm | +/-10% | 8.4 W |
| 911401548941 | DN589B LED10/840 PSD C D150 WH WB GM | 1050 lm | +/-10% | 8.4 W |
| 911401549041 | DN590B LED15/840 PSD C D150 WH WB GM | 1550 lm | +/-10% | 13.5 W |
| 911401549141 | DN591B LED20/830 PSD C D200 WH WB GM | 2030 lm | +/-10% | 19.3 W |
| 911401549241 | DN591B LED20/840 PSD C D200 WH WB GM | 2150 lm | +/-10% | 19.3 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|-----------------------|-------------------------|---------------------|
| 911401549341 | DN593B LED30/840 PSD C D200 WH WB GM | 3400 lm | +/-10% | 32.5 W |
| 911401549441 | DN594B LED40/840 PSD C D200 WH WB GM | 4300 lm | +/-10% | 39.7 W |
| 911401549741 | DN589B LED10/830 PSU C D150 WH WB WP GM | 940 lm | +/-10% | 8.4 W |
| 911401549841 | DN589B LED10/840 PSU C D150 WH WB WP GM | 1000 lm | +/-10% | 8.4 W |
| 911401549941 | DN590B LED15/830 PSU C D150 WH WB WP GM | 1410 lm | +/-10% | 13.5 W |
| 911401550041 | DN590B LED15/840 PSU C D150 WH WB WP GM | 1470 lm | +/-10% | 13.5 W |
| 911401550141 | DN591B LED20/830 PSU C D200 WH WB WP GM | 1930 lm | +/-10% | 18 W |
| 911401550241 | DN591B LED20/840 PSU C D200 WH WB WP GM | 2040 lm | +/-10% | 18 W |
| 911401550341 | DN593B LED30/840 PSU C D200 WH WB WP GM | 3230 lm | +/-10% | 32.5 W |
| 911401550441 | DN594B LED40/840 PSU C D200 WH WB WP GM | 4090 lm | +/-10% | 39.7 W |
| 911401550641 | DN589B LED10/830 PSD C D150 WH WB WP GM | 940 lm | +/-10% | 8.4 W |
| 911401550741 | DN589B LED10/840 PSD C D150 WH WB WP GM | 1000 lm | +/-10% | 8.4 W |
| 911401550841 | DN590B LED15/840 PSD C D150 WH WB WP GM | 1470 lm | +/-10% | 13.5 W |
| 911401550941 | DN591B LED20/830 PSD C D200 WH WB WP GM | 1930 lm | +/-10% | 18 W |
| 911401551041 | DN591B LED20/840 PSD C D200 WH WB WP GM | 2040 lm | +/-10% | 18 W |
| 911401551141 | DN593B LED30/840 PSD C D200 WH WB WP GM | 3230 lm | +/-10% | 32.5 W |
| 911401551241 | DN594B LED40/840 PSD C D200 WH WB WP GM | 4090 lm | +/-10% | 39.7 W |
| 911401551341 | DN589B LED10/830 PSU C D150 WH WB CAU | 990 lm | +/-10% | 8.4 W |
| 911401551441 | DN589B LED10/840 PSU C D150 WH WB CAU | 1050 lm | +/-10% | 8.4 W |
| 911401551541 | DN590B LED15/840 PSU C D150 WH WB CAU | 1550 lm | +/-10% | 13.5 W |
| 911401551641 | DN591B LED20/830 PSU C D200 WH WB CAU | 2030 lm | +/-10% | 13.5 W |
| 911401551741 | DN591B LED20/840 PSU C D200 WH WB CAU | 2150 lm | +/-10% | 18 W |
| 911401551841 | DN593B LED30/840 PSU C D200 WH WB CAU | 3400 lm | +/-10% | 18 W |
| 911401551941 | DN594B LED40/840 PSU C D200 WH WB CAU | 4300 lm | +/-10% | 32.5 W |
| 911401552041 | DN589B LED10/830 PSD C D150 WH WB CAU | 990 lm | +/-10% | 39.7 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|--|-----------------------|-------------------------|---------------------|
| 911401552141 | DN589B LED10/840 PSD C D150 WH WB CAU | 1050 lm | +/-10% | 8.4 W |
| 911401552241 | DN590B LED15/840 PSD C D150 WH WB CAU | 1550 lm | +/-10% | 13.5 W |
| 911401552341 | DN591B LED20/830 PSD C D200 WH WB CAU | 2030 lm | +/-10% | 18 W |
| 911401552441 | DN591B LED20/840 PSD C D200 WH WB CAU | 2150 lm | +/-10% | 18 W |
| 911401552541 | DN593B LED30/840 PSD C D200 WH WB CAU | 3400 lm | +/-10% | 32.5 W |
| 911401552641 | DN594B LED40/840 PSD C D200 WH WB CAU | 4300 lm | +/-10% | 39.7 W |
| 911401552741 | DN589B LED10/830 PSU C D150 WH WB WP CAU | 940 lm | +/-10% | 8.4 W |
| 911401552841 | DN589B LED10/840 PSU C D150 WH WB WP CAU | 1000 lm | +/-10% | 8.4 W |
| 911401552941 | DN590B LED15/840 PSU C D150 WH WB WP CAU | 1470 lm | +/-10% | 13.5 W |
| 911401553041 | DN591B LED20/830 PSU C D200 WH WB WP CAU | 1930 lm | +/-10% | 18 W |
| 911401553141 | DN591B LED20/840 PSU C D200 WH WB WP CAU | 2040 lm | +/-10% | 18 W |
| 911401553241 | DN593B LED30/840 PSU C D200 WH WB WP CAU | 3400 lm | +/-10% | 32.5 W |
| 911401553341 | DN594B LED40/840 PSU C D200 WH WB WP CAU | 4300 lm | +/-10% | 39.7 W |
| 911401553441 | DN589B LED10/830 PSD C D150 WH WB WP CAU | 940 lm | +/-10% | 8.4 W |
| 911401553541 | DN589B LED10/840 PSD C D150 WH WB WP CAU | 1000 lm | +/-10% | 8.4 W |
| 911401553641 | DN590B LED15/840 PSD C D150 WH WB WP CAU | 1470 lm | +/-10% | 13.5 W |
| 911401553741 | DN591B LED20/830 PSD C D200 WH WB WP CAU | 1930 lm | +/-10% | 18 W |
| 911401553841 | DN591B LED20/840 PSD C D200 WH WB WP CAU | 2040 lm | +/-10% | 18 W |
| 911401553941 | DN593B LED30/840 PSD C D200 WH WB WP CAU | 3400 lm | +/-10% | 32.5 W |
| 911401554041 | DN594B LED40/840 PSD C D200 WH WB WP CAU | 4300 lm | +/-10% | 39.7 W |
| 911401554141 | DN590B LED15/830 POE C D150 WH WB GM | 1480 lm | +/-10% | 14.3 W |
| 911401554241 | DN590B LED15/840 POE C D150 WH WB GM | 1550 lm | +/-10% | 14.3 W |
| 911401554341 | DN592B LED25/830 POE C D200 WH WB GM | 2510 lm | +/-10% | 23 W |
| 911401554441 | DN592B LED25/840 POE C D200 WH WB GM | 2600 lm | +/-10% | 23 W |
| 911401542251 | DN591B LED20/TWH PSD C D150 WH MB GM | 2200 lm | +/-15% | 25 W |

LuxSpace G4

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|--------------------------|-------------------------------|---------------------------|
| 911401542351 | DN591B LED20/TWH PSD C D150 WH WB GC | 2200 lm | +/-15% | 25 W |
| 911401542451 | DN591B LED20/TWH PSD C D150 WH MB GC | 2200 lm | +/-15% | 25 W |

| Order Code | Full Product Name | Initial luminous flux | Luminous flux tolerance | Initial input power |
|--------------|---|--------------------------|-------------------------------|---------------------------|
| 911401542551 | DN591B LED20/TWH PSD C D150 WH WB GM | 2200 lm | +/-15% | 25 W |

