



# The most competitive specification downlight for TCO attractiveness with diversity and system compatibility

## GreenSpace G5

GreenSpace Gen5 is a new LED downlight range combining light efficiency and comfort with product diversity and system compatibility

### Benefits

- Energy efficient
- Design compactness
- Smart lighting

### Features

- High optical efficiency
- Compact form factor
- DALI/DALI-VLC/POE compatible

### Application

- Office
- shopping mall
- hotel
- retail etc.

Versions



DN390B LED6 D100 WH



DN390B DN391B D100 ALU



DN391B DN392B D150 WH



DN391B DN392B D150 ALU



DN392B DN393B D200 WH



DN392B DN393B D200 ALU

Application Conditions	
Suitable for random switching	Not applicable
Approval and Application	
Mech. impact protection code	IK02
General Information	
Optical cover/lens type	Transparent bowl with white cover
Driver included	Yes
Flammability mark	For mounting on normally flammable surfaces
Glow-wire test	Temperature 650 °C, duration 30 s
Light source replaceable	No
Number of gear units	1 unit
Optic type	High-gloss high reflectance
Initial Performance (IEC Compliant)	
Init. Color Rendering Index	>80
Luminous flux tolerance	+/-10%
Mechanical and Housing	
Color	Black and white
Over Time Performance (IEC Compliant)	
Median useful life L80B50	43000 h
Median useful life L90B50	20000 h

## Application Conditions

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
911401571641	DN390B LED6/830 PSU D100 WH GC	-20 to +40 °C	Not applicable
911401571741	DN390B LED6/840 PSU D100 WH GC	-20 to +40 °C	Not applicable
911401577741	DN390B LED6/830 PSU D100 WH GM	-20 to +40 °C	Not applicable
911401577841	DN390B LED6/840 PSU D100 WH GM	-20 to +40 °C	Not applicable
911401577941	DN390B LED6/865 PSU D100 WH GM	-20 to +40 °C	Not applicable
911401582841	DN390B LED6/830 PSU D100 WH CAU	-20 to +40 °C	Not applicable
911401582941	DN390B LED6/840 PSU D100 WH CAU	-20 to +40 °C	Not applicable
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	-20 to +40 °C	Not applicable
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	-20 to +40 °C	Not applicable
911401571841	DN390B LED6/830 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401571941	DN390B LED6/840 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	-20 to +40 °C	Not applicable
911401576541	DN391B LED11/830 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401576641	DN391B LED11/840 PSU D100 ALU GC	-20 to +40 °C	Not applicable
911401576741	DN391B LED11/830 PSD D100 ALU GC	-20 to +40 °C	-
911401576841	DN391B LED11/840 PSD D100 ALU GC	-20 to +40 °C	-
911401578041	DN390B LED6/830 PSU D100 ALU GM	-20 to +40 °C	Not applicable
911401578141	DN390B LED6/840 PSU D100 ALU GM	-20 to +40 °C	Not applicable
911401578241	DN390B LED6/865 PSU D100 ALU GM	-20 to +40 °C	Not applicable
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	-20 to +40 °C	Not applicable
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	-20 to +40 °C	Not applicable
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	-20 to +40 °C	Not applicable
911401572041	DN391B LED11/830 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401572141	DN391B LED11/840 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401572241	DN391B LED11/865 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401572641	DN391B LED11/830 PSD D150 WH GC	-20 to +40 °C	-
911401572741	DN391B LED11/840 PSD D150 WH GC	-20 to +40 °C	-
911401575741	DN392B LED16/830 POE D150 WH GC	0 to +40 °C	-
911401575841	DN392B LED16/840 POE D150 WH GC	0 to +40 °C	-
911401576941	DN392B LED16/830 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401577041	DN392B LED16/840 PSU D150 WH GC	-20 to +40 °C	Not applicable
911401577341	DN392B LED16/830 PSD D150 WH GC	-20 to +40 °C	-
911401577441	DN392B LED16/840 PSD D150 WH GC	-20 to +40 °C	-
911401578341	DN391B LED11/830 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401578441	DN391B LED11/840 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401578541	DN391B LED11/865 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401578941	DN392B LED16/830 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401579041	DN392B LED16/840 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401579141	DN392B LED16/865 PSU D150 WH GM	-20 to +40 °C	Not applicable
911401581641	DN391B LED11/830 PSD D150 WH GM	-20 to +40 °C	-
911401581741	DN391B LED11/840 PSD D150 WH GM	-20 to +40 °C	-
911401583041	DN391B LED11/830 PSU D150 WH CAU	-20 to +40 °C	Not applicable
911401583141	DN391B LED11/840 PSU D150 WH CAU	-20 to +40 °C	Not applicable
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	-20 to +40 °C	Not applicable
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	-20 to +40 °C	Not applicable
911401584241	DN391B LED11/830 PSD D150 WH CAU	-20 to +40 °C	-

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
911401584341	DN391B LED11/840 PSD D150 WH CAU	-20 to +40 °C	-
911401585441	DN392B LED16/830 PSD D150 WH GM	-20 to +40 °C	-
911401585541	DN392B LED16/840 PSD D150 WH GM	-20 to +40 °C	-
911401585841	DN391B LED11/830 PSU D150 WH R	-20 to +40 °C	Not applicable
911401586041	DN391B LED11/840 PSU D150 WH R	-20 to +40 °C	Not applicable
911401572341	DN391B LED11/830 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401572441	DN391B LED11/840 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401572541	DN391B LED11/865 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401572841	DN391B LED11/830 PSD D150 ALU GC	-20 to +40 °C	-
911401572941	DN391B LED11/840 PSD D150 ALU GC	-20 to +40 °C	-
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	-20 to +40 °C	Not applicable
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	-20 to +40 °C	Not applicable
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	-20 to +40 °C	Not applicable
911401575941	DN392B LED16/830 POE D150 ALU GC	0 to +40 °C	-
911401576041	DN392B LED16/840 POE D150 ALU GC	0 to +40 °C	-
911401577141	DN392B LED16/830 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401577241	DN392B LED16/840 PSU D150 ALU GC	-20 to +40 °C	Not applicable
911401577541	DN392B LED16/830 PSD D150 ALU GC	0 to +40 °C	-
911401577641	DN392B LED16/840 PSD D150 ALU GC	-20 to +40 °C	-
911401578641	DN391B LED11/830 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401578741	DN391B LED11/840 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401578841	DN391B LED11/865 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401579241	DN392B LED16/830 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401579341	DN392B LED16/840 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401579441	DN392B LED16/865 PSU D150 ALU GM	-20 to +40 °C	Not applicable
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	-20 to +40 °C	Not applicable
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	-20 to +40 °C	Not applicable
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	-20 to +40 °C	Not applicable
911401581841	DN391B LED11/830 PSD D150 ALU GM	-20 to +40 °C	-
911401581941	DN391B LED11/840 PSD D150 ALU GM	-20 to +40 °C	-
911401584441	DN391B LED11/830 PSD D150 ALU CAU	-20 to +40 °C	-
911401584541	DN391B LED11/840 PSD D150 ALU CAU	-20 to +40 °C	-
911401585641	DN392B LED16/830 PSD D150 ALU GM	-20 to +40 °C	-
911401585741	DN392B LED16/840 PSD D150 ALU GM	-20 to +40 °C	-
911401585941	DN391B LED11/830 PSU D150 ALU R	-20 to +40 °C	Not applicable
911401586141	DN391B LED11/840 PSU D150 ALU R	-20 to +40 °C	Not applicable
911401573041	DN392B LED16/830 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401573141	DN392B LED16/840 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401573241	DN392B LED16/865 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401573641	DN392B LED16/830 PSD D200 WH GC	-20 to +40 °C	-
911401573741	DN392B LED16/840 PSD D200 WH GC	-20 to +40 °C	-
911401574041	DN393B LED22/830 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401574141	DN393B LED22/840 PSU D200 WH GC	-20 to +40 °C	Not applicable
911401574441	DN393B LED22/830 PSD D200 WH GC	-20 to +40 °C	-
911401574541	DN393B LED22/840 PSD D200 WH GC	-20 to +40 °C	-
911401576141	DN393B LED22/830 POE D200 WH GC	0 to +40 °C	-
911401576241	DN393B LED22/840 POE D200 WH GC	0 to +40 °C	-
911401579541	DN392B LED16/830 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401579641	DN392B LED16/840 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401579741	DN392B LED16/865 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401580141	DN393B LED22/830 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401580241	DN393B LED22/840 PSU D200 WH GM	-20 to +40 °C	Not applicable

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
911401580341	DN393B LED22/865 PSU D200 WH GM	-20 to +40 °C	Not applicable
911401582041	DN392B LED16/830 PSD D200 WH GM	-20 to +40 °C	-
911401582141	DN392B LED16/840 PSD D200 WH GM	-20 to +40 °C	-
911401582441	DN393B LED22/830 PSD D200 WH GM	-20 to +40 °C	-
911401582541	DN393B LED22/840 PSD D200 WH GM	-20 to +40 °C	-
911401583241	DN392B LED16/830 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401583341	DN392B LED16/840 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401583441	DN393B LED22/830 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401583541	DN393B LED22/840 PSU D200 WH CAU	-20 to +40 °C	Not applicable
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	-20 to +40 °C	Not applicable
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	-20 to +40 °C	Not applicable
911401584641	DN392B LED16/830 PSD D200 WH CAU	-20 to +40 °C	-
911401584741	DN392B LED16/840 PSD D200 WH CAU	-20 to +40 °C	-
911401585041	DN393B LED22/830 PSD D200 WH CAU	-20 to +40 °C	-
911401585141	DN393B LED22/840 PSD D200 WH CAU	-20 to +40 °C	-
911401586241	DN393B LED22/830 PSU D200 WH R	-20 to +40 °C	Not applicable
911401586441	DN393B LED22/840 PSU D200 WH R	-20 to +40 °C	Not applicable
911401573341	DN392B LED16/830 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401573441	DN392B LED16/840 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401573541	DN392B LED16/865 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401573841	DN392B LED16/830 PSD D200 ALU GC	-20 to +40 °C	-
911401573941	DN392B LED16/840 PSD D200 ALU GC	-20 to +40 °C	-
911401574241	DN393B LED22/830 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401574341	DN393B LED22/840 PSU D200 ALU GC	-20 to +40 °C	Not applicable
911401574641	DN393B LED22/830 PSD D200 ALU GC	-20 to +40 °C	-
911401574741	DN393B LED22/840 PSD D200 ALU GC	-20 to +40 °C	-
911401576341	DN393B LED22/830 POE D200 ALU GC	0 to +40 °C	-
911401576441	DN393B LED22/840 POE D200 ALU GC	0 to +40 °C	-
911401579841	DN392B LED16/830 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401579941	DN392B LED16/840 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580041	DN392B LED16/865 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580441	DN393B LED22/830 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580541	DN393B LED22/840 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401580641	DN393B LED22/865 PSU D200 ALU GM	-20 to +40 °C	Not applicable
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	-20 to +40 °C	Not applicable
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	-20 to +40 °C	Not applicable
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	-20 to +40 °C	Not applicable
911401582241	DN392B LED16/830 PSD D200 ALU GM	-20 to +40 °C	-
911401582341	DN392B LED16/840 PSD D200 ALU GM	-20 to +40 °C	-
911401582641	DN393B LED22/830 PSD D200 ALU GM	-20 to +40 °C	-
911401582741	DN393B LED22/840 PSD D200 ALU GM	-20 to +40 °C	-
911401584841	DN392B LED16/830 PSD D200 ALU CAU	-20 to +40 °C	-
911401584941	DN392B LED16/840 PSD D200 ALU CAU	-20 to +40 °C	-
911401585241	DN393B LED22/830 PSD D200 ALU CAU	-20 to +40 °C	-
911401585341	DN393B LED22/840 PSD D200 ALU CAU	-20 to +40 °C	-
911401586341	DN393B LED22/830 PSU D200 ALU R	-20 to +40 °C	Not applicable
911401586541	DN393B LED22/840 PSU D200 ALU R	-20 to +40 °C	Not applicable

Approval and Application

Order Code	Full Product Name	Ingress protection code
911401571641	DN390B LED6/830 PSU D100 WH GC	IP20
911401571741	DN390B LED6/840 PSU D100 WH GC	IP20
911401577741	DN390B LED6/830 PSU D100 WH GM	IP20
911401577841	DN390B LED6/840 PSU D100 WH GM	IP20
911401577941	DN390B LED6/865 PSU D100 WH GM	IP20
911401582841	DN390B LED6/830 PSU D100 WH CAU	IP20
911401582941	DN390B LED6/840 PSU D100 WH CAU	IP20
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	IP20/54
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	IP20/54
911401571841	DN390B LED6/830 PSU D100 ALU GC	IP20
911401571941	DN390B LED6/840 PSU D100 ALU GC	IP20
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	IP20/54
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	IP20/54
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	IP20/54
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	IP20/54
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	IP20/54
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	IP20/54
911401576541	DN391B LED11/830 PSU D100 ALU GC	IP20
911401576641	DN391B LED11/840 PSU D100 ALU GC	IP20
911401576741	DN391B LED11/830 PSD D100 ALU GC	IP20
911401576841	DN391B LED11/840 PSD D100 ALU GC	IP20
911401578041	DN390B LED6/830 PSU D100 ALU GM	IP20
911401578141	DN390B LED6/840 PSU D100 ALU GM	IP20
911401578241	DN390B LED6/865 PSU D100 ALU GM	IP20
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	IP20/54
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	IP20/54
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	IP20/54
911401572041	DN391B LED11/830 PSU D150 WH GC	IP20
911401572141	DN391B LED11/840 PSU D150 WH GC	IP20
911401572241	DN391B LED11/865 PSU D150 WH GC	IP20
911401572641	DN391B LED11/830 PSD D150 WH GC	IP20
911401572741	DN391B LED11/840 PSD D150 WH GC	IP20
911401575741	DN392B LED16/830 POE D150 WH GC	IP20
911401575841	DN392B LED16/840 POE D150 WH GC	IP20
911401576941	DN392B LED16/830 PSU D150 WH GC	IP20
911401577041	DN392B LED16/840 PSU D150 WH GC	IP20
911401577341	DN392B LED16/830 PSD D150 WH GC	IP20
911401577441	DN392B LED16/840 PSD D150 WH GC	IP20
911401578341	DN391B LED11/830 PSU D150 WH GM	IP20
911401578441	DN391B LED11/840 PSU D150 WH GM	IP20
911401578541	DN391B LED11/865 PSU D150 WH GM	IP20
911401578941	DN392B LED16/830 PSU D150 WH GM	IP20
911401579041	DN392B LED16/840 PSU D150 WH GM	IP20
911401579141	DN392B LED16/865 PSU D150 WH GM	IP20
911401581641	DN391B LED11/830 PSD D150 WH GM	IP20
911401581741	DN391B LED11/840 PSD D150 WH GM	IP20
911401583041	DN391B LED11/830 PSU D150 WH CAU	IP20
911401583141	DN391B LED11/840 PSU D150 WH CAU	IP20
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	IP20/54
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	IP20/54
911401584241	DN391B LED11/830 PSD D150 WH CAU	IP20
911401584341	DN391B LED11/840 PSD D150 WH CAU	IP20

Order Code	Full Product Name	Ingress protection code
911401585441	DN392B LED16/830 PSD D150 WH GM	IP20
911401585541	DN392B LED16/840 PSD D150 WH GM	IP20
911401585841	DN391B LED11/830 PSU D150 WH R	IP20
911401586041	DN391B LED11/840 PSU D150 WH R	IP20
911401572341	DN391B LED11/830 PSU D150 ALU GC	IP20
911401572441	DN391B LED11/840 PSU D150 ALU GC	IP20
911401572541	DN391B LED11/865 PSU D150 ALU GC	IP20
911401572841	DN391B LED11/830 PSD D150 ALU GC	IP20
911401572941	DN391B LED11/840 PSD D150 ALU GC	IP20
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	IP20/54
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	IP20/54
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	IP20/54
911401575941	DN392B LED16/830 POE D150 ALU GC	IP20
911401576041	DN392B LED16/840 POE D150 ALU GC	IP20
911401577141	DN392B LED16/830 PSU D150 ALU GC	IP20
911401577241	DN392B LED16/840 PSU D150 ALU GC	IP20
911401577541	DN392B LED16/830 PSD D150 ALU GC	IP20
911401577641	DN392B LED16/840 PSD D150 ALU GC	IP20
911401578641	DN391B LED11/830 PSU D150 ALU GM	IP20
911401578741	DN391B LED11/840 PSU D150 ALU GM	IP20
911401578841	DN391B LED11/865 PSU D150 ALU GM	IP20
911401579241	DN392B LED16/830 PSU D150 ALU GM	IP20
911401579341	DN392B LED16/840 PSU D150 ALU GM	IP20
911401579441	DN392B LED16/865 PSU D150 ALU GM	IP20
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	IP20/54
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	IP20/54
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	IP20/54
911401581841	DN391B LED11/830 PSD D150 ALU GM	IP20
911401581941	DN391B LED11/840 PSD D150 ALU GM	IP20
911401584441	DN391B LED11/830 PSD D150 ALU CAU	IP20
911401584541	DN391B LED11/840 PSD D150 ALU CAU	IP20
911401585641	DN392B LED16/830 PSD D150 ALU GM	IP20
911401585741	DN392B LED16/840 PSD D150 ALU GM	IP20
911401585941	DN391B LED11/830 PSU D150 ALU R	IP20
911401586141	DN391B LED11/840 PSU D150 ALU R	IP20
911401573041	DN392B LED16/830 PSU D200 WH GC	IP20
911401573141	DN392B LED16/840 PSU D200 WH GC	IP20
911401573241	DN392B LED16/865 PSU D200 WH GC	IP20
911401573641	DN392B LED16/830 PSD D200 WH GC	IP20
911401573741	DN392B LED16/840 PSD D200 WH GC	IP20
911401574041	DN393B LED22/830 PSU D200 WH GC	IP20
911401574141	DN393B LED22/840 PSU D200 WH GC	IP20
911401574441	DN393B LED22/830 PSD D200 WH GC	IP20
911401574541	DN393B LED22/840 PSD D200 WH GC	IP20
911401576141	DN393B LED22/830 POE D200 WH GC	IP20
911401576241	DN393B LED22/840 POE D200 WH GC	IP20
911401579541	DN392B LED16/830 PSU D200 WH GM	IP20
911401579641	DN392B LED16/840 PSU D200 WH GM	IP20
911401579741	DN392B LED16/865 PSU D200 WH GM	IP20
911401580141	DN393B LED22/830 PSU D200 WH GM	IP20
911401580241	DN393B LED22/840 PSU D200 WH GM	IP20
911401580341	DN393B LED22/865 PSU D200 WH GM	IP20

Order Code	Full Product Name	Ingress protection code
911401582041	DN392B LED16/830 PSD D200 WH GM	IP20
911401582141	DN392B LED16/840 PSD D200 WH GM	IP20
911401582441	DN393B LED22/830 PSD D200 WH GM	IP20
911401582541	DN393B LED22/840 PSD D200 WH GM	IP20
911401583241	DN392B LED16/830 PSU D200 WH CAU	IP20
911401583341	DN392B LED16/840 PSU D200 WH CAU	IP20
911401583441	DN393B LED22/830 PSU D200 WH CAU	IP20
911401583541	DN393B LED22/840 PSU D200 WH CAU	IP20
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	IP20/54
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	IP20/54
911401584641	DN392B LED16/830 PSD D200 WH CAU	IP20
911401584741	DN392B LED16/840 PSD D200 WH CAU	IP20
911401585041	DN393B LED22/830 PSD D200 WH CAU	IP20
911401585141	DN393B LED22/840 PSD D200 WH CAU	IP20
911401586241	DN393B LED22/830 PSU D200 WH R	IP20
911401586441	DN393B LED22/840 PSU D200 WH R	IP20
911401573341	DN392B LED16/830 PSU D200 ALU GC	IP20
911401573441	DN392B LED16/840 PSU D200 ALU GC	IP20
911401573541	DN392B LED16/865 PSU D200 ALU GC	IP20
911401573841	DN392B LED16/830 PSD D200 ALU GC	IP20
911401573941	DN392B LED16/840 PSD D200 ALU GC	IP20
911401574241	DN393B LED22/830 PSU D200 ALU GC	IP20
911401574341	DN393B LED22/840 PSU D200 ALU GC	IP20

Order Code	Full Product Name	Ingress protection code
911401574641	DN393B LED22/830 PSD D200 ALU GC	IP20
911401574741	DN393B LED22/840 PSD D200 ALU GC	IP20
911401576341	DN393B LED22/830 POE D200 ALU GC	IP20
911401576441	DN393B LED22/840 POE D200 ALU GC	IP20
911401579841	DN392B LED16/830 PSU D200 ALU GM	IP20
911401579941	DN392B LED16/840 PSU D200 ALU GM	IP20
911401580041	DN392B LED16/865 PSU D200 ALU GM	IP20
911401580441	DN393B LED22/830 PSU D200 ALU GM	IP20
911401580541	DN393B LED22/840 PSU D200 ALU GM	IP20
911401580641	DN393B LED22/865 PSU D200 ALU GM	IP20
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	IP20/54
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	IP20/54
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	IP20/54
911401582241	DN392B LED16/830 PSD D200 ALU GM	IP20
911401582341	DN392B LED16/840 PSD D200 ALU GM	IP20
911401582641	DN393B LED22/830 PSD D200 ALU GM	IP20
911401582741	DN393B LED22/840 PSD D200 ALU GM	IP20
911401584841	DN392B LED16/830 PSD D200 ALU CAU	IP20
911401584941	DN392B LED16/840 PSD D200 ALU CAU	IP20
911401585241	DN393B LED22/830 PSD D200 ALU CAU	IP20
911401585341	DN393B LED22/840 PSD D200 ALU CAU	IP20
911401586341	DN393B LED22/830 PSU D200 ALU R	IP20
911401586541	DN393B LED22/840 PSU D200 ALU R	IP20

## Controls and Dimming

Order Code	Full Product Name	Dimmable
911401571641	DN390B LED6/830 PSU D100 WH GC	No
911401571741	DN390B LED6/840 PSU D100 WH GC	No
911401577741	DN390B LED6/830 PSU D100 WH GM	No
911401577841	DN390B LED6/840 PSU D100 WH GM	No
911401577941	DN390B LED6/865 PSU D100 WH GM	No
911401582841	DN390B LED6/830 PSU D100 WH CAU	No
911401582941	DN390B LED6/840 PSU D100 WH CAU	No
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	No
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	No
911401571841	DN390B LED6/830 PSU D100 ALU GC	No
911401571941	DN390B LED6/840 PSU D100 ALU GC	No
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	No
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	No
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	No
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	No
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	No
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	No
911401576541	DN391B LED11/830 PSU D100 ALU GC	No
911401576641	DN391B LED11/840 PSU D100 ALU GC	No
911401576741	DN391B LED11/830 PSD D100 ALU GC	Yes
911401576841	DN391B LED11/840 PSD D100 ALU GC	Yes
911401578041	DN390B LED6/830 PSU D100 ALU GM	No
911401578141	DN390B LED6/840 PSU D100 ALU GM	No
911401578241	DN390B LED6/865 PSU D100 ALU GM	No
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	No

Order Code	Full Product Name	Dimmable
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	No
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	No
911401572041	DN391B LED11/830 PSU D150 WH GC	No
911401572141	DN391B LED11/840 PSU D150 WH GC	No
911401572241	DN391B LED11/865 PSU D150 WH GC	No
911401572641	DN391B LED11/830 PSD D150 WH GC	Yes
911401572741	DN391B LED11/840 PSD D150 WH GC	Yes
911401575741	DN392B LED16/830 POE D150 WH GC	Yes
911401575841	DN392B LED16/840 POE D150 WH GC	Yes
911401576941	DN392B LED16/830 PSU D150 WH GC	No
911401577041	DN392B LED16/840 PSU D150 WH GC	No
911401577341	DN392B LED16/830 PSD D150 WH GC	Yes
911401577441	DN392B LED16/840 PSD D150 WH GC	Yes
911401578341	DN391B LED11/830 PSU D150 WH GM	No
911401578441	DN391B LED11/840 PSU D150 WH GM	No
911401578541	DN391B LED11/865 PSU D150 WH GM	No
911401578941	DN392B LED16/830 PSU D150 WH GM	No
911401579041	DN392B LED16/840 PSU D150 WH GM	No
911401579141	DN392B LED16/865 PSU D150 WH GM	No
911401581641	DN391B LED11/830 PSD D150 WH GM	Yes
911401581741	DN391B LED11/840 PSD D150 WH GM	Yes
911401583041	DN391B LED11/830 PSU D150 WH CAU	No
911401583141	DN391B LED11/840 PSU D150 WH CAU	No
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	No
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	No



Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401584241	DN391B LED11/830 PSD D150 WH CAU	Yes	911401579741	DN392B LED16/865 PSU D200 WH GM	No
911401584341	DN391B LED11/840 PSD D150 WH CAU	Yes	911401580141	DN393B LED22/830 PSU D200 WH GM	No
911401585441	DN392B LED16/830 PSD D150 WH GM	Yes	911401580241	DN393B LED22/840 PSU D200 WH GM	No
911401585541	DN392B LED16/840 PSD D150 WH GM	Yes	911401580341	DN393B LED22/865 PSU D200 WH GM	No
911401585841	DN391B LED11/830 PSU D150 WH R	No	911401582041	DN392B LED16/830 PSD D200 WH GM	Yes
911401586041	DN391B LED11/840 PSU D150 WH R	No	911401582141	DN392B LED16/840 PSD D200 WH GM	Yes
911401572341	DN391B LED11/830 PSU D150 ALU GC	No	911401582441	DN393B LED22/830 PSD D200 WH GM	Yes
911401572441	DN391B LED11/840 PSU D150 ALU GC	No	911401582541	DN393B LED22/840 PSD D200 WH GM	Yes
911401572541	DN391B LED11/865 PSU D150 ALU GC	No	911401583241	DN392B LED16/830 PSU D200 WH CAU	No
911401572841	DN391B LED11/830 PSD D150 ALU GC	Yes	911401583341	DN392B LED16/840 PSU D200 WH CAU	No
911401572941	DN391B LED11/840 PSD D150 ALU GC	Yes	911401583441	DN393B LED22/830 PSU D200 WH CAU	No
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	No	911401583541	DN393B LED22/840 PSU D200 WH CAU	No
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	No	911401584041	DN393B LED22/830 PSU D200 WH WP CAU	No
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	No	911401584141	DN393B LED22/840 PSU D200 WH WP CAU	No
911401575941	DN392B LED16/830 POE D150 ALU GC	Yes	911401584641	DN392B LED16/830 PSD D200 WH CAU	Yes
911401576041	DN392B LED16/840 POE D150 ALU GC	Yes	911401584741	DN392B LED16/840 PSD D200 WH CAU	Yes
911401577141	DN392B LED16/830 PSU D150 ALU GC	No	911401585041	DN393B LED22/830 PSD D200 WH CAU	Yes
911401577241	DN392B LED16/840 PSU D150 ALU GC	No	911401585141	DN393B LED22/840 PSD D200 WH CAU	Yes
911401577541	DN392B LED16/830 PSD D150 ALU GC	Yes	911401586241	DN393B LED22/830 PSU D200 WH R	No
911401577641	DN392B LED16/840 PSD D150 ALU GC	Yes	911401586441	DN393B LED22/840 PSU D200 WH R	No
911401578641	DN391B LED11/830 PSU D150 ALU GM	No	911401573341	DN392B LED16/830 PSU D200 ALU GC	No
911401578741	DN391B LED11/840 PSU D150 ALU GM	No	911401573441	DN392B LED16/840 PSU D200 ALU GC	No
911401578841	DN391B LED11/865 PSU D150 ALU GM	No	911401573541	DN392B LED16/865 PSU D200 ALU GC	No
911401579241	DN392B LED16/830 PSU D150 ALU GM	No	911401573841	DN392B LED16/830 PSD D200 ALU GC	Yes
911401579341	DN392B LED16/840 PSU D150 ALU GM	No	911401573941	DN392B LED16/840 PSD D200 ALU GC	Yes
911401579441	DN392B LED16/865 PSU D150 ALU GM	No	911401574241	DN393B LED22/830 PSU D200 ALU GC	No
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	No	911401574341	DN393B LED22/840 PSU D200 ALU GC	No
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	No	911401574641	DN393B LED22/830 PSD D200 ALU GC	Yes
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	No	911401574741	DN393B LED22/840 PSD D200 ALU GC	Yes
911401581841	DN391B LED11/830 PSD D150 ALU GM	Yes	911401576341	DN393B LED22/830 POE D200 ALU GC	Yes
911401581941	DN391B LED11/840 PSD D150 ALU GM	Yes	911401576441	DN393B LED22/840 POE D200 ALU GC	Yes
911401584441	DN391B LED11/830 PSD D150 ALU CAU	Yes	911401579841	DN392B LED16/830 PSU D200 ALU GM	No
911401584541	DN391B LED11/840 PSD D150 ALU CAU	Yes	911401579941	DN392B LED16/840 PSU D200 ALU GM	No
911401585641	DN392B LED16/830 PSD D150 ALU GM	Yes	911401580041	DN392B LED16/865 PSU D200 ALU GM	No
911401585741	DN392B LED16/840 PSD D150 ALU GM	Yes	911401580441	DN393B LED22/830 PSU D200 ALU GM	No
911401585941	DN391B LED11/830 PSU D150 ALU R	No	911401580541	DN393B LED22/840 PSU D200 ALU GM	No
911401586141	DN391B LED11/840 PSU D150 ALU R	No	911401580641	DN393B LED22/865 PSU D200 ALU GM	No
911401573041	DN392B LED16/830 PSU D200 WH GC	No	911401581341	DN393B LED22/830 PSU D200 ALU WP GM	No
911401573141	DN392B LED16/840 PSU D200 WH GC	No	911401581441	DN393B LED22/840 PSU D200 ALU WP GM	No
911401573241	DN392B LED16/865 PSU D200 WH GC	No	911401581541	DN393B LED22/865 PSU D200 ALU WP GM	No
911401573641	DN392B LED16/830 PSD D200 WH GC	Yes	911401582241	DN392B LED16/830 PSD D200 ALU GM	Yes
911401573741	DN392B LED16/840 PSD D200 WH GC	Yes	911401582341	DN392B LED16/840 PSD D200 ALU GM	Yes
911401574041	DN393B LED22/830 PSU D200 WH GC	No	911401582641	DN393B LED22/830 PSD D200 ALU GM	Yes
911401574141	DN393B LED22/840 PSU D200 WH GC	No	911401582741	DN393B LED22/840 PSD D200 ALU GM	Yes
911401574441	DN393B LED22/830 PSD D200 WH GC	Yes	911401584841	DN392B LED16/830 PSD D200 ALU CAU	Yes
911401574541	DN393B LED22/840 PSD D200 WH GC	Yes	911401584941	DN392B LED16/840 PSD D200 ALU CAU	Yes
911401576141	DN393B LED22/830 POE D200 WH GC	Yes	911401585241	DN393B LED22/830 PSD D200 ALU CAU	Yes
911401576241	DN393B LED22/840 POE D200 WH GC	Yes	911401585341	DN393B LED22/840 PSD D200 ALU CAU	Yes
911401579541	DN392B LED16/830 PSU D200 WH GM	No	911401586341	DN393B LED22/830 PSU D200 ALU R	No
911401579641	DN392B LED16/840 PSU D200 WH GM	No	911401586541	DN393B LED22/840 PSU D200 ALU R	No

## Operating and Electrical



Order Code	Full Product Name	Input Voltage	Order Code	Full Product Name	Input Voltage
911401571641	DN390B LED6/830 PSU D100 WH GC	220-240 V	911401585441	DN392B LED16/830 PSD D150 WH GM	220-240 V
911401571741	DN390B LED6/840 PSU D100 WH GC	220-240 V	911401585541	DN392B LED16/840 PSD D150 WH GM	220-240 V
911401577741	DN390B LED6/830 PSU D100 WH GM	220-240 V	911401585841	DN391B LED11/830 PSU D150 WH R	220-240 V
911401577841	DN390B LED6/840 PSU D100 WH GM	220-240 V	911401586041	DN391B LED11/840 PSU D150 WH R	220-240 V
911401577941	DN390B LED6/865 PSU D100 WH GM	220-240 V	911401572341	DN391B LED11/830 PSU D150 ALU GC	220-240 V
911401582841	DN390B LED6/830 PSU D100 WH CAU	220-240 V	911401572441	DN391B LED11/840 PSU D150 ALU GC	220-240 V
911401582941	DN390B LED6/840 PSU D100 WH CAU	220-240 V	911401572541	DN391B LED11/865 PSU D150 ALU GC	220-240 V
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	220-240 V	911401572841	DN391B LED11/830 PSD D150 ALU GC	220-240 V
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	220-240 V	911401572941	DN391B LED11/840 PSD D150 ALU GC	220-240 V
911401571841	DN390B LED6/830 PSU D100 ALU GC	220-240 V	911401575441	DN392B LED16/830 PSU D150 ALU WP GC	220-240 V
911401571941	DN390B LED6/840 PSU D100 ALU GC	220-240 V	911401575541	DN392B LED16/840 PSU D150 ALU WP GC	220-240 V
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	220-240 V	911401575641	DN392B LED16/865 PSU D150 ALU WP GC	220-240 V
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	220-240 V	911401575941	DN392B LED16/830 POE D150 ALU GC	53 V
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	220-240 V	911401576041	DN392B LED16/840 POE D150 ALU GC	53 V
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	220-240 V	911401577141	DN392B LED16/830 PSU D150 ALU GC	220-240 V
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	220-240 V	911401577241	DN392B LED16/840 PSU D150 ALU GC	220-240 V
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	220-240 V	911401577541	DN392B LED16/830 PSD D150 ALU GC	220-240 V
911401576541	DN391B LED11/830 PSU D100 ALU GC	220-240 V	911401577641	DN392B LED16/840 PSD D150 ALU GC	220-240 V
911401576641	DN391B LED11/840 PSU D100 ALU GC	220-240 V	911401578641	DN391B LED11/830 PSU D150 ALU GM	220-240 V
911401576741	DN391B LED11/830 PSD D100 ALU GC	220-240 V	911401578741	DN391B LED11/840 PSU D150 ALU GM	220-240 V
911401576841	DN391B LED11/840 PSD D100 ALU GC	220-240 V	911401578841	DN391B LED11/865 PSU D150 ALU GM	220-240 V
911401578041	DN390B LED6/830 PSU D100 ALU GM	220-240 V	911401579241	DN392B LED16/830 PSU D150 ALU GM	220-240 V
911401578141	DN390B LED6/840 PSU D100 ALU GM	220-240 V	911401579341	DN392B LED16/840 PSU D150 ALU GM	220-240 V
911401578241	DN390B LED6/865 PSU D100 ALU GM	220-240 V	911401579441	DN392B LED16/865 PSU D150 ALU GM	220-240 V
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	220-240 V	911401581041	DN391B LED11/830 PSU D150 ALU WP GM	220-240 V
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	220-240 V	911401581141	DN391B LED11/840 PSU D150 ALU WP GM	220-240 V
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	220-240 V	911401581241	DN391B LED11/865 PSU D150 ALU WP GM	220-240 V
911401572041	DN391B LED11/830 PSU D150 WH GC	220-240 V	911401581841	DN391B LED11/830 PSD D150 ALU GM	220-240 V
911401572141	DN391B LED11/840 PSU D150 WH GC	220-240 V	911401581941	DN391B LED11/840 PSD D150 ALU GM	220-240 V
911401572241	DN391B LED11/865 PSU D150 WH GC	220-240 V	911401584441	DN391B LED11/830 PSD D150 ALU CAU	220-240 V
911401572641	DN391B LED11/830 PSD D150 WH GC	220-240 V	911401584541	DN391B LED11/840 PSD D150 ALU CAU	220-240 V
911401572741	DN391B LED11/840 PSD D150 WH GC	220-240 V	911401585641	DN392B LED16/830 PSD D150 ALU GM	220-240 V
911401575741	DN392B LED16/830 POE D150 WH GC	53 V	911401585741	DN392B LED16/840 PSD D150 ALU GM	220-240 V
911401575841	DN392B LED16/840 POE D150 WH GC	53 V	911401585941	DN391B LED11/830 PSU D150 ALU R	220-240 V
911401576941	DN392B LED16/830 PSU D150 WH GC	220-240 V	911401586141	DN391B LED11/840 PSU D150 ALU R	220-240 V
911401577041	DN392B LED16/840 PSU D150 WH GC	220-240 V	911401573041	DN392B LED16/830 PSU D200 WH GC	220-240 V
911401577341	DN392B LED16/830 PSD D150 WH GC	220-240 V	911401573141	DN392B LED16/840 PSU D200 WH GC	220-240 V
911401577441	DN392B LED16/840 PSD D150 WH GC	220-240 V	911401573241	DN392B LED16/865 PSU D200 WH GC	220-240 V
911401578341	DN391B LED11/830 PSU D150 WH GM	220-240 V	911401573641	DN392B LED16/830 PSD D200 WH GC	220-240 V
911401578441	DN391B LED11/840 PSU D150 WH GM	220-240 V	911401573741	DN392B LED16/840 PSD D200 WH GC	220-240 V
911401578541	DN391B LED11/865 PSU D150 WH GM	220-240 V	911401574041	DN393B LED22/830 PSU D200 WH GC	220-240 V
911401578941	DN392B LED16/830 PSU D150 WH GM	220-240 V	911401574141	DN393B LED22/840 PSU D200 WH GC	220-240 V
911401579041	DN392B LED16/840 PSU D150 WH GM	220-240 V	911401574441	DN393B LED22/830 PSD D200 WH GC	220-240 V
911401579141	DN392B LED16/865 PSU D150 WH GM	220-240 V	911401574541	DN393B LED22/840 PSD D200 WH GC	220-240 V
911401581641	DN391B LED11/830 PSD D150 WH GM	220-240 V	911401576141	DN393B LED22/830 POE D200 WH GC	53 V
911401581741	DN391B LED11/840 PSD D150 WH GM	220-240 V	911401576241	DN393B LED22/840 POE D200 WH GC	53 V
911401583041	DN391B LED11/830 PSU D150 WH CAU	220-240 V	911401579541	DN392B LED16/830 PSU D200 WH GM	220-240 V
911401583141	DN391B LED11/840 PSU D150 WH CAU	220-240 V	911401579641	DN392B LED16/840 PSU D200 WH GM	220-240 V
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	220-240 V	911401579741	DN392B LED16/865 PSU D200 WH GM	220-240 V
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	220-240 V	911401580141	DN393B LED22/830 PSU D200 WH GM	220-240 V
911401584241	DN391B LED11/830 PSD D150 WH CAU	220-240 V	911401580241	DN393B LED22/840 PSU D200 WH GM	220-240 V
911401584341	DN391B LED11/840 PSD D150 WH CAU	220-240 V	911401580341	DN393B LED22/865 PSU D200 WH GM	220-240 V

Order Code	Full Product Name	Input Voltage
911401582041	DN392B LED16/830 PSD D200 WH GM	220-240 V
911401582141	DN392B LED16/840 PSD D200 WH GM	220-240 V
911401582441	DN393B LED22/830 PSD D200 WH GM	220-240 V
911401582541	DN393B LED22/840 PSD D200 WH GM	220-240 V
911401583241	DN392B LED16/830 PSU D200 WH CAU	220-240 V
911401583341	DN392B LED16/840 PSU D200 WH CAU	220-240 V
911401583441	DN393B LED22/830 PSU D200 WH CAU	220-240 V
911401583541	DN393B LED22/840 PSU D200 WH CAU	220-240 V
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	220-240 V
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	220-240 V
911401584641	DN392B LED16/830 PSD D200 WH CAU	220-240 V
911401584741	DN392B LED16/840 PSD D200 WH CAU	220-240 V
911401585041	DN393B LED22/830 PSD D200 WH CAU	220-240 V
911401585141	DN393B LED22/840 PSD D200 WH CAU	220-240 V
911401586241	DN393B LED22/830 PSU D200 WH R	220-240 V
911401586441	DN393B LED22/840 PSU D200 WH R	220-240 V
911401573341	DN392B LED16/830 PSU D200 ALU GC	220-240 V
911401573441	DN392B LED16/840 PSU D200 ALU GC	220-240 V
911401573541	DN392B LED16/865 PSU D200 ALU GC	220-240 V
911401573841	DN392B LED16/830 PSD D200 ALU GC	220-240 V
911401573941	DN392B LED16/840 PSD D200 ALU GC	220-240 V
911401574241	DN393B LED22/830 PSU D200 ALU GC	220-240 V
911401574341	DN393B LED22/840 PSU D200 ALU GC	220-240 V

Order Code	Full Product Name	Input Voltage
911401574641	DN393B LED22/830 PSD D200 ALU GC	220-240 V
911401574741	DN393B LED22/840 PSD D200 ALU GC	220-240 V
911401576341	DN393B LED22/830 POE D200 ALU GC	53 V
911401576441	DN393B LED22/840 POE D200 ALU GC	53 V
911401579841	DN392B LED16/830 PSU D200 ALU GM	220-240 V
911401579941	DN392B LED16/840 PSU D200 ALU GM	220-240 V
911401580041	DN392B LED16/865 PSU D200 ALU GM	220-240 V
911401580441	DN393B LED22/830 PSU D200 ALU GM	220-240 V
911401580541	DN393B LED22/840 PSU D200 ALU GM	220-240 V
911401580641	DN393B LED22/865 PSU D200 ALU GM	220-240 V
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	220-240 V
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	220-240 V
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	220-240 V
911401582241	DN392B LED16/830 PSD D200 ALU GM	220-240 V
911401582341	DN392B LED16/840 PSD D200 ALU GM	220-240 V
911401582641	DN393B LED22/830 PSD D200 ALU GM	220-240 V
911401582741	DN393B LED22/840 PSD D200 ALU GM	220-240 V
911401584841	DN392B LED16/830 PSD D200 ALU CAU	220-240 V
911401584941	DN392B LED16/840 PSD D200 ALU CAU	220-240 V
911401585241	DN393B LED22/830 PSD D200 ALU CAU	220-240 V
911401585341	DN393B LED22/840 PSD D200 ALU CAU	220-240 V
911401586341	DN393B LED22/830 PSU D200 ALU R	220-240 V
911401586541	DN393B LED22/840 PSU D200 ALU R	220-240 V

## General Information

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401571641	DN390B LED6/830 PSU D100 WH GC	72 °	Safety class I
911401571741	DN390B LED6/840 PSU D100 WH GC	72 °	Safety class I
911401577741	DN390B LED6/830 PSU D100 WH GM	72 °	Safety class I
911401577841	DN390B LED6/840 PSU D100 WH GM	72 °	Safety class I
911401577941	DN390B LED6/865 PSU D100 WH GM	72 °	Safety class I
911401582841	DN390B LED6/830 PSU D100 WH CAU	72 °	Safety class I
911401582941	DN390B LED6/840 PSU D100 WH CAU	72 °	Safety class I
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	72 °	Safety class I
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	72 °	Safety class I
911401571841	DN390B LED6/830 PSU D100 ALU GC	60 °	Safety class I
911401571941	DN390B LED6/840 PSU D100 ALU GC	60 °	Safety class I
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	60 °	Safety class I

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	60 °	Safety class I
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	60 °	Safety class I
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	60 °	Safety class I
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	60 °	Safety class I
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	60 °	Safety class I
911401576541	DN391B LED11/830 PSU D100 ALU GC	60 °	Safety class I
911401576641	DN391B LED11/840 PSU D100 ALU GC	60 °	Safety class I
911401576741	DN391B LED11/830 PSD D100 ALU GC	60 °	Safety class I
911401576841	DN391B LED11/840 PSD D100 ALU GC	60 °	Safety class I
911401578041	DN390B LED6/830 PSU D100 ALU GM	60 °	Safety class I
911401578141	DN390B LED6/840 PSU D100 ALU GM	60 °	Safety class I
911401578241	DN390B LED6/865 PSU D100 ALU GM	60 °	Safety class I

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	60 °	Safety class I
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	60 °	Safety class I
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	60 °	Safety class I
911401572041	DN391B LED11/830 PSU D150 WH GC	85 °	Safety class I
911401572141	DN391B LED11/840 PSU D150 WH GC	85 °	Safety class I
911401572241	DN391B LED11/865 PSU D150 WH GC	85 °	Safety class I
911401572641	DN391B LED11/830 PSD D150 WH GC	85 °	Safety class I
911401572741	DN391B LED11/840 PSD D150 WH GC	85 °	Safety class I
911401575741	DN392B LED16/830 POE D150 WH GC	85 °	Safety class III
911401575841	DN392B LED16/840 POE D150 WH GC	85 °	Safety class III
911401576941	DN392B LED16/830 PSU D150 WH GC	85 °	Safety class I
911401577041	DN392B LED16/840 PSU D150 WH GC	85 °	Safety class I
911401577341	DN392B LED16/830 PSD D150 WH GC	85 °	Safety class I
911401577441	DN392B LED16/840 PSD D150 WH GC	85 °	Safety class I
911401578341	DN391B LED11/830 PSU D150 WH GM	85 °	Safety class I
911401578441	DN391B LED11/840 PSU D150 WH GM	85 °	Safety class I
911401578541	DN391B LED11/865 PSU D150 WH GM	85 °	Safety class I
911401578941	DN392B LED16/830 PSU D150 WH GM	85 °	Safety class I
911401579041	DN392B LED16/840 PSU D150 WH GM	85 °	Safety class I
911401579141	DN392B LED16/865 PSU D150 WH GM	85 °	Safety class I
911401581641	DN391B LED11/830 PSD D150 WH GM	85 °	Safety class I
911401581741	DN391B LED11/840 PSD D150 WH GM	85 °	Safety class I
911401583041	DN391B LED11/830 PSU D150 WH CAU	85 °	Safety class I
911401583141	DN391B LED11/840 PSU D150 WH CAU	85 °	Safety class I
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	85 °	Safety class I

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	85 °	Safety class I
911401584241	DN391B LED11/830 PSD D150 WH CAU	85 °	Safety class I
911401584341	DN391B LED11/840 PSD D150 WH CAU	85 °	Safety class I
911401585441	DN392B LED16/830 PSD D150 WH GM	85 °	Safety class I
911401585541	DN392B LED16/840 PSD D150 WH GM	85 °	Safety class I
911401585841	DN391B LED11/830 PSU D150 WH R	85 °	Safety class II
911401586041	DN391B LED11/840 PSU D150 WH R	85 °	Safety class II
911401572341	DN391B LED11/830 PSU D150 ALU GC	60 °	Safety class I
911401572441	DN391B LED11/840 PSU D150 ALU GC	60 °	Safety class I
911401572541	DN391B LED11/865 PSU D150 ALU GC	60 °	Safety class I
911401572841	DN391B LED11/830 PSD D150 ALU GC	60 °	Safety class I
911401572941	DN391B LED11/840 PSD D150 ALU GC	60 °	Safety class I
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	60 °	Safety class I
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	60 °	Safety class I
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	60 °	Safety class I
911401575941	DN392B LED16/830 POE D150 ALU GC	60 °	Safety class III
911401576041	DN392B LED16/840 POE D150 ALU GC	60 °	Safety class III
911401577141	DN392B LED16/830 PSU D150 ALU GC	60 °	Safety class I
911401577241	DN392B LED16/840 PSU D150 ALU GC	60 °	Safety class I
911401577541	DN392B LED16/830 PSD D150 ALU GC	60 °	Safety class I
911401577641	DN392B LED16/840 PSD D150 ALU GC	60 °	Safety class I
911401578641	DN391B LED11/830 PSU D150 ALU GM	60 °	Safety class I
911401578741	DN391B LED11/840 PSU D150 ALU GM	60 °	Safety class I
911401578841	DN391B LED11/865 PSU D150 ALU GM	60 °	Safety class I
911401579241	DN392B LED16/830 PSU D150 ALU GM	60 °	Safety class I

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401579341	DN392B LED16/840 PSU D150 ALU GM	60 °	Safety class I
911401579441	DN392B LED16/865 PSU D150 ALU GM	60 °	Safety class I
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	60 °	Safety class I
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	60 °	Safety class I
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	60 °	Safety class I
911401581841	DN391B LED11/830 PSD D150 ALU GM	60 °	Safety class I
911401581941	DN391B LED11/840 PSD D150 ALU GM	60 °	Safety class I
911401584441	DN391B LED11/830 PSD D150 ALU CAU	60 °	Safety class I
911401584541	DN391B LED11/840 PSD D150 ALU CAU	60 °	Safety class I
911401585641	DN392B LED16/830 PSD D150 ALU GM	60 °	Safety class I
911401585741	DN392B LED16/840 PSD D150 ALU GM	60 °	Safety class I
911401585941	DN391B LED11/830 PSU D150 ALU R	60 °	Safety class II
911401586141	DN391B LED11/840 PSU D150 ALU R	60 °	Safety class II
911401573041	DN392B LED16/830 PSU D200 WH GC	92 °	Safety class I
911401573141	DN392B LED16/840 PSU D200 WH GC	92 °	Safety class I
911401573241	DN392B LED16/865 PSU D200 WH GC	92 °	Safety class I
911401573641	DN392B LED16/830 PSD D200 WH GC	92 °	Safety class I
911401573741	DN392B LED16/840 PSD D200 WH GC	92 °	Safety class I
911401574041	DN393B LED22/830 PSU D200 WH GC	92 °	Safety class I
911401574141	DN393B LED22/840 PSU D200 WH GC	92 °	Safety class I
911401574441	DN393B LED22/830 PSD D200 WH GC	92 °	Safety class I
911401574541	DN393B LED22/840 PSD D200 WH GC	92 °	Safety class I
911401576141	DN393B LED22/830 POE D200 WH GC	92 °	Safety class III
911401576241	DN393B LED22/840 POE D200 WH GC	92 °	Safety class III
911401579541	DN392B LED16/830 PSU D200 WH GM	92 °	Safety class I

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401579641	DN392B LED16/840 PSU D200 WH GM	92 °	Safety class I
911401579741	DN392B LED16/865 PSU D200 WH GM	92 °	Safety class I
911401580141	DN393B LED22/830 PSU D200 WH GM	92 °	Safety class I
911401580241	DN393B LED22/840 PSU D200 WH GM	92 °	Safety class I
911401580341	DN393B LED22/865 PSU D200 WH GM	92 °	Safety class I
911401582041	DN392B LED16/830 PSD D200 WH GM	92 °	Safety class I
911401582141	DN392B LED16/840 PSD D200 WH GM	92 °	Safety class I
911401582441	DN393B LED22/830 PSD D200 WH GM	92 °	Safety class I
911401582541	DN393B LED22/840 PSD D200 WH GM	92 °	Safety class I
911401583241	DN392B LED16/830 PSU D200 WH CAU	92 °	Safety class I
911401583341	DN392B LED16/840 PSU D200 WH CAU	92 °	Safety class I
911401583441	DN393B LED22/830 PSU D200 WH CAU	92 °	Safety class I
911401583541	DN393B LED22/840 PSU D200 WH CAU	92 °	Safety class I
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	92 °	Safety class I
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	92 °	Safety class I
911401584641	DN392B LED16/830 PSD D200 WH CAU	92 °	Safety class I
911401584741	DN392B LED16/840 PSD D200 WH CAU	92 °	Safety class I
911401585041	DN393B LED22/830 PSD D200 WH CAU	92 °	Safety class I
911401585141	DN393B LED22/840 PSD D200 WH CAU	92 °	Safety class I
911401586241	DN393B LED22/830 PSU D200 WH R	92 °	Safety class II
911401586441	DN393B LED22/840 PSU D200 WH R	92 °	Safety class II
911401573341	DN392B LED16/830 PSU D200 ALU GC	60 °	Safety class I
911401573441	DN392B LED16/840 PSU D200 ALU GC	60 °	Safety class I
911401573541	DN392B LED16/865 PSU D200 ALU GC	60 °	Safety class I
911401573841	DN392B LED16/830 PSD D200 ALU GC	60 °	Safety class I

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401573941	DN392B LED16/840 PSD D200 ALU GC	60 °	Safety class I
911401574241	DN393B LED22/830 PSU D200 ALU GC	60 °	Safety class I
911401574341	DN393B LED22/840 PSU D200 ALU GC	60 °	Safety class I
911401574641	DN393B LED22/830 PSD D200 ALU GC	60 °	Safety class I
911401574741	DN393B LED22/840 PSD D200 ALU GC	60 °	Safety class I
911401576341	DN393B LED22/830 POE D200 ALU GC	60 °	Safety class III
911401576441	DN393B LED22/840 POE D200 ALU GC	60 °	Safety class III
911401579841	DN392B LED16/830 PSU D200 ALU GM	60 °	Safety class I
911401579941	DN392B LED16/840 PSU D200 ALU GM	60 °	Safety class I
911401580041	DN392B LED16/865 PSU D200 ALU GM	60 °	Safety class I
911401580441	DN393B LED22/830 PSU D200 ALU GM	60 °	Safety class I
911401580541	DN393B LED22/840 PSU D200 ALU GM	60 °	Safety class I
911401580641	DN393B LED22/865 PSU D200 ALU GM	60 °	Safety class I

Order Code	Full Product Name	Beam angle	
		of light source	Protection class IEC
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	60 °	Safety class I
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	60 °	Safety class I
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	60 °	Safety class I
911401582241	DN392B LED16/830 PSD D200 ALU GM	60 °	Safety class I
911401582341	DN392B LED16/840 PSD D200 ALU GM	60 °	Safety class I
911401582641	DN393B LED22/830 PSD D200 ALU GM	60 °	Safety class I
911401582741	DN393B LED22/840 PSD D200 ALU GM	60 °	Safety class I
911401584841	DN392B LED16/830 PSD D200 ALU CAU	60 °	Safety class I
911401584941	DN392B LED16/840 PSD D200 ALU CAU	60 °	Safety class I
911401585241	DN393B LED22/830 PSD D200 ALU CAU	60 °	Safety class I
911401585341	DN393B LED22/840 PSD D200 ALU CAU	60 °	Safety class I
911401586341	DN393B LED22/830 PSU D200 ALU R	60 °	Safety class II
911401586541	DN393B LED22/840 PSU D200 ALU R	60 °	Safety class II

## Initial Performance (IEC Compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED	Initial
			Color Temperature	luminaire efficacy	luminous flux
911401571641	DN390B LED6/830 PSU D100 WH GC	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401571741	DN390B LED6/840 PSU D100 WH GC	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401577741	DN390B LED6/830 PSU D100 WH GM	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401577841	DN390B LED6/840 PSU D100 WH GM	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401577941	DN390B LED6/865 PSU D100 WH GM	(0.31,0.32)	6500 K	109 lm/W	600 lm
911401582841	DN390B LED6/830 PSU D100 WH CAU	(0.44,0.403)	3000 K	104 lm/W	570 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED	Initial
			Color Temperature	luminaire efficacy	luminous flux
911401582941	DN390B LED6/840 PSU D100 WH CAU	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401571841	DN390B LED6/830 PSU D100 ALU GC	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401571941	DN390B LED6/840 PSU D100 ALU GC	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401574841	DN390B LED6/830 PSU	(0.44,0.403)	3000 K	104 lm/W	570 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	D100 ALU WP GC				
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	(0.31,0.32)	6500 K	109 lm/W	600 lm
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401576541	DN391B LED11/830 PSU D100 ALU GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401576641	DN391B LED11/840 PSU D100 ALU GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401576741	DN391B LED11/830 PSD D100 ALU GC	(0.44,0.403)	3000 K	83 lm/W	950 lm
911401576841	DN391B LED11/840 PSD D100 ALU GC	(0.38,0.38)	4000 K	82 lm/W	950 lm
911401578041	DN390B LED6/830 PSU D100 ALU GM	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401578141	DN390B LED6/840 PSU D100 ALU GM	(0.38,0.38)	4000 K	109 lm/W	600 lm
911401578241	DN390B LED6/865 PSU D100 ALU GM	(0.31,0.32)	6500 K	109 lm/W	600 lm
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	(0.44,0.403)	3000 K	104 lm/W	570 lm
911401580841	DN390B LED6/840 PSU	(0.38,0.38)	4000 K	109 lm/W	600 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	D100 ALU WP GM				
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	(0.31,0.32)	6500 K	109 lm/W	600 lm
911401572041	DN391B LED11/830 PSU D150 WH GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401572141	DN391B LED11/840 PSU D150 WH GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401572241	DN391B LED11/865 PSU D150 WH GC	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401572641	DN391B LED11/830 PSD D150 WH GC	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401572741	DN391B LED11/840 PSD D150 WH GC	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401575741	DN392B LED16/830 POE D150 WH GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401575841	DN392B LED16/840 POE D150 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401576941	DN392B LED16/830 PSU D150 WH GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401577041	DN392B LED16/840 PSU D150 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401577341	DN392B LED16/830 PSD D150 WH GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401577441	DN392B LED16/840 PSD D150 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401578341	DN391B LED11/830 PSU D150 WH GM	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401578441	DN391B LED11/840 PSU D150 WH GM	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401578541	DN391B LED11/865 PSU D150 WH GM	(0.31,0.32)	6500 K	116 lm/W	1100 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401578941	DN392B LED16/830 PSU D150 WH GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401579041	DN392B LED16/840 PSU D150 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401579141	DN392B LED16/865 PSU D150 WH GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401581641	DN391B LED11/830 PSD D150 WH GM	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401581741	DN391B LED11/840 PSD D150 WH GM	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401583041	DN391B LED11/830 PSU D150 WH CAU	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401583141	DN391B LED11/840 PSU D150 WH CAU	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401584241	DN391B LED11/830 PSD D150 WH CAU	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401584341	DN391B LED11/840 PSD D150 WH CAU	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401585441	DN392B LED16/830 PSD D150 WH GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401585541	DN392B LED16/840 PSD D150 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401585841	DN391B LED11/830 PSU D150 WH R	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401586041	DN391B LED11/840 PSU D150 WH R	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401572341	DN391B LED11/830 PSU D150 ALU GC	(0.44,0.403)	3000 K	111 lm/W	1050 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401572441	DN391B LED11/840 PSU D150 ALU GC	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401572541	DN391B LED11/865 PSU D150 ALU GC	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401572841	DN391B LED11/830 PSD D150 ALU GC	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401572941	DN391B LED11/840 PSD D150 ALU GC	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401575941	DN392B LED16/830 POE D150 ALU GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401576041	DN392B LED16/840 POE D150 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401577141	DN392B LED16/830 PSU D150 ALU GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401577241	DN392B LED16/840 PSU D150 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401577541	DN392B LED16/830 PSD D150 ALU GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401577641	DN392B LED16/840 PSD D150 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401578641	DN391B LED11/830 PSU D150 ALU GM	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401578741	DN391B LED11/840 PSU D150 ALU GM	(0.38,0.38)	4000 K	116 lm/W	1100 lm



Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401578841	DN391B LED11/865 PSU D150 ALU GM	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401579241	DN392B LED16/830 PSU D150 ALU GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401579341	DN392B LED16/840 PSU D150 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401579441	DN392B LED16/865 PSU D150 ALU GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	(0.38,0.38)	4000 K	116 lm/W	1100 lm
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	(0.31,0.32)	6500 K	116 lm/W	1100 lm
911401581841	DN391B LED11/830 PSD D150 ALU GM	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401581941	DN391B LED11/840 PSD D150 ALU GM	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401584441	DN391B LED11/830 PSD D150 ALU CAU	(0.44,0.403)	3000 K	91 lm/W	1050 lm
911401584541	DN391B LED11/840 PSD D150 ALU CAU	(0.38,0.38)	4000 K	96 lm/W	1100 lm
911401585641	DN392B LED16/830 PSD D150 ALU GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401585741	DN392B LED16/840 PSD D150 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401585941	DN391B LED11/830 PSU D150 ALU R	(0.44,0.403)	3000 K	111 lm/W	1050 lm
911401586141	DN391B LED11/840 PSU D150 ALU R	(0.38,0.38)	4000 K	116 lm/W	1100 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401573041	DN392B LED16/830 PSU D200 WH GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401573141	DN392B LED16/840 PSU D200 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401573241	DN392B LED16/865 PSU D200 WH GC	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401573641	DN392B LED16/830 PSD D200 WH GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401573741	DN392B LED16/840 PSD D200 WH GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401574041	DN393B LED22/830 PSU D200 WH GC	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401574141	DN393B LED22/840 PSU D200 WH GC	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401574441	DN393B LED22/830 PSD D200 WH GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401574541	DN393B LED22/840 PSD D200 WH GC	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401576141	DN393B LED22/830 POE D200 WH GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401576241	DN393B LED22/840 POE D200 WH GC	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401579541	DN392B LED16/830 PSU D200 WH GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401579641	DN392B LED16/840 PSU D200 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401579741	DN392B LED16/865 PSU D200 WH GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401580141	DN393B LED22/830 PSU D200 WH GM	(0.44,0.403)	3000 K	111 lm/W	2100 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401580241	DN393B LED22/840 PSU D200 WH GM	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401580341	DN393B LED22/865 PSU D200 WH GM	(0.31,0.32)	6500 K	116 lm/W	2200 lm
911401582041	DN392B LED16/830 PSD D200 WH GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401582141	DN392B LED16/840 PSD D200 WH GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401582441	DN393B LED22/830 PSD D200 WH GM	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401582541	DN393B LED22/840 PSD D200 WH GM	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401583241	DN392B LED16/830 PSU D200 WH CAU	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401583341	DN392B LED16/840 PSU D200 WH CAU	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401583441	DN393B LED22/830 PSU D200 WH CAU	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401583541	DN393B LED22/840 PSU D200 WH CAU	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401584641	DN392B LED16/830 PSD D200 WH CAU	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401584741	DN392B LED16/840 PSD D200 WH CAU	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401585041	DN393B LED22/830	(0.44,0.403)	3000 K	102 lm/W	2100 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD D200 WH CAU				
911401585141	DN393B LED22/840 PSD D200 WH CAU	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401586241	DN393B LED22/830 PSU D200 WH R	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401586441	DN393B LED22/840 PSU D200 WH R	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401573341	DN392B LED16/830 PSU D200 ALU GC	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401573441	DN392B LED16/840 PSU D200 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401573541	DN392B LED16/865 PSU D200 ALU GC	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401573841	DN392B LED16/830 PSD D200 ALU GC	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401573941	DN392B LED16/840 PSD D200 ALU GC	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401574241	DN393B LED22/830 PSU D200 ALU GC	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401574341	DN393B LED22/840 PSU D200 ALU GC	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401574641	DN393B LED22/830 PSD D200 ALU GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401574741	DN393B LED22/840 PSD D200 ALU GC	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401576341	DN393B LED22/830 POE D200 ALU GC	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401576441	DN393B LED22/840	(0.38,0.38)	4000 K	107 lm/W	2200 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
	POE D200 ALU GC				
911401579841	DN392B LED16/830 PSU D200 ALU GM	(0.44,0.403)	3000 K	103 lm/W	1500 lm
911401579941	DN392B LED16/840 PSU D200 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401580041	DN392B LED16/865 PSU D200 ALU GM	(0.31,0.32)	6500 K	110 lm/W	1600 lm
911401580441	DN393B LED22/830 PSU D200 ALU GM	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401580541	DN393B LED22/840 PSU D200 ALU GM	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401580641	DN393B LED22/865 PSU D200 ALU GM	(0.31,0.32)	6500 K	116 lm/W	2200 lm
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	(0.38,0.38)	4000 K	116 lm/W	2200 lm
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	(0.31,0.32)	6500 K	116 lm/W	2200 lm
911401582241	DN392B LED16/830 PSD D200 ALU GM	(0.44,0.403)	3000 K	97 lm/W	1500 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401582341	DN392B LED16/840 PSD D200 ALU GM	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401582641	DN393B LED22/830 PSD D200 ALU GM	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401582741	DN393B LED22/840 PSD D200 ALU GM	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401584841	DN392B LED16/830 PSD D200 ALU CAU	(0.44,0.403)	3000 K	97 lm/W	1500 lm
911401584941	DN392B LED16/840 PSD D200 ALU CAU	(0.38,0.38)	4000 K	110 lm/W	1600 lm
911401585241	DN393B LED22/830 PSD D200 ALU CAU	(0.44,0.403)	3000 K	102 lm/W	2100 lm
911401585341	DN393B LED22/840 PSD D200 ALU CAU	(0.38,0.38)	4000 K	107 lm/W	2200 lm
911401586341	DN393B LED22/830 PSU D200 ALU R	(0.44,0.403)	3000 K	111 lm/W	2100 lm
911401586541	DN393B LED22/840 PSU D200 ALU R	(0.38,0.38)	4000 K	116 lm/W	2200 lm

Initial Performance (IEC Compliant) (2/2)

Order Code	Full Product Name	Initial input power
911401571641	DN390B LED6/830 PSU D100 WH GC	5.5 W
911401571741	DN390B LED6/840 PSU D100 WH GC	5.5 W
911401577741	DN390B LED6/830 PSU D100 WH GM	5.5 W
911401577841	DN390B LED6/840 PSU D100 WH GM	5.5 W
911401577941	DN390B LED6/865 PSU D100 WH GM	5.5 W
911401582841	DN390B LED6/830 PSU D100 WH CAU	5.5 W
911401582941	DN390B LED6/840 PSU D100 WH CAU	5.5 W
911401583641	DN390B LED6/830 PSU D100 WH WP CAU	5.5 W
911401583741	DN390B LED6/840 PSU D100 WH WP CAU	5.5 W
911401571841	DN390B LED6/830 PSU D100 ALU GC	5.5 W

Order Code	Full Product Name	Initial input power
911401571941	DN390B LED6/840 PSU D100 ALU GC	5.5 W
911401574841	DN390B LED6/830 PSU D100 ALU WP GC	5.5 W
911401574941	DN390B LED6/840 PSU D100 ALU WP GC	5.5 W
911401575041	DN390B LED6/865 PSU D100 ALU WP GC	5.5 W
911401575141	DN391B LED11/830 PSU D100 ALU WP GC	9.5 W
911401575241	DN391B LED11/840 PSU D100 ALU WP GC	9.5 W
911401575341	DN391B LED11/865 PSU D100 ALU WP GC	9.5 W
911401576541	DN391B LED11/830 PSU D100 ALU GC	9.5 W
911401576641	DN391B LED11/840 PSU D100 ALU GC	9.5 W
911401576741	DN391B LED11/830 PSD D100 ALU GC	11.5 W

Order Code	Full Product Name	Initial input power
911401576841	DN391B LED11/840 PSD D100 ALU GC	11.5 W
911401578041	DN390B LED6/830 PSU D100 ALU GM	5.5 W
911401578141	DN390B LED6/840 PSU D100 ALU GM	5.5 W
911401578241	DN390B LED6/865 PSU D100 ALU GM	5.5 W
911401580741	DN390B LED6/830 PSU D100 ALU WP GM	5.5 W
911401580841	DN390B LED6/840 PSU D100 ALU WP GM	5.5 W
911401580941	DN390B LED6/865 PSU D100 ALU WP GM	5.5 W
911401572041	DN391B LED11/830 PSU D150 WH GC	9.5 W
911401572141	DN391B LED11/840 PSU D150 WH GC	9.5 W
911401572241	DN391B LED11/865 PSU D150 WH GC	9.5 W
911401572641	DN391B LED11/830 PSD D150 WH GC	11.5 W
911401572741	DN391B LED11/840 PSD D150 WH GC	11.5 W
911401575741	DN392B LED16/830 POE D150 WH GC	14.5 W
911401575841	DN392B LED16/840 POE D150 WH GC	14.5 W
911401576941	DN392B LED16/830 PSU D150 WH GC	14.5 W
911401577041	DN392B LED16/840 PSU D150 WH GC	14.5 W
911401577341	DN392B LED16/830 PSD D150 WH GC	15.5 W
911401577441	DN392B LED16/840 PSD D150 WH GC	15.5 W
911401578341	DN391B LED11/830 PSU D150 WH GM	9.5 W
911401578441	DN391B LED11/840 PSU D150 WH GM	9.5 W
911401578541	DN391B LED11/865 PSU D150 WH GM	9.5 W
911401578941	DN392B LED16/830 PSU D150 WH GM	14.5 W
911401579041	DN392B LED16/840 PSU D150 WH GM	14.5 W
911401579141	DN392B LED16/865 PSU D150 WH GM	14.5 W
911401581641	DN391B LED11/830 PSD D150 WH GM	11.5 W
911401581741	DN391B LED11/840 PSD D150 WH GM	11.5 W
911401583041	DN391B LED11/830 PSU D150 WH CAU	9.5 W
911401583141	DN391B LED11/840 PSU D150 WH CAU	9.5 W
911401583841	DN391B LED11/830 PSU D150 WH WP CAU	9.5 W
911401583941	DN391B LED11/840 PSU D150 WH WP CAU	9.5 W
911401584241	DN391B LED11/830 PSD D150 WH CAU	11.5 W
911401584341	DN391B LED11/840 PSD D150 WH CAU	11.5 W
911401585441	DN392B LED16/830 PSD D150 WH GM	15.5 W
911401585541	DN392B LED16/840 PSD D150 WH GM	15.5 W
911401585841	DN391B LED11/830 PSU D150 WH R	9.5 W
911401586041	DN391B LED11/840 PSU D150 WH R	9.5 W
911401572341	DN391B LED11/830 PSU D150 ALU GC	9.5 W
911401572441	DN391B LED11/840 PSU D150 ALU GC	9.5 W
911401572541	DN391B LED11/865 PSU D150 ALU GC	9.5 W
911401572841	DN391B LED11/830 PSD D150 ALU GC	11.5 W
911401572941	DN391B LED11/840 PSD D150 ALU GC	11.5 W
911401575441	DN392B LED16/830 PSU D150 ALU WP GC	14.5 W
911401575541	DN392B LED16/840 PSU D150 ALU WP GC	14.5 W
911401575641	DN392B LED16/865 PSU D150 ALU WP GC	14.5 W
911401575941	DN392B LED16/830 POE D150 ALU GC	14.5 W
911401576041	DN392B LED16/840 POE D150 ALU GC	14.5 W
911401577141	DN392B LED16/830 PSU D150 ALU GC	14.5 W
911401577241	DN392B LED16/840 PSU D150 ALU GC	14.5 W
911401577541	DN392B LED16/830 PSD D150 ALU GC	15.5 W
911401577641	DN392B LED16/840 PSD D150 ALU GC	15.5 W
911401578641	DN391B LED11/830 PSU D150 ALU GM	9.5 W
911401578741	DN391B LED11/840 PSU D150 ALU GM	9.5 W

Order Code	Full Product Name	Initial input power
911401578841	DN391B LED11/865 PSU D150 ALU GM	9.5 W
911401579241	DN392B LED16/830 PSU D150 ALU GM	14.5 W
911401579341	DN392B LED16/840 PSU D150 ALU GM	14.5 W
911401579441	DN392B LED16/865 PSU D150 ALU GM	14.5 W
911401581041	DN391B LED11/830 PSU D150 ALU WP GM	9.5 W
911401581141	DN391B LED11/840 PSU D150 ALU WP GM	9.5 W
911401581241	DN391B LED11/865 PSU D150 ALU WP GM	9.5 W
911401581841	DN391B LED11/830 PSD D150 ALU GM	11.5 W
911401581941	DN391B LED11/840 PSD D150 ALU GM	11.5 W
911401584441	DN391B LED11/830 PSD D150 ALU CAU	11.5 W
911401584541	DN391B LED11/840 PSD D150 ALU CAU	11.5 W
911401585641	DN392B LED16/830 PSD D150 ALU GM	15.5 W
911401585741	DN392B LED16/840 PSD D150 ALU GM	15.5 W
911401585941	DN391B LED11/830 PSU D150 ALU R	9.5 W
911401586141	DN391B LED11/840 PSU D150 ALU R	9.5 W
911401573041	DN392B LED16/830 PSU D200 WH GC	14.5 W
911401573141	DN392B LED16/840 PSU D200 WH GC	14.5 W
911401573241	DN392B LED16/865 PSU D200 WH GC	14.5 W
911401573641	DN392B LED16/830 PSD D200 WH GC	15.5 W
911401573741	DN392B LED16/840 PSD D200 WH GC	15.5 W
911401574041	DN393B LED22/830 PSU D200 WH GC	19 W
911401574141	DN393B LED22/840 PSU D200 WH GC	19 W
911401574441	DN393B LED22/830 PSD D200 WH GC	20.5 W
911401574541	DN393B LED22/840 PSD D200 WH GC	20.5 W
911401576141	DN393B LED22/830 POE D200 WH GC	20.5 W
911401576241	DN393B LED22/840 POE D200 WH GC	20.5 W
911401579541	DN392B LED16/830 PSU D200 WH GM	14.5 W
911401579641	DN392B LED16/840 PSU D200 WH GM	14.5 W
911401579741	DN392B LED16/865 PSU D200 WH GM	14.5 W
911401580141	DN393B LED22/830 PSU D200 WH GM	19 W
911401580241	DN393B LED22/840 PSU D200 WH GM	19 W
911401580341	DN393B LED22/865 PSU D200 WH GM	19 W
911401582041	DN392B LED16/830 PSD D200 WH GM	15.5 W
911401582141	DN392B LED16/840 PSD D200 WH GM	15.5 W
911401582441	DN393B LED22/830 PSD D200 WH GM	20.5 W
911401582541	DN393B LED22/840 PSD D200 WH GM	20.5 W
911401583241	DN392B LED16/830 PSU D200 WH CAU	14.5 W
911401583341	DN392B LED16/840 PSU D200 WH CAU	14.5 W
911401583441	DN393B LED22/830 PSU D200 WH CAU	19 W
911401583541	DN393B LED22/840 PSU D200 WH CAU	19 W
911401584041	DN393B LED22/830 PSU D200 WH WP CAU	19 W
911401584141	DN393B LED22/840 PSU D200 WH WP CAU	19 W
911401584641	DN392B LED16/830 PSD D200 WH CAU	15.5 W
911401584741	DN392B LED16/840 PSD D200 WH CAU	15.5 W
911401585041	DN393B LED22/830 PSD D200 WH CAU	20.5 W
911401585141	DN393B LED22/840 PSD D200 WH CAU	20.5 W
911401586241	DN393B LED22/830 PSU D200 WH R	19 W
911401586441	DN393B LED22/840 PSU D200 WH R	19 W
911401573341	DN392B LED16/830 PSU D200 ALU GC	14.5 W
911401573441	DN392B LED16/840 PSU D200 ALU GC	14.5 W
911401573541	DN392B LED16/865 PSU D200 ALU GC	14.5 W
911401573841	DN392B LED16/830 PSD D200 ALU GC	15.5 W

Order Code	Full Product Name	Initial input power
911401573941	DN392B LED16/840 PSD D200 ALU GC	15.5 W
911401574241	DN393B LED22/830 PSU D200 ALU GC	19 W
911401574341	DN393B LED22/840 PSU D200 ALU GC	19 W
911401574641	DN393B LED22/830 PSD D200 ALU GC	20.5 W
911401574741	DN393B LED22/840 PSD D200 ALU GC	20.5 W
911401576341	DN393B LED22/830 POE D200 ALU GC	20.5 W
911401576441	DN393B LED22/840 POE D200 ALU GC	20.5 W
911401579841	DN392B LED16/830 PSU D200 ALU GM	14.5 W
911401579941	DN392B LED16/840 PSU D200 ALU GM	14.5 W
911401580041	DN392B LED16/865 PSU D200 ALU GM	14.5 W
911401580441	DN393B LED22/830 PSU D200 ALU GM	19 W
911401580541	DN393B LED22/840 PSU D200 ALU GM	19 W
911401580641	DN393B LED22/865 PSU D200 ALU GM	19 W

Order Code	Full Product Name	Initial input power
911401581341	DN393B LED22/830 PSU D200 ALU WP GM	19 W
911401581441	DN393B LED22/840 PSU D200 ALU WP GM	19 W
911401581541	DN393B LED22/865 PSU D200 ALU WP GM	19 W
911401582241	DN392B LED16/830 PSD D200 ALU GM	15.5 W
911401582341	DN392B LED16/840 PSD D200 ALU GM	15.5 W
911401582641	DN393B LED22/830 PSD D200 ALU GM	20.5 W
911401582741	DN393B LED22/840 PSD D200 ALU GM	20.5 W
911401584841	DN392B LED16/830 PSD D200 ALU CAU	15.5 W
911401584941	DN392B LED16/840 PSD D200 ALU CAU	15.5 W
911401585241	DN393B LED22/830 PSD D200 ALU CAU	20.5 W
911401585341	DN393B LED22/840 PSD D200 ALU CAU	20.5 W
911401586341	DN393B LED22/830 PSU D200 ALU R	19 W
911401586541	DN393B LED22/840 PSU D200 ALU R	19 W

