

# UniStrip G4 - Best in Class Linear LED Surface Mounted Luminaire for Exterior Fixed and Dynamic Architectural Lighting Applications

## UniStrip G4

UniStrip G4 is a surface mounted, exterior-rated LED luminaire that is designed for façade and outdoor architectural lighting applications. One family that fits all your needs, wall washing, grazing and also linear flood lighting. The robust mechanical and unique optical designs make it ideal for illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX control option available with up to 8 pixels (8IDs) to give architects and designers the freedom to explore a wide range of concepts and design with no limitations.

### Benefits

- High and Low Power LEDs versions available
- Various spread lenses that fit all applications
- Adjustable brackets and through wiring for end-to-end connection

# UniStrip G4


## Features

- Six sub-families with power ranges from 3W to 120W
- DC and AC powered versions
- Narrow, medium, wide and asymmetric beams available
- Optional glare shields for more visual comfort


## Application

- Bridges, Monuments, Facades
- Landscape
- Parks and Plazas


## Versions




BCP380



BCP380




BCP380




BCP380



BCP381



BCP381




BCP381


# UniStrip G4

## Versions


BCP381




BCP381




BCP381




BCP381



BCP381




BCP382




BCP382



BCP383 12LED 27K 220V A2 L50  
standard photo



BCP384 18LED 27K 220V A2 L50  
standard photo



BCP385 24LED RGB 220V A1 L52  
DMX standard photo



BCP385 6LED RGBNW 220V A7  
L52 DMX standard photo



# UniStrip G4

## Product details

UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo




UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



## Accessories


ZCP380

Ordercode 911401742242




ZCP380

Ordercode 911401742252



ZCP380

Ordercode 911401742262




ZCP381

Ordercode 911401742272,  
911401742302




ZCP381

Ordercode 911401742282,  
911401742312



ZCP381

Ordercode 911401742292,  
911401742322



ZCP383 L30 photo

Ordercode 911401756522



ZCP383 L50 photo

Ordercode 911401756532



ZCP383 L10 photo

Ordercode 911401756542



ZCP384 L30 photo

Ordercode 911401756552



ZCP384 L50 photo

Ordercode 911401756562





ZCP384 L10 photo

Ordercode 911401756572



## Accessories



Approval and Application	
Mech. impact protection code	IK06
General Information	
CE mark	CE mark
Flammability mark	For mounting on normally flammable surfaces
Light source replaceable	No
Mechanical and Housing	
Color	Dark gray

## Application Conditions

Order Code	Full Product Name	Maximum dim level
911401738122	BCP380 12LEDLP 27K 24V A4 L30	-
911401738132	BCP380 12LEDLP 27K 24V A4 L30 DMX	-
911401738142	BCP380 12LEDLP 27K 24V 40 L30	-
911401738152	BCP380 12LEDLP 27K 24V 40 L30 DMX	-
911401738162	BCP380 12LEDLP 30K 24V A4 L30	-
911401738172	BCP380 12LEDLP 30K 24V A4 L30 DMX	-
911401738182	BCP380 12LEDLP 30K 24V 40 L30	-
911401738192	BCP380 12LEDLP 30K 24V 40 L30 DMX	-
911401738282	BCP380 24LEDLP 27K 24V A4 L51	-
911401738292	BCP380 24LEDLP 27K 24V A4 L51 DMX	-
911401738302	BCP380 24LEDLP 27K 24V 40 L51	-
911401738312	BCP380 24LEDLP 27K 24V 40 L51 DMX	-
911401738322	BCP380 24LEDLP 30K 24V A4 L51	-
911401738332	BCP380 24LEDLP 30K 24V A4 L51 DMX	-
911401738342	BCP380 24LEDLP 30K 24V 40 L51	-
911401738352	BCP380 24LEDLP 30K 24V 40 L51 DMX	-
911401738442	BCP380 48LEDLP 27K 24V A4 L100	-
911401738452	BCP380 48LEDLP 27K 24V A4 L100 DMX	-
911401738462	BCP380 48LEDLP 27K 24V 40 L100	-
911401738472	BCP380 48LEDLP 27K 24V 40 L100 DMX	-
911401738482	BCP380 48LEDLP 30K 24V A4 L100	-
911401738492	BCP380 48LEDLP 30K 24V A4 L100 DMX	-
911401738502	BCP380 48LEDLP 30K 24V 40 L100	-
911401738512	BCP380 48LEDLP 30K 24V 40 L100 DMX	-
911401738202	BCP380 12LEDLP 40K 24V A4 L30	-

Order Code	Full Product Name	Maximum dim level
911401738212	BCP380 12LEDLP 40K 24V A4 L30 DMX	-
911401738222	BCP380 12LEDLP 40K 24V 40 L30	-
911401738232	BCP380 12LEDLP 40K 24V 40 L30 DMX	-
911401738362	BCP380 24LEDLP 40K 24V A4 L51	-
911401738372	BCP380 24LEDLP 40K 24V A4 L51 DMX	-
911401738382	BCP380 24LEDLP 40K 24V 40 L51	-
911401738392	BCP380 24LEDLP 40K 24V 40 L51 DMX	-
911401738522	BCP380 48LEDLP 40K 24V A4 L100	-
911401738532	BCP380 48LEDLP 40K 24V A4 L100 DMX	-
911401738542	BCP380 48LEDLP 40K 24V 40 L100	-
911401738552	BCP380 48LEDLP 40K 24V 40 L100 DMX	-
911401738242	BCP380 12LEDLP RGB 24V A3 L30 2PX	-
911401738252	BCP380 12LEDLP RGB 24V 40 L30 2PX	-
911401738402	BCP380 24LEDLP RGB 24V A3 L51 4PX	-
911401738412	BCP380 24LEDLP RGB 24V 40 L51 4PX	-
911401738562	BCP380 48LEDLP RGB 24V A3 L100 8PX	-
911401738572	BCP380 48LEDLP RGB 24V 40 L100 8PX	-
911401738262	BCP380 12LEDLP RGBNW 24V A4 L30 DMX	-
911401738272	BCP380 12LEDLP RGBNW 24V 40 L30 DMX	-
911401738422	BCP380 24LEDLP RGBNW 24V A4 L51 2PX	-
911401738432	BCP380 24LEDLP RGBNW 24V 40 L51 2PX	-
911401738582	BCP380 48LEDLP RGBNW 24V A4 L100 4PX	-
911401738592	BCP380 48LEDLP RGBNW 24V 40 L100 4PX	-
911401738602	BCP381 12LED 27K 24V A2 L50	-
911401738612	BCP381 12LED 27K 24V A2 L50 DMX	-

Order Code	Full Product Name	Maximum dim level	Order Code	Full Product Name	Maximum dim level
911401738642	BCP381 12LED 30K 24V A2 L50	-	911401738702	BCP381 12LED 40K 24V 40 L50	-
911401738652	BCP381 12LED 30K 24V A2 L50 DMX	-	911401738712	BCP381 12LED 40K 24V 40 L50 DMX	-
911401738762	BCP381 24LED 27K 24V A2 L100	-	911401738862	BCP381 24LED 40K 24V 40 L100	-
911401738772	BCP381 24LED 27K 24V A2 L100 DMX	-	911401738872	BCP381 24LED 40K 24V 40 L100 DMX	-
911401738802	BCP381 24LED 30K 24V A2 L100	-	911401739022	BCP381 6LED 40K 24V 40 L30	-
911401738812	BCP381 24LED 30K 24V A2 L100 DMX	-	911401739032	BCP381 6LED 40K 24V 40 L30 DMX	-
911401738922	BCP381 6LED 27K 24V A2 L30	-	911401739242	BCP382 18LED 40K 24V A2 L50	-
911401738932	BCP381 6LED 27K 24V A2 L30 DMX	-	911401739252	BCP382 18LED 40K 24V A2 L50 DMX	-
911401738962	BCP381 6LED 30K 24V A2 L30	-	911401739262	BCP382 18LED 40K 24V 17 L50	-
911401738972	BCP381 6LED 30K 24V A2 L30 DMX	-	911401739272	BCP382 18LED 40K 24V 17 L50 DMX	-
911401738622	BCP381 12LED 27K 24V 40 L50	-	911401739282	BCP382 18LED 40K 24V 40 L50	-
911401738632	BCP381 12LED 27K 24V 40 L50 DMX	-	911401739292	BCP382 18LED 40K 24V 40 L50 DMX	-
911401738662	BCP381 12LED 30K 24V 40 L50	-	911401739462	BCP382 36LED 40K 24V A2 L100	-
911401738672	BCP381 12LED 30K 24V 40 L50 DMX	-	911401739472	BCP382 36LED 40K 24V A2 L100 DMX	-
911401738782	BCP381 24LED 27K 24V 40 L100	-	911401739482	BCP382 36LED 40K 24V 17 L100	-
911401738792	BCP381 24LED 27K 24V 40 L100 DMX	-	911401739492	BCP382 36LED 40K 24V 17 L100 DMX	-
911401738822	BCP381 24LED 30K 24V 40 L100	-	911401739502	BCP382 36LED 40K 24V 40 L100	-
911401738832	BCP381 24LED 30K 24V 40 L100 DMX	-	911401739512	BCP382 36LED 40K 24V 40 L100 DMX	-
911401738942	BCP381 6LED 27K 24V 40 L30	-	911401739682	BCP382 9LED 40K 24V A2 L30	-
911401738952	BCP381 6LED 27K 24V 40 L30 DMX	-	911401739692	BCP382 9LED 40K 24V A2 L30 DMX	-
911401738982	BCP381 6LED 30K 24V 40 L30	-	911401739702	BCP382 9LED 40K 24V 17 L30	-
911401738992	BCP381 6LED 30K 24V 40 L30 DMX	-	911401739712	BCP382 9LED 40K 24V 17 L30 DMX	-
911401739142	BCP382 18LED 27K 24V 17 L50	-	911401739722	BCP382 9LED 40K 24V 40 L30	-
911401739152	BCP382 18LED 27K 24V 17 L50 DMX	-	911401739732	BCP382 9LED 40K 24V 40 L30 DMX	-
911401739162	BCP382 18LED 27K 24V 40 L50	-	911401738722	BCP381 12LED RGB 24V A2 L50 DMX	-
911401739172	BCP382 18LED 27K 24V 40 L50 DMX	-	911401738882	BCP381 24LED RGB 24V A2 L100 DMX	-
911401739202	BCP382 18LED 30K 24V 17 L50	-	911401739042	BCP381 6LED RGB 24V A2 L30 DMX	-
911401739212	BCP382 18LED 30K 24V 17 L50 DMX	-	911401739082	BCP382 12LED RGB 24V A2 L50 DMX	-
911401739222	BCP382 18LED 30K 24V 40 L50	-	911401739302	BCP382 24LED RGB 24V A2 L100 DMX	-
911401739232	BCP382 18LED 30K 24V 40 L50 DMX	-	911401739522	BCP382 6LED RGB 24V A2 L30 DMX	-
911401739362	BCP382 36LED 27K 24V 17 L100	-	911401738732	BCP381 12LED RGB 24V 40 L50 DMX	-
911401739372	BCP382 36LED 27K 24V 17 L100 DMX	-	911401738892	BCP381 24LED RGB 24V 40 L100 DMX	-
911401739382	BCP382 36LED 27K 24V 40 L100	-	911401739052	BCP381 6LED RGB 24V 40 L30 DMX	-
911401739392	BCP382 36LED 27K 24V 40 L100 DMX	-	911401739092	BCP382 12LED RGB 24V 40 L50 DMX	-
911401739422	BCP382 36LED 30K 24V 17 L100	-	911401739312	BCP382 24LED RGB 24V 40 L100 DMX	-
911401739432	BCP382 36LED 30K 24V 17 L100 DMX	-	911401739532	BCP382 6LED RGB 24V 40 L30 DMX	-
911401739442	BCP382 36LED 30K 24V 40 L100	-	911401738742	BCP381 12LED RGBNW 24V A4 L50 DMX	-
911401739452	BCP382 36LED 30K 24V 40 L100 DMX	-	911401738902	BCP381 24LED RGBNW 24V A4 L100 DMX	-
911401739582	BCP382 9LED 27K 24V 17 L30	-	911401739062	BCP381 6LED RGBNW 24V A4 L30 DMX	-
911401739592	BCP382 9LED 27K 24V 17 L30 DMX	-	911401738752	BCP381 12LED RGBNW 24V 30 L50 DMX	-
911401739602	BCP382 9LED 27K 24V 40 L30	-	911401738912	BCP381 24LED RGBNW 24V 30 L100 DMX	-
911401739612	BCP382 9LED 27K 24V 40 L30 DMX	-	911401739072	BCP381 6LED RGBNW 24V 30 L30 DMX	-
911401739642	BCP382 9LED 30K 24V 17 L30	-	911401739112	BCP382 12LED RGBNW 24V 30 L50 DMX	-
911401739652	BCP382 9LED 30K 24V 17 L30 DMX	-	911401739332	BCP382 24LED RGBNW 24V 30 L100 DMX	-
911401739662	BCP382 9LED 30K 24V 40 L30	-	911401739552	BCP382 6LED RGBNW 24V 30 L30 DMX	-
911401739672	BCP382 9LED 30K 24V 40 L30 DMX	-	911401739102	BCP382 12LED RGBNW 24V A4 L50 DMX	-
911401738682	BCP381 12LED 40K 24V A2 L50	-	911401739322	BCP382 24LED RGBNW 24V A4 L100 DMX	-
911401738692	BCP381 12LED 40K 24V A2 L50 DMX	-	911401739542	BCP382 6LED RGBNW 24V A4 L30 DMX	-
911401738842	BCP381 24LED 40K 24V A2 L100	-	911401739122	BCP382 18LED 27K 24V A2 L50	-
911401738852	BCP381 24LED 40K 24V A2 L100 DMX	-	911401739132	BCP382 18LED 27K 24V A2 L50 DMX	-
911401739002	BCP381 6LED 40K 24V A2 L30	-	911401739182	BCP382 18LED 30K 24V A2 L50	-
911401739012	BCP381 6LED 40K 24V A2 L30 DMX	-	911401739192	BCP382 18LED 30K 24V A2 L50 DMX	-

Order Code	Full Product Name	Maximum dim level
911401739342	BCP382 36LED 27K 24V A2 L100	-
911401739352	BCP382 36LED 27K 24V A2 L100 DMX	-
911401739402	BCP382 36LED 30K 24V A2 L100	-
911401739412	BCP382 36LED 30K 24V A2 L100 DMX	-
911401739562	BCP382 9LED 27K 24V A2 L30	-
911401739572	BCP382 9LED 27K 24V A2 L30 DMX	-
911401739622	BCP382 9LED 30K 24V A2 L30	-
911401739632	BCP382 9LED 30K 24V A2 L30 DMX	-
911401750702	BCP383 12LED 27K 220V A2 L50	-
911401750712	BCP383 12LED 27K 220V A2 L50 DMX	10%
911401750722	BCP383 12LED 27K 220V 40 L50	-
911401750732	BCP383 12LED 27K 220V 40 L50 DMX	10%
911401750742	BCP383 12LED 30K 220V A2 L50	-
911401750752	BCP383 12LED 30K 220V A2 L50 DMX	10%
911401750762	BCP383 12LED 30K 220V 40 L50	-
911401750772	BCP383 12LED 30K 220V 40 L50 DMX	10%
911401750782	BCP383 12LED 40K 220V A2 L50	-
911401750792	BCP383 12LED 40K 220V A2 L50 DMX	10%
911401750802	BCP383 12LED 40K 220V 40 L50	-
911401750812	BCP383 12LED 40K 220V 40 L50 DMX	10%
911401750822	BCP383 12LED RGBNW 220V A4 L50 DMX	10%
911401750832	BCP383 12LED RGBNW 220V 30 L50 DMX	10%
911401750842	BCP383 18LED RGB 220V A2 L50 DMX	10%
911401750852	BCP383 18LED RGB 220V 40 L50 DMX	10%
911401750862	BCP383 24LED 27K 220V A2 L100	-
911401750872	BCP383 24LED 27K 220V A2 L100 DMX	10%
911401750882	BCP383 24LED 27K 220V 40 L100	-
911401750892	BCP383 24LED 27K 220V 40 L100 DMX	10%
911401750902	BCP383 24LED 30K 220V A2 L100	-
911401750912	BCP383 24LED 30K 220V A2 L100 DMX	10%
911401750922	BCP383 24LED 30K 220V 40 L100	-
911401750932	BCP383 24LED 30K 220V 40 L100 DMX	10%
911401750942	BCP383 24LED 40K 220V A2 L100	-
911401750952	BCP383 24LED 40K 220V A2 L100 DMX	10%
911401750962	BCP383 24LED 40K 220V 40 L100	-
911401750972	BCP383 24LED 40K 220V 40 L100 DMX	10%
911401750982	BCP383 24LED RGBNW 220V A4 L100 DMX	10%
911401750992	BCP383 24LED RGBNW 220V 30 L100 DMX	10%
911401751002	BCP383 36LED RGB 220V A2 L100 DMX	10%
911401751012	BCP383 36LED RGB 220V 40 L100 DMX	10%
911401751022	BCP383 6LED 27K 220V A2 L30	-
911401751032	BCP383 6LED 27K 220V A2 L30 DMX	10%
911401751042	BCP383 6LED 27K 220V 40 L30	-
911401751052	BCP383 6LED 27K 220V 40 L30 DMX	10%
911401751062	BCP383 6LED 30K 220V A2 L30	-
911401751072	BCP383 6LED 30K 220V A2 L30 DMX	10%
911401751082	BCP383 6LED 30K 220V 40 L30	-
911401751092	BCP383 6LED 30K 220V 40 L30 DMX	10%
911401751102	BCP383 6LED 40K 220V A2 L30	-
911401751112	BCP383 6LED 40K 220V A2 L30 DMX	10%
911401751122	BCP383 6LED 40K 220V 40 L30	-
911401751132	BCP383 6LED 40K 220V 40 L30 DMX	10%

Order Code	Full Product Name	Maximum dim level
911401751142	BCP383 6LED RGBNW 220V A4 L30 DMX	10%
911401751152	BCP383 6LED RGBNW 220V 30 L30 DMX	10%
911401751162	BCP383 9LED RGB 220V A2 L30 DMX	10%
911401751172	BCP383 9LED RGB 220V 40 L30 DMX	10%
911401751182	BCP384 18LED 27K 220V A2 L50	-
911401751192	BCP384 18LED 27K 220V A2 L50 DMX	10%
911401751202	BCP384 18LED 27K 220V 40 L50	-
911401751212	BCP384 18LED 27K 220V 40 L50 DMX	10%
911401751222	BCP384 18LED 30K 220V A2 L50	-
911401751232	BCP384 18LED 30K 220V A2 L50 DMX	10%
911401751242	BCP384 18LED 30K 220V 40 L50	-
911401751252	BCP384 18LED 30K 220V 40 L50 DMX	10%
911401751262	BCP384 18LED 40K 220V A2 L50	-
911401751272	BCP384 18LED 40K 220V A2 L50 DMX	10%
911401751282	BCP384 18LED 40K 220V 40 L50	-
911401751292	BCP384 18LED 40K 220V 40 L50 DMX	10%
911401751302	BCP384 24LED RGBNW 220V A2 L50 DMX	10%
911401751312	BCP384 24LED RGBNW 220V 40 L50 DMX	10%
911401751322	BCP384 24LED RGB 220V A2 L50 DMX	10%
911401751332	BCP384 24LED RGB 220V 40 L50 DMX	10%
911401751342	BCP384 36LED 27K 220V A2 L100	-
911401751352	BCP384 36LED 27K 220V A2 L100 DMX	10%
911401751362	BCP384 36LED 27K 220V 40 L100	-
911401751372	BCP384 36LED 27K 220V 40 L100 DMX	10%
911401751382	BCP384 36LED 30K 220V A2 L100	-
911401751392	BCP384 36LED 30K 220V A2 L100 DMX	10%
911401751402	BCP384 36LED 30K 220V 40 L100	-
911401751412	BCP384 36LED 30K 220V 40 L100 DMX	10%
911401751422	BCP384 36LED 40K 220V A2 L100	-
911401751432	BCP384 36LED 40K 220V A2 L100 DMX	10%
911401751442	BCP384 36LED 40K 220V 40 L100	-
911401751452	BCP384 36LED 40K 220V 40 L100 DMX	10%
911401751462	BCP384 48LED RGBNW 220V A2 L100 DMX	10%
911401751472	BCP384 48LED RGBNW 220V 40 L100 DMX	10%
911401751482	BCP384 48LED RGB 220V A2 L100 DMX	10%
911401751492	BCP384 48LED RGB 220V 40 L100 DMX	10%
911401751502	BCP384 9LED 27K 220V A2 L30	-
911401751512	BCP384 9LED 27K 220V A2 L30 DMX	10%
911401751522	BCP384 9LED 27K 220V 40 L30	-
911401751532	BCP384 9LED 27K 220V 40 L30 DMX	10%
911401751542	BCP384 9LED 30K 220V A2 L30	-
911401751552	BCP384 9LED 30K 220V A2 L30 DMX	10%
911401751562	BCP384 9LED 30K 220V 40 L30	-
911401751572	BCP384 9LED 30K 220V 40 L30 DMX	10%
911401751582	BCP384 9LED 40K 220V A2 L30	-
911401751592	BCP384 9LED 40K 220V A2 L30 DMX	10%
911401751602	BCP384 9LED 40K 220V 40 L30	-
911401751612	BCP384 9LED 40K 220V 40 L30 DMX	10%
911401751622	BCP384 12LED RGBNW 220V A2 L30 DMX	10%
911401751632	BCP384 12LED RGBNW 220V 40 L30 DMX	10%
911401751642	BCP384 12LED RGB 220V A2 L30 DMX	10%
911401751652	BCP384 12LED RGB 220V 40 L30 DMX	10%



Order Code	Full Product Name	Maximum dim level
911401751662	BCP385 24LED RGB 220V A1 L52 DMX	10%
911401751672	BCP385 30LED RGB 220V A1 L52 DMX	10%
911401751692	BCP385 24LED 27K 220V 7 L52	-
911401751702	BCP385 24LED 27K 220V 7 L52 DMX	10%
911401751712	BCP385 24LED 27K 220V A1 L52	-
911401751722	BCP385 24LED 27K 220V A1 L52 DMX	10%
911401751732	BCP385 24LED 30K 220V 7 L52	-
911401751742	BCP385 24LED 30K 220V 7 L52 DMX	10%
911401751752	BCP385 24LED 30K 220V A1 L52	-
911401751762	BCP385 24LED 30K 220V A1 L52 DMX	10%
911401751772	BCP385 24LED 40K 220V 7 L52	-
911401751782	BCP385 24LED 40K 220V 7 L52 DMX	10%
911401751792	BCP385 24LED 40K 220V A1 L52	-
911401751802	BCP385 24LED 40K 220V A1 L52 DMX	10%
911401751812	BCP385 30LED 27K 220V 7 L52	-
911401751822	BCP385 30LED 27K 220V 7 L52 DMX	10%
911401751832	BCP385 30LED 27K 220V A1 L52	-
911401751842	BCP385 30LED 27K 220V A1 L52 DMX	10%
911401751852	BCP385 30LED 30K 220V 7 L52	-
911401751862	BCP385 30LED 30K 220V 7 L52 DMX	10%
911401751872	BCP385 30LED 30K 220V A1 L52	-
911401751882	BCP385 30LED 30K 220V A1 L52 DMX	10%
911401751892	BCP385 30LED 40K 220V 7 L52	-
911401751902	BCP385 30LED 40K 220V 7 L52 DMX	10%
911401751912	BCP385 30LED 40K 220V A1 L52	-
911401751922	BCP385 30LED 40K 220V A1 L52 DMX	10%
911401751932	BCP385 48LED 27K 220V 7 L100	-

Order Code	Full Product Name	Maximum dim level
911401751942	BCP385 48LED 27K 220V 7 L100 DMX	10%
911401751952	BCP385 48LED 27K 220V A1 L100	-
911401751962	BCP385 48LED 27K 220V A1 L100 DMX	10%
911401751972	BCP385 48LED 30K 220V 7 L100	-
911401751982	BCP385 48LED 30K 220V 7 L100 DMX	10%
911401751992	BCP385 48LED 30K 220V A1 L100	-
911401752002	BCP385 48LED 30K 220V A1 L100 DMX	10%
911401752012	BCP385 48LED 40K 220V 7 L100	-
911401752022	BCP385 48LED 40K 220V 7 L100 DMX	10%
911401752032	BCP385 48LED 40K 220V A1 L100	-
911401752042	BCP385 48LED 40K 220V A1 L100 DMX	10%
911401752052	BCP385 60LED 27K 220V 7 L100	-
911401752062	BCP385 60LED 27K 220V 7 L100 DMX	10%
911401752072	BCP385 60LED 27K 220V A1 L100	-
911401752082	BCP385 60LED 27K 220V A1 L100 DMX	10%
911401752092	BCP385 60LED 30K 220V 7 L100	-
911401752102	BCP385 60LED 30K 220V 7 L100 DMX	10%
911401752112	BCP385 60LED 30K 220V A1 L100	-
911401752122	BCP385 60LED 30K 220V A1 L100 DMX	10%
911401752132	BCP385 60LED 40K 220V 7 L100	-
911401752142	BCP385 60LED 40K 220V 7 L100 DMX	10%
911401752152	BCP385 60LED 40K 220V A1 L100	-
911401752162	BCP385 60LED 40K 220V A1 L100 DMX	10%
911401752172	BCP385 48LED RGB 220V A1 L100 DMX	10%
911401752182	BCP385 60LED RGB 220V A1 L100 DMX	10%
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	10%
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	10%

## Controls and Dimming

Order Code	Full Product Name	Dimmable
911401738122	BCP380 12LEDLP 27K 24V A4 L30	No
911401738132	BCP380 12LEDLP 27K 24V A4 L30 DMX	Yes
911401738142	BCP380 12LEDLP 27K 24V 40 L30	No
911401738152	BCP380 12LEDLP 27K 24V 40 L30 DMX	Yes
911401738162	BCP380 12LEDLP 30K 24V A4 L30	No
911401738172	BCP380 12LEDLP 30K 24V A4 L30 DMX	Yes
911401738182	BCP380 12LEDLP 30K 24V 40 L30	No
911401738192	BCP380 12LEDLP 30K 24V 40 L30 DMX	Yes
911401738282	BCP380 24LEDLP 27K 24V A4 L51	No
911401738292	BCP380 24LEDLP 27K 24V A4 L51 DMX	Yes
911401738302	BCP380 24LEDLP 27K 24V 40 L51	No
911401738312	BCP380 24LEDLP 27K 24V 40 L51 DMX	Yes
911401738322	BCP380 24LEDLP 30K 24V A4 L51	No
911401738332	BCP380 24LEDLP 30K 24V A4 L51 DMX	Yes
911401738342	BCP380 24LEDLP 30K 24V 40 L51	No
911401738352	BCP380 24LEDLP 30K 24V 40 L51 DMX	Yes
911401738442	BCP380 48LEDLP 27K 24V A4 L100	No
911401738452	BCP380 48LEDLP 27K 24V A4 L100 DMX	Yes
911401738462	BCP380 48LEDLP 27K 24V 40 L100	No
911401738472	BCP380 48LEDLP 27K 24V 40 L100 DMX	Yes
911401738482	BCP380 48LEDLP 30K 24V A4 L100	No

Order Code	Full Product Name	Dimmable
911401738492	BCP380 48LEDLP 30K 24V A4 L100 DMX	Yes
911401738502	BCP380 48LEDLP 30K 24V 40 L100	No
911401738512	BCP380 48LEDLP 30K 24V 40 L100 DMX	Yes
911401738202	BCP380 12LEDLP 40K 24V A4 L30	No
911401738212	BCP380 12LEDLP 40K 24V A4 L30 DMX	Yes
911401738222	BCP380 12LEDLP 40K 24V 40 L30	No
911401738232	BCP380 12LEDLP 40K 24V 40 L30 DMX	Yes
911401738362	BCP380 24LEDLP 40K 24V A4 L51	No
911401738372	BCP380 24LEDLP 40K 24V A4 L51 DMX	Yes
911401738382	BCP380 24LEDLP 40K 24V 40 L51	No
911401738392	BCP380 24LEDLP 40K 24V 40 L51 DMX	Yes
911401738522	BCP380 48LEDLP 40K 24V A4 L100	No
911401738532	BCP380 48LEDLP 40K 24V A4 L100 DMX	Yes
911401738542	BCP380 48LEDLP 40K 24V 40 L100	No
911401738552	BCP380 48LEDLP 40K 24V 40 L100 DMX	Yes
911401738242	BCP380 12LEDLP RGB 24V A3 L30 2PX	Yes
911401738252	BCP380 12LEDLP RGB 24V 40 L30 2PX	Yes
911401738402	BCP380 24LEDLP RGB 24V A3 L51 4PX	Yes
911401738412	BCP380 24LEDLP RGB 24V 40 L51 4PX	Yes
911401738562	BCP380 48LEDLP RGB 24V A3 L100 8PX	Yes
911401738572	BCP380 48LEDLP RGB 24V 40 L100 8PX	Yes

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401738262	BCP380 12LEDLP RGBNW 24V A4 L30 DMX	Yes	911401739662	BCP382 9LED 30K 24V 40 L30	No
911401738272	BCP380 12LEDLP RGBNW 24V 40 L30 DMX	Yes	911401739672	BCP382 9LED 30K 24V 40 L30 DMX	Yes
911401738422	BCP380 24LEDLP RGBNW 24V A4 L51 2PX	Yes	911401738682	BCP381 12LED 40K 24V A2 L50	No
911401738432	BCP380 24LEDLP RGBNW 24V 40 L51 2PX	Yes	911401738692	BCP381 12LED 40K 24V A2 L50 DMX	Yes
911401738582	BCP380 48LEDLP RGBNW 24V A4 L100 4PX	Yes	911401738842	BCP381 24LED 40K 24V A2 L100	No
911401738592	BCP380 48LEDLP RGBNW 24V 40 L100 4PX	Yes	911401738852	BCP381 24LED 40K 24V A2 L100 DMX	Yes
911401738602	BCP381 12LED 27K 24V A2 L50	No	911401739002	BCP381 6LED 40K 24V A2 L30	No
911401738612	BCP381 12LED 27K 24V A2 L50 DMX	Yes	911401739012	BCP381 6LED 40K 24V A2 L30 DMX	Yes
911401738642	BCP381 12LED 30K 24V A2 L50	No	911401738702	BCP381 12LED 40K 24V 40 L50	No
911401738652	BCP381 12LED 30K 24V A2 L50 DMX	Yes	911401738712	BCP381 12LED 40K 24V 40 L50 DMX	Yes
911401738762	BCP381 24LED 27K 24V A2 L100	No	911401738862	BCP381 24LED 40K 24V 40 L100	No
911401738772	BCP381 24LED 27K 24V A2 L100 DMX	Yes	911401738872	BCP381 24LED 40K 24V 40 L100 DMX	Yes
911401738802	BCP381 24LED 30K 24V A2 L100	No	911401739022	BCP381 6LED 40K 24V 40 L30	No
911401738812	BCP381 24LED 30K 24V A2 L100 DMX	Yes	911401739032	BCP381 6LED 40K 24V 40 L30 DMX	Yes
911401738922	BCP381 6LED 27K 24V A2 L30	No	911401739242	BCP382 18LED 40K 24V A2 L50	No
911401738932	BCP381 6LED 27K 24V A2 L30 DMX	Yes	911401739252	BCP382 18LED 40K 24V A2 L50 DMX	Yes
911401738962	BCP381 6LED 30K 24V A2 L30	No	911401739262	BCP382 18LED 40K 24V 17 L50	No
911401738972	BCP381 6LED 30K 24V A2 L30 DMX	Yes	911401739272	BCP382 18LED 40K 24V 17 L50 DMX	Yes
911401738622	BCP381 12LED 27K 24V 40 L50	No	911401739282	BCP382 18LED 40K 24V 40 L50	No
911401738632	BCP381 12LED 27K 24V 40 L50 DMX	Yes	911401739292	BCP382 18LED 40K 24V 40 L50 DMX	Yes
911401738662	BCP381 12LED 30K 24V 40 L50	No	911401739462	BCP382 36LED 40K 24V A2 L100	No
911401738672	BCP381 12LED 30K 24V 40 L50 DMX	Yes	911401739472	BCP382 36LED 40K 24V A2 L100 DMX	Yes
911401738782	BCP381 24LED 27K 24V 40 L100	No	911401739482	BCP382 36LED 40K 24V 17 L100	No
911401738792	BCP381 24LED 27K 24V 40 L100 DMX	Yes	911401739492	BCP382 36LED 40K 24V 17 L100 DMX	Yes
911401738822	BCP381 24LED 30K 24V 40 L100	No	911401739502	BCP382 36LED 40K 24V 40 L100	No
911401738832	BCP381 24LED 30K 24V 40 L100 DMX	Yes	911401739512	BCP382 36LED 40K 24V 40 L100 DMX	Yes
911401738942	BCP381 6LED 27K 24V 40 L30	No	911401739682	BCP382 9LED 40K 24V A2 L30	No
911401738952	BCP381 6LED 27K 24V 40 L30 DMX	Yes	911401739692	BCP382 9LED 40K 24V A2 L30 DMX	Yes
911401738982	BCP381 6LED 30K 24V 40 L30	No	911401739702	BCP382 9LED 40K 24V 17 L30	No
911401738992	BCP381 6LED 30K 24V 40 L30 DMX	Yes	911401739712	BCP382 9LED 40K 24V 17 L30 DMX	Yes
911401739142	BCP382 18LED 27K 24V 17 L50	No	911401739722	BCP382 9LED 40K 24V 40 L30	No
911401739152	BCP382 18LED 27K 24V 17 L50 DMX	Yes	911401739732	BCP382 9LED 40K 24V 40 L30 DMX	Yes
911401739162	BCP382 18LED 27K 24V 40 L50	No	911401738722	BCP381 12LED RGB 24V A2 L50 DMX	Yes
911401739172	BCP382 18LED 27K 24V 40 L50 DMX	Yes	911401738882	BCP381 24LED RGB 24V A2 L100 DMX	Yes
911401739202	BCP382 18LED 30K 24V 17 L50	No	911401739042	BCP381 6LED RGB 24V A2 L30 DMX	Yes
911401739212	BCP382 18LED 30K 24V 17 L50 DMX	Yes	911401739082	BCP382 12LED RGB 24V A2 L50 DMX	Yes
911401739222	BCP382 18LED 30K 24V 40 L50	No	911401739302	BCP382 24LED RGB 24V A2 L100 DMX	Yes
911401739232	BCP382 18LED 30K 24V 40 L50 DMX	Yes	911401739522	BCP382 6LED RGB 24V A2 L30 DMX	Yes
911401739362	BCP382 36LED 27K 24V 17 L100	No	911401738732	BCP381 12LED RGB 24V 40 L50 DMX	Yes
911401739372	BCP382 36LED 27K 24V 17 L100 DMX	Yes	911401738892	BCP381 24LED RGB 24V 40 L100 DMX	Yes
911401739382	BCP382 36LED 27K 24V 40 L100	No	911401739052	BCP381 6LED RGB 24V 40 L30 DMX	Yes
911401739392	BCP382 36LED 27K 24V 40 L100 DMX	Yes	911401739092	BCP382 12LED RGB 24V 40 L50 DMX	Yes
911401739422	BCP382 36LED 30K 24V 17 L100	No	911401739312	BCP382 24LED RGB 24V 40 L100 DMX	Yes
911401739432	BCP382 36LED 30K 24V 17 L100 DMX	Yes	911401739532	BCP382 6LED RGB 24V 40 L30 DMX	Yes
911401739442	BCP382 36LED 30K 24V 40 L100	No	911401738742	BCP381 12LED RGBNW 24V A4 L50 DMX	Yes
911401739452	BCP382 36LED 30K 24V 40 L100 DMX	Yes	911401738902	BCP381 24LED RGBNW 24V A4 L100 DMX	Yes
911401739582	BCP382 9LED 27K 24V 17 L30	No	911401739062	BCP381 6LED RGBNW 24V A4 L30 DMX	Yes
911401739592	BCP382 9LED 27K 24V 17 L30 DMX	Yes	911401738752	BCP381 12LED RGBNW 24V 30 L50 DMX	Yes
911401739602	BCP382 9LED 27K 24V 40 L30	No	911401738912	BCP381 24LED RGBNW 24V 30 L100 DMX	Yes
911401739612	BCP382 9LED 27K 24V 40 L30 DMX	Yes	911401739072	BCP381 6LED RGBNW 24V 30 L30 DMX	Yes
911401739642	BCP382 9LED 30K 24V 17 L30	No	911401739112	BCP382 12LED RGBNW 24V 30 L50 DMX	Yes
911401739652	BCP382 9LED 30K 24V 17 L30 DMX	Yes	911401739332	BCP382 24LED RGBNW 24V 30 L100 DMX	Yes

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401739552	BCP382 6LED RGBNW 24V 30 L30 DMX	Yes	911401751062	BCP383 6LED 30K 220V A2 L30	No
911401739102	BCP382 12LED RGBNW 24V A4 L50 DMX	Yes	911401751072	BCP383 6LED 30K 220V A2 L30 DMX	Yes
911401739322	BCP382 24LED RGBNW 24V A4 L100 DMX	Yes	911401751082	BCP383 6LED 30K 220V 40 L30	No
911401739542	BCP382 6LED RGBNW 24V A4 L30 DMX	Yes	911401751092	BCP383 6LED 30K 220V 40 L30 DMX	Yes
911401739122	BCP382 18LED 27K 24V A2 L50	No	911401751102	BCP383 6LED 40K 220V A2 L30	No
911401739132	BCP382 18LED 27K 24V A2 L50 DMX	Yes	911401751112	BCP383 6LED 40K 220V A2 L30 DMX	Yes
911401739182	BCP382 18LED 30K 24V A2 L50	No	911401751122	BCP383 6LED 40K 220V 40 L30	No
911401739192	BCP382 18LED 30K 24V A2 L50 DMX	Yes	911401751132	BCP383 6LED 40K 220V 40 L30 DMX	Yes
911401739342	BCP382 36LED 27K 24V A2 L100	No	911401751142	BCP383 6LED RGBNW 220V A4 L30 DMX	Yes
911401739352	BCP382 36LED 27K 24V A2 L100 DMX	Yes	911401751152	BCP383 6LED RGBNW 220V 30 L30 DMX	Yes
911401739402	BCP382 36LED 30K 24V A2 L100	No	911401751162	BCP383 9LED RGB 220V A2 L30 DMX	Yes
911401739412	BCP382 36LED 30K 24V A2 L100 DMX	Yes	911401751172	BCP383 9LED RGB 220V 40 L30 DMX	Yes
911401739562	BCP382 9LED 27K 24V A2 L30	No	911401751182	BCP384 18LED 27K 220V A2 L50	No
911401739572	BCP382 9LED 27K 24V A2 L30 DMX	Yes	911401751192	BCP384 18LED 27K 220V A2 L50 DMX	Yes
911401739622	BCP382 9LED 30K 24V A2 L30	No	911401751202	BCP384 18LED 27K 220V 40 L50	No
911401739632	BCP382 9LED 30K 24V A2 L30 DMX	Yes	911401751212	BCP384 18LED 27K 220V 40 L50 DMX	Yes
911401750702	BCP383 12LED 27K 220V A2 L50	No	911401751222	BCP384 18LED 30K 220V A2 L50	No
911401750712	BCP383 12LED 27K 220V A2 L50 DMX	Yes	911401751232	BCP384 18LED 30K 220V A2 L50 DMX	Yes
911401750722	BCP383 12LED 27K 220V 40 L50	No	911401751242	BCP384 18LED 30K 220V 40 L50	No
911401750732	BCP383 12LED 27K 220V 40 L50 DMX	Yes	911401751252	BCP384 18LED 30K 220V 40 L50 DMX	Yes
911401750742	BCP383 12LED 30K 220V A2 L50	No	911401751262	BCP384 18LED 40K 220V A2 L50	No
911401750752	BCP383 12LED 30K 220V A2 L50 DMX	Yes	911401751272	BCP384 18LED 40K 220V A2 L50 DMX	Yes
911401750762	BCP383 12LED 30K 220V 40 L50	No	911401751282	BCP384 18LED 40K 220V 40 L50	No
911401750772	BCP383 12LED 30K 220V 40 L50 DMX	Yes	911401751292	BCP384 18LED 40K 220V 40 L50 DMX	Yes
911401750782	BCP383 12LED 40K 220V A2 L50	No	911401751302	BCP384 24LED RGBNW 220V A2 L50 DMX	Yes
911401750792	BCP383 12LED 40K 220V A2 L50 DMX	Yes	911401751312	BCP384 24LED RGBNW 220V 40 L50 DMX	Yes
911401750802	BCP383 12LED 40K 220V 40 L50	No	911401751322	BCP384 24LED RGB 220V A2 L50 DMX	Yes
911401750812	BCP383 12LED 40K 220V 40 L50 DMX	Yes	911401751332	BCP384 24LED RGB 220V 40 L50 DMX	Yes
911401750822	BCP383 12LED RGBNW 220V A4 L50 DMX	Yes	911401751342	BCP384 36LED 27K 220V A2 L100	No
911401750832	BCP383 12LED RGBNW 220V 30 L50 DMX	Yes	911401751352	BCP384 36LED 27K 220V A2 L100 DMX	Yes
911401750842	BCP383 18LED RGB 220V A2 L50 DMX	Yes	911401751362	BCP384 36LED 27K 220V 40 L100	No
911401750852	BCP383 18LED RGB 220V 40 L50 DMX	Yes	911401751372	BCP384 36LED 27K 220V 40 L100 DMX	Yes
911401750862	BCP383 24LED 27K 220V A2 L100	No	911401751382	BCP384 36LED 30K 220V A2 L100	No
911401750872	BCP383 24LED 27K 220V A2 L100 DMX	Yes	911401751392	BCP384 36LED 30K 220V A2 L100 DMX	Yes
911401750882	BCP383 24LED 27K 220V 40 L100	No	911401751402	BCP384 36LED 30K 220V 40 L100	No
911401750892	BCP383 24LED 27K 220V 40 L100 DMX	Yes	911401751412	BCP384 36LED 30K 220V 40 L100 DMX	Yes
911401750902	BCP383 24LED 30K 220V A2 L100	No	911401751422	BCP384 36LED 40K 220V A2 L100	No
911401750912	BCP383 24LED 30K 220V A2 L100 DMX	Yes	911401751432	BCP384 36LED 40K 220V A2 L100 DMX	Yes
911401750922	BCP383 24LED 30K 220V 40 L100	No	911401751442	BCP384 36LED 40K 220V 40 L100	No
911401750932	BCP383 24LED 30K 220V 40 L100 DMX	Yes	911401751452	BCP384 36LED 40K 220V 40 L100 DMX	Yes
911401750942	BCP383 24LED 40K 220V A2 L100	No	911401751462	BCP384 48LED RGBNW 220V A2 L100 DMX	Yes
911401750952	BCP383 24LED 40K 220V A2 L100 DMX	Yes	911401751472	BCP384 48LED RGBNW 220V 40 L100 DMX	Yes
911401750962	BCP383 24LED 40K 220V 40 L100	No	911401751482	BCP384 48LED RGB 220V A2 L100 DMX	Yes
911401750972	BCP383 24LED 40K 220V 40 L100 DMX	Yes	911401751492	BCP384 48LED RGB 220V 40 L100 DMX	Yes
911401750982	BCP383 24LED RGBNW 220V A4 L100 DMX	Yes	911401751502	BCP384 9LED 27K 220V A2 L30	No
911401750992	BCP383 24LED RGBNW 220V 30 L100 DMX	Yes	911401751512	BCP384 9LED 27K 220V A2 L30 DMX	Yes
911401751002	BCP383 36LED RGB 220V A2 L100 DMX	Yes	911401751522	BCP384 9LED 27K 220V 40 L30	No
911401751012	BCP383 36LED RGB 220V 40 L100 DMX	Yes	911401751532	BCP384 9LED 27K 220V 40 L30 DMX	Yes
911401751022	BCP383 6LED 27K 220V A2 L30	No	911401751542	BCP384 9LED 30K 220V A2 L30	No
911401751032	BCP383 6LED 27K 220V A2 L30 DMX	Yes	911401751552	BCP384 9LED 30K 220V A2 L30 DMX	Yes
911401751042	BCP383 6LED 27K 220V 40 L30	No	911401751562	BCP384 9LED 30K 220V 40 L30	No
911401751052	BCP383 6LED 27K 220V 40 L30 DMX	Yes	911401751572	BCP384 9LED 30K 220V 40 L30 DMX	Yes

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401751582	BCP384 9LED 40K 220V A2 L30	No	911401751902	BCP385 30LED 40K 220V 7 L52 DMX	Yes
911401751592	BCP384 9LED 40K 220V A2 L30 DMX	Yes	911401751912	BCP385 30LED 40K 220V A1 L52	No
911401751602	BCP384 9LED 40K 220V 40 L30	No	911401751922	BCP385 30LED 40K 220V A1 L52 DMX	Yes
911401751612	BCP384 9LED 40K 220V 40 L30 DMX	Yes	911401751932	BCP385 48LED 27K 220V 7 L100	No
911401751622	BCP384 12LED RGBNW 220V A2 L30 DMX	Yes	911401751942	BCP385 48LED 27K 220V 7 L100 DMX	Yes
911401751632	BCP384 12LED RGBNW 220V 40 L30 DMX	Yes	911401751952	BCP385 48LED 27K 220V A1 L100	No
911401751642	BCP384 12LED RGB 220V A2 L30 DMX	Yes	911401751962	BCP385 48LED 27K 220V A1 L100 DMX	Yes
911401751652	BCP384 12LED RGB 220V 40 L30 DMX	Yes	911401751972	BCP385 48LED 30K 220V 7 L100	No
911401751662	BCP385 24LED RGB 220V A1 L52 DMX	Yes	911401751982	BCP385 48LED 30K 220V 7 L100 DMX	Yes
911401751672	BCP385 30LED RGB 220V A1 L52 DMX	Yes	911401751992	BCP385 48LED 30K 220V A1 L100	No
911401751692	BCP385 24LED 27K 220V 7 L52	No	911401752002	BCP385 48LED 30K 220V A1 L100 DMX	Yes
911401751702	BCP385 24LED 27K 220V 7 L52 DMX	Yes	911401752012	BCP385 48LED 40K 220V 7 L100	No
911401751712	BCP385 24LED 27K 220V A1 L52	No	911401752022	BCP385 48LED 40K 220V 7 L100 DMX	Yes
911401751722	BCP385 24LED 27K 220V A1 L52 DMX	Yes	911401752032	BCP385 48LED 40K 220V A1 L100	No
911401751732	BCP385 24LED 30K 220V 7 L52	No	911401752042	BCP385 48LED 40K 220V A1 L100 DMX	Yes
911401751742	BCP385 24LED 30K 220V 7 L52 DMX	Yes	911401752052	BCP385 60LED 27K 220V 7 L100	No
911401751752	BCP385 24LED 30K 220V A1 L52	No	911401752062	BCP385 60LED 27K 220V 7 L100 DMX	Yes
911401751762	BCP385 24LED 30K 220V A1 L52 DMX	Yes	911401752072	BCP385 60LED 27K 220V A1 L100	No
911401751772	BCP385 24LED 40K 220V 7 L52	No	911401752082	BCP385 60LED 27K 220V A1 L100 DMX	Yes
911401751782	BCP385 24LED 40K 220V 7 L52 DMX	Yes	911401752092	BCP385 60LED 30K 220V 7 L100	No
911401751792	BCP385 24LED 40K 220V A1 L52	No	911401752102	BCP385 60LED 30K 220V 7 L100 DMX	Yes
911401751802	BCP385 24LED 40K 220V A1 L52 DMX	Yes	911401752112	BCP385 60LED 30K 220V A1 L100	No
911401751812	BCP385 30LED 27K 220V 7 L52	No	911401752122	BCP385 60LED 30K 220V A1 L100 DMX	Yes
911401751822	BCP385 30LED 27K 220V 7 L52 DMX	Yes	911401752132	BCP385 60LED 40K 220V 7 L100	No
911401751832	BCP385 30LED 27K 220V A1 L52	No	911401752142	BCP385 60LED 40K 220V 7 L100 DMX	Yes
911401751842	BCP385 30LED 27K 220V A1 L52 DMX	Yes	911401752152	BCP385 60LED 40K 220V A1 L100	No
911401751852	BCP385 30LED 30K 220V 7 L52	No	911401752162	BCP385 60LED 40K 220V A1 L100 DMX	Yes
911401751862	BCP385 30LED 30K 220V 7 L52 DMX	Yes	911401752172	BCP385 48LED RGB 220V A1 L100 DMX	Yes
911401751872	BCP385 30LED 30K 220V A1 L52	No	911401752182	BCP385 60LED RGB 220V A1 L100 DMX	Yes
911401751882	BCP385 30LED 30K 220V A1 L52 DMX	Yes	911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	Yes
911401751892	BCP385 30LED 40K 220V 7 L52	No	911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	Yes

## General Information

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens		Number of	
				type	Driver included	gear units	Optic type
911401738122	BCP380 12LEDLP 27K 24V A4 L30	25° x 40°	Warm white	Clear flat	No	-	-
911401738132	BCP380 12LEDLP 27K 24V A4 L30 DMX	25° x 40°	Warm white	Clear flat	No	-	-
911401738142	BCP380 12LEDLP 27K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	-	-
911401738152	BCP380 12LEDLP 27K 24V 40 L30 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738162	BCP380 12LEDLP 30K 24V A4 L30	25° x 40°	Warm white	Clear flat	No	-	-
911401738172	BCP380 12LEDLP 30K 24V A4 L30 DMX	25° x 40°	Warm white	Clear flat	No	-	-
911401738182	BCP380 12LEDLP 30K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	-	-
911401738192	BCP380 12LEDLP 30K 24V 40 L30 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738282	BCP380 24LEDLP 27K 24V A4 L51	25° x 40°	Warm white	Clear flat	No	-	-
911401738292	BCP380 24LEDLP 27K 24V A4 L51 DMX	25° x 40°	Warm white	Clear flat	No	-	-
911401738302	BCP380 24LEDLP 27K 24V 40 L51	40° x 40°	Warm white	Clear flat	No	-	-
911401738312	BCP380 24LEDLP 27K 24V 40 L51 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738322	BCP380 24LEDLP 30K 24V A4 L51	25° x 40°	Warm white	Clear flat	No	-	-
911401738332	BCP380 24LEDLP 30K 24V A4 L51 DMX	25° x 40°	Warm white	Clear flat	No	-	-
911401738342	BCP380 24LEDLP 30K 24V 40 L51	40° x 40°	Warm white	Clear flat	No	-	-
911401738352	BCP380 24LEDLP 30K 24V 40 L51 DMX	40° x 40°	Warm white	Clear flat	No	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens		Number of	
				type	Driver included	gear units	Optic type
911401738442	BCP380 48LEDLP 27K 24V A4 L100	25° x 40°	Warm white	Clear flat	No	-	-
911401738452	BCP380 48LEDLP 27K 24V A4 L100 DMX	25° x 40°	Warm white	Clear flat	No	-	-
911401738462	BCP380 48LEDLP 27K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	-	-
911401738472	BCP380 48LEDLP 27K 24V 40 L100 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738482	BCP380 48LEDLP 30K 24V A4 L100	25° x 40°	Warm white	Clear flat	No	-	-
911401738492	BCP380 48LEDLP 30K 24V A4 L100 DMX	25° x 40°	Warm white	Clear flat	No	-	-
911401738502	BCP380 48LEDLP 30K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	-	-
911401738512	BCP380 48LEDLP 30K 24V 40 L100 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738202	BCP380 12LEDLP 40K 24V A4 L30	25° x 40°	Neutral white	Clear flat	No	-	-
911401738212	BCP380 12LEDLP 40K 24V A4 L30 DMX	25° x 40°	Neutral white	Clear flat	No	-	-
911401738222	BCP380 12LEDLP 40K 24V 40 L30	40° x 40°	Neutral white	Clear flat	No	-	-
911401738232	BCP380 12LEDLP 40K 24V 40 L30 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401738362	BCP380 24LEDLP 40K 24V A4 L51	25° x 40°	Neutral white	Clear flat	No	-	-
911401738372	BCP380 24LEDLP 40K 24V A4 L51 DMX	25° x 40°	Neutral white	Clear flat	No	-	-
911401738382	BCP380 24LEDLP 40K 24V 40 L51	40° x 40°	Neutral white	Clear flat	No	-	-
911401738392	BCP380 24LEDLP 40K 24V 40 L51 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401738522	BCP380 48LEDLP 40K 24V A4 L100	25° x 40°	Neutral white	Clear flat	No	-	-
911401738532	BCP380 48LEDLP 40K 24V A4 L100 DMX	25° x 40°	Neutral white	Clear flat	No	-	-
911401738542	BCP380 48LEDLP 40K 24V 40 L100	40° x 40°	Neutral white	Clear flat	No	-	-
911401738552	BCP380 48LEDLP 40K 24V 40 L100 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401738242	BCP380 12LEDLP RGB 24V A3 L30 2PX	20° x 40°	Red, green and blue	Clear flat	No	-	-
911401738252	BCP380 12LEDLP RGB 24V 40 L30 2PX	40° x 40°	Red, green and blue	Clear flat	No	-	-
911401738402	BCP380 24LEDLP RGB 24V A3 L51 4PX	20° x 40°	Red, green and blue	Clear flat	No	-	-
911401738412	BCP380 24LEDLP RGB 24V 40 L51 4PX	40° x 40°	Red, green and blue	Clear flat	No	-	-
911401738562	BCP380 48LEDLP RGB 24V A3 L100 8PX	20° x 40°	Red, green and blue	Clear flat	No	-	-
911401738572	BCP380 48LEDLP RGB 24V 40 L100 8PX	40° x 40°	Red, green and blue	Clear flat	No	-	-
911401738262	BCP380 12LEDLP RGBNW 24V A4 L30 DMX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738272	BCP380 12LEDLP RGBNW 24V 40 L30 DMX	40° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738422	BCP380 24LEDLP RGBNW 24V A4 L51 2PX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738432	BCP380 24LEDLP RGBNW 24V 40 L51 2PX	40° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738582	BCP380 48LEDLP RGBNW 24V A4 L100 4PX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738592	BCP380 48LEDLP RGBNW 24V 40 L100 4PX	40° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738602	BCP381 12LED 27K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	-	-
911401738612	BCP381 12LED 27K 24V A2 L50 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401738642	BCP381 12LED 30K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	-	-
911401738652	BCP381 12LED 30K 24V A2 L50 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401738762	BCP381 24LED 27K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	-	-
911401738772	BCP381 24LED 27K 24V A2 L100 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401738802	BCP381 24LED 30K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	-	-
911401738812	BCP381 24LED 30K 24V A2 L100 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401738922	BCP381 6LED 27K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	-	-
911401738932	BCP381 6LED 27K 24V A2 L30 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401738962	BCP381 6LED 30K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	-	-
911401738972	BCP381 6LED 30K 24V A2 L30 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401738622	BCP381 12LED 27K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens		Number of	
				type	Driver included	gear units	Optic type
911401738632	BCP381 12LED 27K 24V 40 L50 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738662	BCP381 12LED 30K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	-	-
911401738672	BCP381 12LED 30K 24V 40 L50 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738782	BCP381 24LED 27K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	-	-
911401738792	BCP381 24LED 27K 24V 40 L100 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738822	BCP381 24LED 30K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	-	-
911401738832	BCP381 24LED 30K 24V 40 L100 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738942	BCP381 6LED 27K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	-	-
911401738952	BCP381 6LED 27K 24V 40 L30 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738982	BCP381 6LED 30K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	-	-
911401738992	BCP381 6LED 30K 24V 40 L30 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401739142	BCP382 18LED 27K 24V 17 L50	17° x 17°	Warm white	Clear flat	No	-	-
911401739152	BCP382 18LED 27K 24V 17 L50 DMX	17° x 17°	Warm white	Clear flat	No	-	-
911401739162	BCP382 18LED 27K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	-	-
911401739172	BCP382 18LED 27K 24V 40 L50 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401739202	BCP382 18LED 30K 24V 17 L50	17° x 17°	Warm white	Clear flat	No	-	-
911401739212	BCP382 18LED 30K 24V 17 L50 DMX	17° x 17°	Warm white	Clear flat	No	-	-
911401739222	BCP382 18LED 30K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	-	-
911401739232	BCP382 18LED 30K 24V 40 L50 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401739362	BCP382 36LED 27K 24V 17 L100	17° x 17°	Warm white	Clear flat	No	-	-
911401739372	BCP382 36LED 27K 24V 17 L100 DMX	17° x 17°	Warm white	Clear flat	No	-	-
911401739382	BCP382 36LED 27K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	-	-
911401739392	BCP382 36LED 27K 24V 40 L100 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401739422	BCP382 36LED 30K 24V 17 L100	17° x 17°	Warm white	Clear flat	No	-	-
911401739432	BCP382 36LED 30K 24V 17 L100 DMX	17° x 17°	Warm white	Clear flat	No	-	-
911401739442	BCP382 36LED 30K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	-	-
911401739452	BCP382 36LED 30K 24V 40 L100 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401739582	BCP382 9LED 27K 24V 17 L30	17° x 17°	Warm white	Clear flat	No	-	-
911401739592	BCP382 9LED 27K 24V 17 L30 DMX	17° x 17°	Warm white	Clear flat	No	-	-
911401739602	BCP382 9LED 27K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	-	-
911401739612	BCP382 9LED 27K 24V 40 L30 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401739642	BCP382 9LED 30K 24V 17 L30	17° x 17°	Warm white	Clear flat	No	-	-
911401739652	BCP382 9LED 30K 24V 17 L30 DMX	17° x 17°	Warm white	Clear flat	No	-	-
911401739662	BCP382 9LED 30K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	-	-
911401739672	BCP382 9LED 30K 24V 40 L30 DMX	40° x 40°	Warm white	Clear flat	No	-	-
911401738682	BCP381 12LED 40K 24V A2 L50	16° x 35°	Neutral white	Clear flat	No	-	-
911401738692	BCP381 12LED 40K 24V A2 L50 DMX	16° x 35°	Neutral white	Clear flat	No	-	-
911401738842	BCP381 24LED 40K 24V A2 L100	16° x 35°	Neutral white	Clear flat	No	-	-
911401738852	BCP381 24LED 40K 24V A2 L100 DMX	16° x 35°	Neutral white	Clear flat	No	-	-
91140173900	BCP381 6LED 40K 24V A2 L30	16° x 35°	Neutral white	Clear flat	No	-	-
2							
911401739012	BCP381 6LED 40K 24V A2 L30 DMX	16° x 35°	Neutral white	Clear flat	No	-	-
911401738702	BCP381 12LED 40K 24V 40 L50	40° x 40°	Neutral white	Clear flat	No	-	-
911401738712	BCP381 12LED 40K 24V 40 L50 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401738862	BCP381 24LED 40K 24V 40 L100	40° x 40°	Neutral white	Clear flat	No	-	-
911401738872	BCP381 24LED 40K 24V 40 L100 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401739022	BCP381 6LED 40K 24V 40 L30	40° x 40°	Neutral white	Clear flat	No	-	-
911401739032	BCP381 6LED 40K 24V 40 L30 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401739242	BCP382 18LED 40K 24V A2 L50	16° x 35°	Neutral white	Clear flat	No	-	-
911401739252	BCP382 18LED 40K 24V A2 L50 DMX	16° x 35°	Neutral white	Clear flat	No	-	-
911401739262	BCP382 18LED 40K 24V 17 L50	17° x 17°	Neutral white	Clear flat	No	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens		Number of	
				type	Driver included	gear units	Optic type
911401739272	BCP382 18LED 40K 24V 17 L50 DMX	17° x 17°	Neutral white	Clear flat	No	-	-
911401739282	BCP382 18LED 40K 24V 40 L50	40° x 40°	Neutral white	Clear flat	No	-	-
911401739292	BCP382 18LED 40K 24V 40 L50 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401739462	BCP382 36LED 40K 24V A2 L100	16° x 35°	Neutral white	Clear flat	No	-	-
911401739472	BCP382 36LED 40K 24V A2 L100 DMX	16° x 35°	Neutral white	Clear flat	No	-	-
911401739482	BCP382 36LED 40K 24V 17 L100	17° x 17°	Neutral white	Clear flat	No	-	-
911401739492	BCP382 36LED 40K 24V 17 L100 DMX	17° x 17°	Neutral white	Clear flat	No	-	-
911401739502	BCP382 36LED 40K 24V 40 L100	40° x 40°	Neutral white	Clear flat	No	-	-
911401739512	BCP382 36LED 40K 24V 40 L100 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401739682	BCP382 9LED 40K 24V A2 L30	16° x 35°	Neutral white	Clear flat	No	-	-
911401739692	BCP382 9LED 40K 24V A2 L30 DMX	16° x 35°	Neutral white	Clear flat	No	-	-
911401739702	BCP382 9LED 40K 24V 17 L30	17° x 17°	Neutral white	Clear flat	No	-	-
911401739712	BCP382 9LED 40K 24V 17 L30 DMX	17° x 17°	Neutral white	Clear flat	No	-	-
911401739722	BCP382 9LED 40K 24V 40 L30	40° x 40°	Neutral white	Clear flat	No	-	-
911401739732	BCP382 9LED 40K 24V 40 L30 DMX	40° x 40°	Neutral white	Clear flat	No	-	-
911401738722	BCP381 12LED RGB 24V A2 L50 DMX	16° x 35°	Red, green and blue	Clear flat	No	-	-
911401738882	BCP381 24LED RGB 24V A2 L100 DMX	16° x 35°	Red, green and blue	Clear flat	No	-	-
911401739042	BCP381 6LED RGB 24V A2 L30 DMX	16° x 35°	Red, green and blue	Clear flat	No	-	-
911401739082	BCP382 12LED RGB 24V A2 L50 DMX	16° x 35°	Red, green and blue	Clear flat	No	-	-
911401739302	BCP382 24LED RGB 24V A2 L100 DMX	16° x 35°	Red, green and blue	Clear flat	No	-	-
911401739522	BCP382 6LED RGB 24V A2 L30 DMX	16° x 35°	Red, green and blue	Clear flat	No	-	-
911401738732	BCP381 12LED RGB 24V 40 L50 DMX	40° x 40°	Red, green and blue	Clear flat	No	-	-
911401738892	BCP381 24LED RGB 24V 40 L100 DMX	40° x 40°	Red, green and blue	Clear flat	No	-	-
911401739052	BCP381 6LED RGB 24V 40 L30 DMX	40° x 40°	Red, green and blue	Clear flat	No	-	-
91140173909	BCP382 12LED RGB 24V 40 L50 DMX	40° x 40°	Red, green and blue	Clear flat	No	-	-
2							
911401739312	BCP382 24LED RGB 24V 40 L100 DMX	40° x 40°	Red, green and blue	Clear flat	No	-	-
911401739532	BCP382 6LED RGB 24V 40 L30 DMX	40° x 40°	Red, green and blue	Clear flat	No	-	-
911401738742	BCP381 12LED RGBNW 24V A4 L50 DMX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738902	BCP381 24LED RGBNW 24V A4 L100 DMX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401739062	BCP381 6LED RGBNW 24V A4 L30 DMX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401738752	BCP381 12LED RGBNW 24V 30 L50 DMX	30° x 30°	Red, green, blue and white	Clear flat	No	-	-
911401738912	BCP381 24LED RGBNW 24V 30 L100 DMX	30° x 30°	Red, green, blue and white	Clear flat	No	-	-
911401739072	BCP381 6LED RGBNW 24V 30 L30 DMX	30° x 30°	Red, green, blue and white	Clear flat	No	-	-
911401739112	BCP382 12LED RGBNW 24V 30 L50 DMX	30° x 30°	Red, green, blue and white	Clear flat	No	-	-
911401739332	BCP382 24LED RGBNW 24V 30 L100 DMX	30° x 30°	Red, green, blue and white	Clear flat	No	-	-
911401739552	BCP382 6LED RGBNW 24V 30 L30 DMX	30° x 30°	Red, green, blue and white	Clear flat	No	-	-
911401739102	BCP382 12LED RGBNW 24V A4 L50 DMX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401739322	BCP382 24LED RGBNW 24V A4 L100 DMX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401739542	BCP382 6LED RGBNW 24V A4 L30 DMX	25° x 40°	Red, green, blue and white	Clear flat	No	-	-
911401739122	BCP382 18LED 27K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	-	-
911401739132	BCP382 18LED 27K 24V A2 L50 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401739182	BCP382 18LED 30K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	-	-
911401739192	BCP382 18LED 30K 24V A2 L50 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401739342	BCP382 36LED 27K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	-	-
911401739352	BCP382 36LED 27K 24V A2 L100 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401739402	BCP382 36LED 30K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	-	-
911401739412	BCP382 36LED 30K 24V A2 L100 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401739562	BCP382 9LED 27K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	-	-
911401739572	BCP382 9LED 27K 24V A2 L30 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401739622	BCP382 9LED 30K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	-	-
911401739632	BCP382 9LED 30K 24V A2 L30 DMX	16° x 35°	Warm white	Clear flat	No	-	-
911401750702	BCP383 12LED 27K 220V A2 L50	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750712	BCP383 12LED 27K 220V A2 L50 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750722	BCP383 12LED 27K 220V 40 L50	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750732	BCP383 12LED 27K 220V 40 L50 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750742	BCP383 12LED 30K 220V A2 L50	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750752	BCP383 12LED 30K 220V A2 L50 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750762	BCP383 12LED 30K 220V 40 L50	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750772	BCP383 12LED 30K 220V 40 L50 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750782	BCP383 12LED 40K 220V A2 L50	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401750792	BCP383 12LED 40K 220V A2 L50 DMX	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
91140175080	BCP383 12LED 40K 220V 40 L50	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
2							
911401750812	BCP383 12LED 40K 220V 40 L50 DMX	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750822	BCP383 12LED RGBNW 220V A4 L50 DMX	25° x 40°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401750832	BCP383 12LED RGBNW 220V 30 L50 DMX	30° x 30°	-	Tempered glass	Yes	1 unit	Medium beam angle 30°
911401750842	BCP383 18LED RGB 220V A2 L50 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical



## UniStrip G4

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401750852	BCP383 18LED RGB 220V 40 L50 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750862	BCP383 24LED 27K 220V A2 L100	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750872	BCP383 24LED 27K 220V A2 L100 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750882	BCP383 24LED 27K 220V 40 L100	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750892	BCP383 24LED 27K 220V 40 L100 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750902	BCP383 24LED 30K 220V A2 L100	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750912	BCP383 24LED 30K 220V A2 L100 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401750922	BCP383 24LED 30K 220V 40 L100	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750932	BCP383 24LED 30K 220V 40 L100 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750942	BCP383 24LED 40K 220V A2 L100	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401750952	BCP383 24LED 40K 220V A2 L100 DMX	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401750962	BCP383 24LED 40K 220V 40 L100	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750972	BCP383 24LED 40K 220V 40 L100 DMX	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401750982	BCP383 24LED RGBNW 220V A4 L100 DMX	25° x 40°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401750992	BCP383 24LED RGBNW 220V 30 L100 DMX	30° x 30°	-	Tempered glass	Yes	1 unit	Medium beam angle 30°
911401751002	BCP383 36LED RGB 220V A2 L100 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751012	BCP383 36LED RGB 220V 40 L100 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751022	BCP383 6LED 27K 220V A2 L30	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751032	BCP383 6LED 27K 220V A2 L30 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751042	BCP383 6LED 27K 220V 40 L30	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401751052	BCP383 6LED 27K 220V 40 L30 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751062	BCP383 6LED 30K 220V A2 L30	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751072	BCP383 6LED 30K 220V A2 L30 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751082	BCP383 6LED 30K 220V 40 L30	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751092	BCP383 6LED 30K 220V 40 L30 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751102	BCP383 6LED 40K 220V A2 L30	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751112	BCP383 6LED 40K 220V A2 L30 DMX	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751122	BCP383 6LED 40K 220V 40 L30	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751132	BCP383 6LED 40K 220V 40 L30 DMX	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751142	BCP383 6LED RGBNW 220V A4 L30 DMX	25° x 40°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751152	BCP383 6LED RGBNW 220V 30 L30 DMX	30° x 30°	-	Tempered glass	Yes	1 unit	Medium beam angle 30°
911401751162	BCP383 9LED RGB 220V A2 L30 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751172	BCP383 9LED RGB 220V 40 L30 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751182	BCP384 18LED 27K 220V A2 L50	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751192	BCP384 18LED 27K 220V A2 L50 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751202	BCP384 18LED 27K 220V 40 L50	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751212	BCP384 18LED 27K 220V 40 L50 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751222	BCP384 18LED 30K 220V A2 L50	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751232	BCP384 18LED 30K 220V A2 L50 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751242	BCP384 18LED 30K 220V 40 L50	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°

## UniStrip G4

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401751252	BCP384 18LED 30K 220V 40 L50 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751262	BCP384 18LED 40K 220V A2 L50	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751272	BCP384 18LED 40K 220V A2 L50 DMX	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751282	BCP384 18LED 40K 220V 40 L50	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751292	BCP384 18LED 40K 220V 40 L50 DMX	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751302	BCP384 24LED RGBNW 220V A2 L50 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751312	BCP384 24LED RGBNW 220V 40 L50 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751322	BCP384 24LED RGB 220V A2 L50 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751332	BCP384 24LED RGB 220V 40 L50 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751342	BCP384 36LED 27K 220V A2 L100	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751352	BCP384 36LED 27K 220V A2 L100 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751362	BCP384 36LED 27K 220V 40 L100	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751372	BCP384 36LED 27K 220V 40 L100 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751382	BCP384 36LED 30K 220V A2 L100	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751392	BCP384 36LED 30K 220V A2 L100 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751402	BCP384 36LED 30K 220V 40 L100	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751412	BCP384 36LED 30K 220V 40 L100 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751422	BCP384 36LED 40K 220V A2 L100	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751432	BCP384 36LED 40K 220V A2 L100 DMX	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751442	BCP384 36LED 40K 220V 40 L100	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°

## UniStrip G4

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401751452	BCP384 36LED 40K 220V 40 L100 DMX	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751462	BCP384 48LED RGBNW 220V A2 L100 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751472	BCP384 48LED RGBNW 220V 40 L100 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751482	BCP384 48LED RGB 220V A2 L100 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751492	BCP384 48LED RGB 220V 40 L100 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751502	BCP384 9LED 27K 220V A2 L30	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751512	BCP384 9LED 27K 220V A2 L30 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751522	BCP384 9LED 27K 220V 40 L30	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751532	BCP384 9LED 27K 220V 40 L30 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751542	BCP384 9LED 30K 220V A2 L30	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751552	BCP384 9LED 30K 220V A2 L30 DMX	16° x 35°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751562	BCP384 9LED 30K 220V 40 L30	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751572	BCP384 9LED 30K 220V 40 L30 DMX	40° x 40°	Warm white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751582	BCP384 9LED 40K 220V A2 L30	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751592	BCP384 9LED 40K 220V A2 L30 DMX	16° x 35°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751602	BCP384 9LED 40K 220V 40 L30	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751612	BCP384 9LED 40K 220V 40 L30 DMX	40° x 40°	Neutral white	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751622	BCP384 12LED RGBNW 220V A2 L30 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751632	BCP384 12LED RGBNW 220V 40 L30 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751642	BCP384 12LED RGB 220V A2 L30 DMX	16° x 35°	-	Tempered glass	Yes	1 unit	Asymmetrical

## UniStrip G4

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401751652	BCP384 12LED RGB 220V 40 L30 DMX	40° x 40°	-	Tempered glass	Yes	1 unit	Medium beam angle 40°
911401751662	BCP385 24LED RGB 220V A1 L52 DMX	7.5° x 27°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751672	BCP385 30LED RGB 220V A1 L52 DMX	7.5° x 27°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751692	BCP385 24LED 27K 220V 7 L52	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751702	BCP385 24LED 27K 220V 7 L52 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751712	BCP385 24LED 27K 220V A1 L52	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751722	BCP385 24LED 27K 220V A1 L52 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751732	BCP385 24LED 30K 220V 7 L52	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751742	BCP385 24LED 30K 220V 7 L52 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751752	BCP385 24LED 30K 220V A1 L52	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751762	BCP385 24LED 30K 220V A1 L52 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751772	BCP385 24LED 40K 220V 7 L52	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751782	BCP385 24LED 40K 220V 7 L52 DMX	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751792	BCP385 24LED 40K 220V A1 L52	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751802	BCP385 24LED 40K 220V A1 L52 DMX	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751812	BCP385 30LED 27K 220V 7 L52	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751822	BCP385 30LED 27K 220V 7 L52 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751832	BCP385 30LED 27K 220V A1 L52	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751842	BCP385 30LED 27K 220V A1 L52 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751852	BCP385 30LED 30K 220V 7 L52	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°

## UniStrip G4

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401751862	BCP385 30LED 30K 220V 7 L52 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751872	BCP385 30LED 30K 220V A1 L52	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751882	BCP385 30LED 30K 220V A1 L52 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751892	BCP385 30LED 40K 220V 7 L52	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751902	BCP385 30LED 40K 220V 7 L52 DMX	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751912	BCP385 30LED 40K 220V A1 L52	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751922	BCP385 30LED 40K 220V A1 L52 DMX	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401751932	BCP385 48LED 27K 220V 7 L100	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751942	BCP385 48LED 27K 220V 7 L100 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751952	BCP385 48LED 27K 220V A1 L100	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751962	BCP385 48LED 27K 220V A1 L100 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401751972	BCP385 48LED 30K 220V 7 L100	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751982	BCP385 48LED 30K 220V 7 L100 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401751992	BCP385 48LED 30K 220V A1 L100	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401752002	BCP385 48LED 30K 220V A1 L100 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401752012	BCP385 48LED 40K 220V 7 L100	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401752022	BCP385 48LED 40K 220V 7 L100 DMX	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401752032	BCP385 48LED 40K 220V A1 L100	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401752042	BCP385 48LED 40K 220V A1 L100 DMX	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401752052	BCP385 60LED 27K 220V 7 L100	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°

# UniStrip G4

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/lens type	Driver included	Number of gear units	Optic type
911401752062	BCP385 60LED 27K 220V 7 L100 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401752072	BCP385 60LED 27K 220V A1 L100	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401752082	BCP385 60LED 27K 220V A1 L100 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401752092	BCP385 60LED 30K 220V 7 L100	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401752102	BCP385 60LED 30K 220V 7 L100 DMX	7.5° x 7.5°	Warm white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401752112	BCP385 60LED 30K 220V A1 L100	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401752122	BCP385 60LED 30K 220V A1 L100 DMX	7.5° x 27°	Warm white	Tempered glass	Yes	1 unit	Asymmetrical
911401752132	BCP385 60LED 40K 220V 7 L100	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401752142	BCP385 60LED 40K 220V 7 L100 DMX	7.5° x 7.5°	Neutral white	Tempered glass	Yes	1 unit	Narrow beam angle 7.5°
911401752152	BCP385 60LED 40K 220V A1 L100	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401752162	BCP385 60LED 40K 220V A1 L100 DMX	7.5° x 27°	Neutral white	Tempered glass	Yes	1 unit	Asymmetrical
911401752172	BCP385 48LED RGB 220V A1 L100 DMX	7.5° x 27°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401752182	BCP385 60LED RGB 220V A1 L100 DMX	7.5° x 27°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	15° x 40°	-	Tempered glass	Yes	1 unit	Asymmetrical
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	15° x 40°	-	Tempered glass	Yes	1 unit	Asymmetrical

## Initial Performance (IEC Compliant)

Order Code	Full Product Name	Init. Color		
		Init. Corr. Color Temperature	Rendering Index	Initial luminous flux
911401738122	BCP380 12LEDLP 27K 24V A4 L30	2700 K	80	188 lm
911401738132	BCP380 12LEDLP 27K 24V A4 L30 DMX	2700 K	80	185 lm
911401738142	BCP380 12LEDLP 27K 24V 40 L30	2700 K	80	151 lm
911401738152	BCP380 12LEDLP 27K 24V 40 L30 DMX	2700 K	80	148 lm
911401738162	BCP380 12LEDLP 30K 24V A4 L30	3000 K	80	188 lm
911401738172	BCP380 12LEDLP 30K 24V A4 L30 DMX	3000 K	80	185 lm
911401738182	BCP380 12LEDLP 30K 24V 40 L30	3000 K	80	151 lm
911401738192	BCP380 12LEDLP 30K 24V 40 L30 DMX	3000 K	80	148 lm
911401738282	BCP380 24LEDLP 27K 24V A4 L51	2700 K	80	377 lm
911401738292	BCP380 24LEDLP 27K 24V A4 L51 DMX	2700 K	80	370 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401738302	BCP380 24LEDLP 27K 24V 40 L51	2700 K	80	297 lm
911401738312	BCP380 24LEDLP 27K 24V 40 L51 DMX	2700 K	80	291 lm
911401738322	BCP380 24LEDLP 30K 24V A4 L51	3000 K	80	377 lm
911401738332	BCP380 24LEDLP 30K 24V A4 L51 DMX	3000 K	80	370 lm
911401738342	BCP380 24LEDLP 30K 24V 40 L51	3000 K	80	297 lm
911401738352	BCP380 24LEDLP 30K 24V 40 L51 DMX	3000 K	80	291 lm
911401738442	BCP380 48LEDLP 27K 24V A4 L100	2700 K	80	740 lm
911401738452	BCP380 48LEDLP 27K 24V A4 L100 DMX	2700 K	80	725 lm
911401738462	BCP380 48LEDLP 27K 24V 40 L100	2700 K	80	582 lm
911401738472	BCP380 48LEDLP 27K 24V 40 L100 DMX	2700 K	80	571 lm
911401738482	BCP380 48LEDLP 30K 24V A4 L100	3000 K	80	740 lm
911401738492	BCP380 48LEDLP 30K 24V A4 L100 DMX	3000 K	80	725 lm
911401738502	BCP380 48LEDLP 30K 24V 40 L100	3000 K	80	582 lm
911401738512	BCP380 48LEDLP 30K 24V 40 L100 DMX	3000 K	80	571 lm
911401738202	BCP380 12LEDLP 40K 24V A4 L30	4000 K	80	200 lm
911401738212	BCP380 12LEDLP 40K 24V A4 L30 DMX	4000 K	80	196 lm
911401738222	BCP380 12LEDLP 40K 24V 40 L30	4000 K	80	160 lm
911401738232	BCP380 12LEDLP 40K 24V 40 L30 DMX	4000 K	80	157 lm
911401738362	BCP380 24LEDLP 40K 24V A4 L51	4000 K	80	400 lm
911401738372	BCP380 24LEDLP 40K 24V A4 L51 DMX	4000 K	80	392 lm
911401738382	BCP380 24LEDLP 40K 24V 40 L51	4000 K	80	315 lm
911401738392	BCP380 24LEDLP 40K 24V 40 L51 DMX	4000 K	80	309 lm
911401738522	BCP380 48LEDLP 40K 24V A4 L100	4000 K	80	784 lm
911401738532	BCP380 48LEDLP 40K 24V A4 L100 DMX	4000 K	80	768 lm
911401738542	BCP380 48LEDLP 40K 24V 40 L100	4000 K	80	617 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401738552	BCP380 48LEDLP 40K 24V 40 L100 DMX	4000 K	80	605 lm
911401738242	BCP380 12LEDLP RGB 24V A3 L30 2PX	-	-	46 lm
911401738252	BCP380 12LEDLP RGB 24V 40 L30 2PX	-	-	55 lm
911401738402	BCP380 24LEDLP RGB 24V A3 L51 4PX	-	-	90 lm
911401738412	BCP380 24LEDLP RGB 24V 40 L51 4PX	-	-	108 lm
911401738562	BCP380 48LEDLP RGB 24V A3 L100 8PX	-	-	176 lm
911401738572	BCP380 48LEDLP RGB 24V 40 L100 8PX	-	-	216 lm
911401738262	BCP380 12LEDLP RGBNW 24V A4 L30 DMX	-	-	129 lm
911401738272	BCP380 12LEDLP RGBNW 24V 40 L30 DMX	-	-	129 lm
911401738422	BCP380 24LEDLP RGBNW 24V A4 L51 2PX	-	-	251 lm
911401738432	BCP380 24LEDLP RGBNW 24V 40 L51 2PX	-	-	248 lm
911401738582	BCP380 48LEDLP RGBNW 24V A4 L100 4PX	-	-	513 lm
911401738592	BCP380 48LEDLP RGBNW 24V 40 L100 4PX	-	-	517 lm
911401738602	BCP381 12LED 27K 24V A2 L50	2700 K	80	848 lm
911401738612	BCP381 12LED 27K 24V A2 L50 DMX	2700 K	80	831 lm
911401738642	BCP381 12LED 30K 24V A2 L50	3000 K	80	848 lm
911401738652	BCP381 12LED 30K 24V A2 L50 DMX	3000 K	80	831 lm
911401738762	BCP381 24LED 27K 24V A2 L100	2700 K	80	1663 lm
911401738772	BCP381 24LED 27K 24V A2 L100 DMX	2700 K	80	1630 lm
911401738802	BCP381 24LED 30K 24V A2 L100	3000 K	80	1663 lm
911401738812	BCP381 24LED 30K 24V A2 L100 DMX	3000 K	80	1630 lm
911401738922	BCP381 6LED 27K 24V A2 L30	2700 K	80	432 lm
911401738932	BCP381 6LED 27K 24V A2 L30 DMX	2700 K	80	424 lm



Order Code	Full Product Name	Init. Color		Initial luminous flux
		Init. Corr. Color Temperature	Rendering Index	
911401738962	BCP381 6LED 30K 24V A2 L30	3000 K	80	432 lm
911401738972	BCP381 6LED 30K 24V A2 L30 DMX	3000 K	80	424 lm
911401738622	BCP381 12LED 27K 24V 40 L50	2700 K	80	842 lm
911401738632	BCP381 12LED 27K 24V 40 L50 DMX	2700 K	80	826 lm
911401738662	BCP381 12LED 30K 24V 40 L50	3000 K	80	842 lm
911401738672	BCP381 12LED 30K 24V 40 L50 DMX	3000 K	80	826 lm
911401738782	BCP381 24LED 27K 24V 40 L100	2700 K	80	1651 lm
911401738792	BCP381 24LED 27K 24V 40 L100 DMX	2700 K	80	1618 lm
911401738822	BCP381 24LED 30K 24V 40 L100	3000 K	80	1651 lm
911401738832	BCP381 24LED 30K 24V 40 L100 DMX	3000 K	80	1618 lm
911401738942	BCP381 6LED 27K 24V 40 L30	2700 K	80	430 lm
911401738952	BCP381 6LED 27K 24V 40 L30 DMX	2700 K	80	421 lm
911401738982	BCP381 6LED 30K 24V 40 L30	3000 K	80	430 lm
911401738992	BCP381 6LED 30K 24V 40 L30 DMX	3000 K	80	421 lm
911401739142	BCP382 18LED 27K 24V 17 L50	2700 K	80	1196 lm
911401739152	BCP382 18LED 27K 24V 17 L50 DMX	2700 K	80	1172 lm
911401739162	BCP382 18LED 27K 24V 40 L50	2700 K	80	1208 lm
911401739172	BCP382 18LED 27K 24V 40 L50 DMX	2700 K	80	1184 lm
911401739202	BCP382 18LED 30K 24V 17 L50	3000 K	80	1196 lm
911401739212	BCP382 18LED 30K 24V 17 L50 DMX	3000 K	80	1172 lm
911401739222	BCP382 18LED 30K 24V 40 L50	3000 K	80	1208 lm
911401739232	BCP382 18LED 30K 24V 40 L50 DMX	3000 K	80	1184 lm
911401739362	BCP382 36LED 27K 24V 17 L100	2700 K	80	2345 lm
911401739372	BCP382 36LED 27K 24V 17 L100 DMX	2700 K	80	2298 lm
911401739382	BCP382 36LED 27K 24V 40 L100	2700 K	80	2367 lm

Order Code	Full Product Name	Init. Color		Initial luminous flux
		Init. Corr. Color Temperature	Rendering Index	
911401739392	BCP382 36LED 27K 24V 40 L100 DMX	2700 K	80	2320 lm
911401739422	BCP382 36LED 30K 24V 17 L100	3000 K	80	2345 lm
911401739432	BCP382 36LED 30K 24V 17 L100 DMX	3000 K	80	2298 lm
911401739442	BCP382 36LED 30K 24V 40 L100	3000 K	80	2367 lm
911401739452	BCP382 36LED 30K 24V 40 L100 DMX	3000 K	80	2320 lm
911401739582	BCP382 9LED 27K 24V 17 L30	2700 K	80	610 lm
911401739592	BCP382 9LED 27K 24V 17 L30 DMX	2700 K	80	598 lm
911401739602	BCP382 9LED 27K 24V 40 L30	2700 K	80	619 lm
911401739612	BCP382 9LED 27K 24V 40 L30 DMX	2700 K	80	607 lm
911401739642	BCP382 9LED 30K 24V 17 L30	3000 K	80	610 lm
911401739652	BCP382 9LED 30K 24V 17 L30 DMX	3000 K	80	598 lm
911401739662	BCP382 9LED 30K 24V 40 L30	3000 K	80	619 lm
911401739672	BCP382 9LED 30K 24V 40 L30 DMX	3000 K	80	607 lm
911401738682	BCP381 12LED 40K 24V A2 L50	4000 K	80	916 lm
911401738692	BCP381 12LED 40K 24V A2 L50 DMX	4000 K	80	898 lm
911401738842	BCP381 24LED 40K 24V A2 L100	4000 K	80	1796 lm
911401738852	BCP381 24LED 40K 24V A2 L100 DMX	4000 K	80	1760 lm
911401739002	BCP381 6LED 40K 24V A2 L30	4000 K	80	467 lm
911401739012	BCP381 6LED 40K 24V A2 L30 DMX	4000 K	80	458 lm
911401738702	BCP381 12LED 40K 24V 40 L50	4000 K	80	910 lm
911401738712	BCP381 12LED 40K 24V 40 L50 DMX	4000 K	80	892 lm
911401738862	BCP381 24LED 40K 24V 40 L100	4000 K	80	1783 lm
911401738872	BCP381 24LED 40K 24V 40 L100 DMX	4000 K	80	1748 lm
911401739022	BCP381 6LED 40K 24V 40 L30	4000 K	80	464 lm
911401739032	BCP381 6LED 40K 24V 40 L30 DMX	4000 K	80	455 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401739242	BCP382 18LED 40K 24V A2 L50	4000 K	80	1318 lm
911401739252	BCP382 18LED 40K 24V A2 L50 DMX	4000 K	80	1292 lm
911401739262	BCP382 18LED 40K 24V 17 L50	4000 K	80	1292 lm
911401739272	BCP382 18LED 40K 24V 17 L50 DMX	4000 K	80	1266 lm
911401739282	BCP382 18LED 40K 24V 40 L50	4000 K	80	1305 lm
911401739292	BCP382 18LED 40K 24V 40 L50 DMX	4000 K	80	1278 lm
911401739462	BCP382 36LED 40K 24V A2 L100	4000 K	80	2584 lm
911401739472	BCP382 36LED 40K 24V A2 L100 DMX	4000 K	80	2532 lm
911401739482	BCP382 36LED 40K 24V 17 L100	4000 K	80	2533 lm
911401739492	BCP382 36LED 40K 24V 17 L100 DMX	4000 K	80	2482 lm
911401739502	BCP382 36LED 40K 24V 40 L100	4000 K	80	2557 lm
911401739512	BCP382 36LED 40K 24V 40 L100 DMX	4000 K	80	2506 lm
911401739682	BCP382 9LED 40K 24V A2 L30	4000 K	80	673 lm
911401739692	BCP382 9LED 40K 24V A2 L30 DMX	4000 K	80	659 lm
911401739702	BCP382 9LED 40K 24V 17 L30	4000 K	80	659 lm
911401739712	BCP382 9LED 40K 24V 17 L30 DMX	4000 K	80	646 lm
911401739722	BCP382 9LED 40K 24V 40 L30	4000 K	80	669 lm
911401739732	BCP382 9LED 40K 24V 40 L30 DMX	4000 K	80	655 lm
911401738722	BCP381 12LED RGB 24V A2 L50 DMX	-	-	521 lm
911401738882	BCP381 24LED RGB 24V A2 L100 DMX	-	-	1022 lm
911401739042	BCP381 6LED RGB 24V A2 L30 DMX	-	-	265 lm
911401739082	BCP382 12LED RGB 24V A2 L50 DMX	-	-	678 lm
911401739302	BCP382 24LED RGB 24V A2 L100 DMX	-	-	1328 lm
911401739522	BCP382 6LED RGB 24V A2 L30 DMX	-	-	346 lm
911401738732	BCP381 12LED RGB 24V 40 L50 DMX	-	-	585 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401738892	BCP381 24LED RGB 24V 40 L100 DMX	-	-	1146 lm
911401739052	BCP381 6LED RGB 24V 40 L30 DMX	-	-	298 lm
911401739092	BCP382 12LED RGB 24V 40 L50 DMX	-	-	760 lm
911401739312	BCP382 24LED RGB 24V 40 L100 DMX	-	-	1489 lm
911401739532	BCP382 6LED RGB 24V 40 L30 DMX	-	-	388 lm
911401738742	BCP381 12LED RGBNW 24V A4 L50 DMX	-	-	448 lm
911401738902	BCP381 24LED RGBNW 24V A4 L100 DMX	-	-	878 lm
911401739062	BCP381 6LED RGBNW 24V A4 L30 DMX	-	-	228 lm
911401738752	BCP381 12LED RGBNW 24V 30 L50 DMX	-	-	515 lm
911401738912	BCP381 24LED RGBNW 24V 30 L100 DMX	-	-	515 lm
911401739072	BCP381 6LED RGBNW 24V 30 L30 DMX	-	-	262 lm
911401739112	BCP382 12LED RGBNW 24V 30 L50 DMX	-	-	666 lm
911401739332	BCP382 24LED RGBNW 24V 30 L100 DMX	-	-	1306 lm
911401739552	BCP382 6LED RGBNW 24V 30 L30 DMX	-	-	444 lm
911401739102	BCP382 12LED RGBNW 24V A4 L50 DMX	-	-	579 lm
911401739322	BCP382 24LED RGBNW 24V A4 L100 DMX	-	-	1135 lm
911401739542	BCP382 6LED RGBNW 24V A4 L30 DMX	-	-	386 lm
911401739122	BCP382 18LED 27K 24V A2 L50	2700 K	80	1221 lm
911401739132	BCP382 18LED 27K 24V A2 L50 DMX	2700 K	80	1196 lm
911401739182	BCP382 18LED 30K 24V A2 L50	3000 K	80	1221 lm
911401739192	BCP382 18LED 30K 24V A2 L50 DMX	3000 K	80	1196 lm
911401739342	BCP382 36LED 27K 24V A2 L100	2700 K	80	2393 lm
911401739352	BCP382 36LED 27K 24V A2 L100 DMX	2700 K	80	2345 lm
911401739402	BCP382 36LED 30K 24V A2 L100	3000 K	80	2393 lm
911401739412	BCP382 36LED 30K 24V A2 L100 DMX	3000 K	80	2345 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401739562	BCP382 9LED 27K 24V A2 L30	2700 K	80	623 lm
911401739572	BCP382 9LED 27K 24V A2 L30 DMX	2700 K	80	610 lm
911401739622	BCP382 9LED 30K 24V A2 L30	3000 K	80	623 lm
911401739632	BCP382 9LED 30K 24V A2 L30 DMX	3000 K	80	610 lm
911401750702	BCP383 12LED 27K 220V A2 L50	2700 K	80	1184 lm
911401750712	BCP383 12LED 27K 220V A2 L50 DMX	2700 K	80	1160 lm
911401750722	BCP383 12LED 27K 220V 40 L50	2700 K	80	1426 lm
911401750732	BCP383 12LED 27K 220V 40 L50 DMX	2700 K	80	1300 lm
911401750742	BCP383 12LED 30K 220V A2 L50	3000 K	80	1267 lm
911401750752	BCP383 12LED 30K 220V A2 L50 DMX	3000 K	80	1242 lm
911401750762	BCP383 12LED 30K 220V 40 L50	3000 K	80	1419 lm
911401750772	BCP383 12LED 30K 220V 40 L50 DMX	3000 K	80	1391 lm
911401750782	BCP383 12LED 40K 220V A2 L50	4000 K	80	1445 lm
911401750792	BCP383 12LED 40K 220V A2 L50 DMX	4000 K	80	1416 lm
911401750802	BCP383 12LED 40K 220V 40 L50	4000 K	80	1618 lm
911401750812	BCP383 12LED 40K 220V 40 L50 DMX	4000 K	80	1586 lm
911401750822	BCP383 12LED RGBNW 220V A4 L50 DMX	- K	-	844 lm
911401750832	BCP383 12LED RGBNW 220V 30 L50 DMX	- K	-	971 lm
911401750842	BCP383 18LED RGB 220V A2 L50 DMX	- K	-	1194 lm
911401750852	BCP383 18LED RGB 220V 40 L50 DMX	- K	-	1337 lm
911401750862	BCP383 24LED 27K 220V A2 L100	2700 K	80	2345 lm
911401750872	BCP383 24LED 27K 220V A2 L100 DMX	2700 K	80	2298 lm
911401750882	BCP383 24LED 27K 220V 40 L100	2700 K	80	2626 lm
911401750892	BCP383 24LED 27K 220V 40 L100 DMX	2700 K	80	2574 lm
911401750902	BCP383 24LED 30K 220V A2 L100	3000 K	80	2509 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401750912	BCP383 24LED 30K 220V A2 L100 DMX	3000 K	80	2459 lm
911401750922	BCP383 24LED 30K 220V 40 L100	3000 K	80	2810 lm
911401750932	BCP383 24LED 30K 220V 40 L100 DMX	3000 K	80	2754 lm
911401750942	BCP383 24LED 40K 220V A2 L100	4000 K	80	2861 lm
911401750952	BCP383 24LED 40K 220V A2 L100 DMX	4000 K	80	2803 lm
911401750962	BCP383 24LED 40K 220V 40 L100	4000 K	80	3204 lm
911401750972	BCP383 24LED 40K 220V 40 L100 DMX	4000 K	80	3140 lm
911401750982	BCP383 24LED RGBNW 220V A4 L100 DMX	- K	-	1639 lm
911401750992	BCP383 24LED RGBNW 220V 30 L100 DMX	- K	-	1885 lm
911401751002	BCP383 36LED RGB 220V A2 L100 DMX	- K	-	2263 lm
911401751012	BCP383 36LED RGB 220V 40 L100 DMX	- K	-	2535 lm
911401751022	BCP383 6LED 27K 220V A2 L30	2700 K	80	598 lm
911401751032	BCP383 6LED 27K 220V A2 L30 DMX	2700 K	80	586 lm
911401751042	BCP383 6LED 27K 220V 40 L30	2700 K	80	670 lm
911401751052	BCP383 6LED 27K 220V 40 L30 DMX	2700 K	80	656 lm
911401751062	BCP383 6LED 30K 220V A2 L30	3000 K	80	640 lm
911401751072	BCP383 6LED 30K 220V A2 L30 DMX	3000 K	80	627 lm
911401751082	BCP383 6LED 30K 220V 40 L30	3000 K	80	717 lm
911401751092	BCP383 6LED 30K 220V 40 L30 DMX	3000 K	80	702 lm
911401751102	BCP383 6LED 40K 220V A2 L30	4000 K	80	730 lm
911401751112	BCP383 6LED 40K 220V A2 L30 DMX	4000 K	80	715 lm
911401751122	BCP383 6LED 40K 220V 40 L30	4000 K	80	817 lm
911401751132	BCP383 6LED 40K 220V 40 L30 DMX	4000 K	80	801 lm
911401751142	BCP383 6LED RGBNW 220V A4 L30 DMX	- K	-	426 lm
911401751152	BCP383 6LED RGBNW 220V 30 L30 DMX	- K	-	490 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401751162	BCP383 9LED RGB 220V A2 L30 DMX	- K	-	603 lm
911401751172	BCP383 9LED RGB 220V 40 L30 DMX	- K	-	675 lm
911401751182	BCP384 18LED 27K 220V A2 L50	2700 K	80	2000 lm
911401751192	BCP384 18LED 27K 220V A2 L50 DMX	2700 K	80	1960 lm
911401751202	BCP384 18LED 27K 220V 40 L50	2700 K	80	2060 lm
911401751212	BCP384 18LED 27K 220V 40 L50 DMX	2700 K	80	2019 lm
911401751222	BCP384 18LED 30K 220V A2 L50	3000 K	80	2140 lm
911401751232	BCP384 18LED 30K 220V A2 L50 DMX	3000 K	80	2097 lm
911401751242	BCP384 18LED 30K 220V 40 L50	3000 K	80	2204 lm
911401751252	BCP384 18LED 30K 220V 40 L50 DMX	3000 K	80	2160 lm
911401751262	BCP384 18LED 40K 220V A2 L50	4000 K	80	2440 lm
911401751272	BCP384 18LED 40K 220V A2 L50 DMX	4000 K	80	2391 lm
911401751282	BCP384 18LED 40K 220V 40 L50	4000 K	80	2513 lm
911401751292	BCP384 18LED 40K 220V 40 L50 DMX	4000 K	80	2463 lm
911401751302	BCP384 24LED RGBNW 220V A2 L50 DMX	- K	-	1574 lm
911401751312	BCP384 24LED RGBNW 220V 40 L50 DMX	- K	-	1621 lm
911401751322	BCP384 24LED RGB 220V A2 L50 DMX	- K	-	1376 lm
911401751332	BCP384 24LED RGB 220V 40 L50 DMX	- K	-	1417 lm
911401751342	BCP384 36LED 27K 220V A2 L100	2700 K	80	4001 lm
911401751352	BCP384 36LED 27K 220V A2 L100 DMX	2700 K	80	3921 lm
911401751362	BCP384 36LED 27K 220V 40 L100	2700 K	80	4121 lm
911401751372	BCP384 36LED 27K 220V 40 L100 DMX	2700 K	80	4039 lm
911401751382	BCP384 36LED 30K 220V A2 L100	3000 K	80	4281 lm
911401751392	BCP384 36LED 30K 220V A2 L100 DMX	3000 K	80	4195 lm
911401751402	BCP384 36LED 30K 220V 40 L100	3000 K	80	4410 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401751412	BCP384 36LED 30K 220V 40 L100 DMX	3000 K	80	4321 lm
911401751422	BCP384 36LED 40K 220V A2 L100	4000 K	80	4881 lm
911401751432	BCP384 36LED 40K 220V A2 L100 DMX	4000 K	80	4784 lm
911401751442	BCP384 36LED 40K 220V 40 L100	4000 K	80	5028 lm
911401751452	BCP384 36LED 40K 220V 40 L100 DMX	4000 K	80	4927 lm
911401751462	BCP384 48LED RGBNW 220V A2 L100 DMX	- K	-	3164 lm
911401751472	BCP384 48LED RGBNW 220V 40 L100 DMX	- K	-	3259 lm
911401751482	BCP384 48LED RGB 220V A2 L100 DMX	- K	-	2751 lm
911401751492	BCP384 48LED RGB 220V 40 L100 DMX	- K	-	2834 lm
911401751502	BCP384 9LED 27K 220V A2 L30	2700 K	80	1020 lm
911401751512	BCP384 9LED 27K 220V A2 L30 DMX	2700 K	80	1000 lm
911401751522	BCP384 9LED 27K 220V 40 L30	2700 K	80	1051 lm
911401751532	BCP384 9LED 27K 220V 40 L30 DMX	2700 K	80	1030 lm
911401751542	BCP384 9LED 30K 220V A2 L30	3000 K	80	1091 lm
911401751552	BCP384 9LED 30K 220V A2 L30 DMX	3000 K	80	1070 lm
911401751562	BCP384 9LED 30K 220V 40 L30	3000 K	80	1124 lm
911401751572	BCP384 9LED 30K 220V 40 L30 DMX	3000 K	80	1102 lm
911401751582	BCP384 9LED 40K 220V A2 L30	4000 K	80	1244 lm
911401751592	BCP384 9LED 40K 220V A2 L30 DMX	4000 K	80	1220 lm
911401751602	BCP384 9LED 40K 220V 40 L30	4000 K	80	1282 lm
911401751612	BCP384 9LED 40K 220V 40 L30 DMX	4000 K	80	1256 lm
911401751622	BCP384 12LED RGBNW 220V A2 L30 DMX	- K	-	787 lm
911401751632	BCP384 12LED RGBNW 220V 40 L30 DMX	- K	-	810 lm
911401751642	BCP384 12LED RGB 220V A2 L30 DMX	- K	-	688 lm
911401751652	BCP384 12LED RGB 220V 40 L30 DMX	- K	-	708 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401751662	BCP385 24LED RGB 220V A1 L52 DMX	- K	-	1693 lm
911401751672	BCP385 30LED RGB 220V A1 L52 DMX	- K	-	2545 lm
911401751692	BCP385 24LED 27K 220V 7 L52	2700 K	80	2907 lm
911401751702	BCP385 24LED 27K 220V 7 L52 DMX	2700 K	80	2849 lm
911401751712	BCP385 24LED 27K 220V A1 L52	2700 K	80	2698 lm
911401751722	BCP385 24LED 27K 220V A1 L52 DMX	2700 K	80	2644 lm
911401751732	BCP385 24LED 30K 220V 7 L52	3000 K	80	3111 lm
911401751742	BCP385 24LED 30K 220V 7 L52 DMX	3000 K	80	3048 lm
911401751752	BCP385 24LED 30K 220V A1 L52	3000 K	80	2887 lm
911401751762	BCP385 24LED 30K 220V A1 L52 DMX	3000 K	80	2829 lm
911401751772	BCP385 24LED 40K 220V 7 L52	4000 K	80	3547 lm
911401751782	BCP385 24LED 40K 220V 7 L52 DMX	4000 K	80	3476 lm
911401751792	BCP385 24LED 40K 220V A1 L52	4000 K	80	3291 lm
911401751802	BCP385 24LED 40K 220V A1 L52 DMX	4000 K	80	3226 lm
911401751812	BCP385 30LED 27K 220V 7 L52	2700 K	80	3634 lm
911401751822	BCP385 30LED 27K 220V 7 L52 DMX	2700 K	80	3561 lm
911401751832	BCP385 30LED 27K 220V A1 L52	2700 K	80	3372 lm
911401751842	BCP385 30LED 27K 220V A1 L52 DMX	2700 K	80	3305 lm
911401751852	BCP385 30LED 30K 220V 7 L52	3000 K	80	3888 lm
911401751862	BCP385 30LED 30K 220V 7 L52 DMX	3000 K	80	3811 lm
911401751872	BCP385 30LED 30K 220V A1 L52	3000 K	80	3608 lm
911401751882	BCP385 30LED 30K 220V A1 L52 DMX	3000 K	80	3536 lm
911401751892	BCP385 30LED 40K 220V 7 L52	4000 K	80	4433 lm
911401751902	BCP385 30LED 40K 220V 7 L52 DMX	4000 K	80	4345 lm
911401751912	BCP385 30LED 40K 220V A1 L52	4000 K	80	4114 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401751922	BCP385 30LED 40K 220V A1 L52 DMX	4000 K	80	4032 lm
911401751932	BCP385 48LED 27K 220V 7 L100	2700 K	80	5814 lm
911401751942	BCP385 48LED 27K 220V 7 L100 DMX	2700 K	80	5698 lm
911401751952	BCP385 48LED 27K 220V A1 L100	2700 K	80	5396 lm
911401751962	BCP385 48LED 27K 220V A1 L100 DMX	2700 K	80	5288 lm
911401751972	BCP385 48LED 30K 220V 7 L100	3000 K	80	6221 lm
911401751982	BCP385 48LED 30K 220V 7 L100 DMX	3000 K	80	6097 lm
911401751992	BCP385 48LED 30K 220V A1 L100	3000 K	80	5773 lm
911401752002	BCP385 48LED 30K 220V A1 L100 DMX	3000 K	80	5658 lm
911401752012	BCP385 48LED 40K 220V 7 L100	4000 K	80	7094 lm
911401752022	BCP385 48LED 40K 220V 7 L100 DMX	4000 K	80	6952 lm
911401752032	BCP385 48LED 40K 220V A1 L100	4000 K	80	6583 lm
911401752042	BCP385 48LED 40K 220V A1 L100 DMX	4000 K	80	6451 lm
911401752052	BCP385 60LED 27K 220V 7 L100	2700 K	80	7268 lm
911401752062	BCP385 60LED 27K 220V 7 L100 DMX	2700 K	80	7123 lm
911401752072	BCP385 60LED 27K 220V A1 L100	2700 K	80	6745 lm
911401752082	BCP385 60LED 27K 220V A1 L100 DMX	2700 K	80	6610 lm
911401752092	BCP385 60LED 30K 220V 7 L100	3000 K	80	7777 lm
911401752102	BCP385 60LED 30K 220V 7 L100 DMX	3000 K	80	7621 lm
911401752112	BCP385 60LED 30K 220V A1 L100	3000 K	80	7217 lm
911401752122	BCP385 60LED 30K 220V A1 L100 DMX	3000 K	80	7072 lm
911401752132	BCP385 60LED 40K 220V 7 L100	4000 K	80	8867 lm
911401752142	BCP385 60LED 40K 220V 7 L100 DMX	4000 K	80	8690 lm
911401752152	BCP385 60LED 40K 220V A1 L100	4000 K	80	8229 lm
911401752162	BCP385 60LED 40K 220V A1 L100 DMX	4000 K	80	8064 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401752172	BCP385 48LED RGB 220V A1 L100 DMX	- K	-	3386 lm
911401752182	BCP385 60LED RGB 220V A1 L100 DMX	- K	-	5090 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	- K	-	1523 lm
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	- K	-	3047 lm

## Light Technical

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401738122	BCP380 12LEDLP 27K 24V A4 L30	-	-
911401738132	BCP380 12LEDLP 27K 24V A4 L30 DMX	-	-
911401738142	BCP380 12LEDLP 27K 24V 40 L30	-	-
911401738152	BCP380 12LEDLP 27K 24V 40 L30 DMX	-	-
911401738162	BCP380 12LEDLP 30K 24V A4 L30	-	-
911401738172	BCP380 12LEDLP 30K 24V A4 L30 DMX	-	-
911401738182	BCP380 12LEDLP 30K 24V 40 L30	-	-
911401738192	BCP380 12LEDLP 30K 24V 40 L30 DMX	-	-
911401738282	BCP380 24LEDLP 27K 24V A4 L51	-	-
911401738292	BCP380 24LEDLP 27K 24V A4 L51 DMX	-	-
911401738302	BCP380 24LEDLP 27K 24V 40 L51	-	-
911401738312	BCP380 24LEDLP 27K 24V 40 L51 DMX	-	-
911401738322	BCP380 24LEDLP 30K 24V A4 L51	-	-
911401738332	BCP380 24LEDLP 30K 24V A4 L51 DMX	-	-
911401738342	BCP380 24LEDLP 30K 24V 40 L51	-	-
911401738352	BCP380 24LEDLP 30K 24V 40 L51 DMX	-	-
911401738442	BCP380 48LEDLP 27K 24V A4 L100	-	-
911401738452	BCP380 48LEDLP 27K 24V A4 L100 DMX	-	-
911401738462	BCP380 48LEDLP 27K 24V 40 L100	-	-
911401738472	BCP380 48LEDLP 27K 24V 40 L100 DMX	-	-
911401738482	BCP380 48LEDLP 30K 24V A4 L100	-	-
911401738492	BCP380 48LEDLP 30K 24V A4 L100 DMX	-	-
911401738502	BCP380 48LEDLP 30K 24V 40 L100	-	-
911401738512	BCP380 48LEDLP 30K 24V 40 L100 DMX	-	-
911401738202	BCP380 12LEDLP 40K 24V A4 L30	-	-
911401738212	BCP380 12LEDLP 40K 24V A4 L30 DMX	-	-
911401738222	BCP380 12LEDLP 40K 24V 40 L30	-	-
911401738232	BCP380 12LEDLP 40K 24V 40 L30 DMX	-	-
911401738362	BCP380 24LEDLP 40K 24V A4 L51	-	-
911401738372	BCP380 24LEDLP 40K 24V A4 L51 DMX	-	-
911401738382	BCP380 24LEDLP 40K 24V 40 L51	-	-
911401738392	BCP380 24LEDLP 40K 24V 40 L51 DMX	-	-
911401738522	BCP380 48LEDLP 40K 24V A4 L100	-	-
911401738532	BCP380 48LEDLP 40K 24V A4 L100 DMX	-	-
911401738542	BCP380 48LEDLP 40K 24V 40 L100	-	-
911401738552	BCP380 48LEDLP 40K 24V 40 L100 DMX	-	-

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401738242	BCP380 12LEDLP RGB 24V A3 L30 2PX	-	-
911401738252	BCP380 12LEDLP RGB 24V 40 L30 2PX	-	-
911401738402	BCP380 24LEDLP RGB 24V A3 L51 4PX	-	-
911401738412	BCP380 24LEDLP RGB 24V 40 L51 4PX	-	-
911401738562	BCP380 48LEDLP RGB 24V A3 L100 8PX	-	-
911401738572	BCP380 48LEDLP RGB 24V 40 L100 8PX	-	-
911401738262	BCP380 12LEDLP RGBNW 24V A4 L30 DMX	-	-
911401738272	BCP380 12LEDLP RGBNW 24V 40 L30 DMX	-	-
911401738422	BCP380 24LEDLP RGBNW 24V A4 L51 2PX	-	-
911401738432	BCP380 24LEDLP RGBNW 24V 40 L51 2PX	-	-
911401738582	BCP380 48LEDLP RGBNW 24V A4 L100 4PX	-	-
911401738592	BCP380 48LEDLP RGBNW 24V 40 L100 4PX	-	-
911401738602	BCP381 12LED 27K 24V A2 L50	-	-
911401738612	BCP381 12LED 27K 24V A2 L50 DMX	-	-
911401738642	BCP381 12LED 30K 24V A2 L50	-	-
911401738652	BCP381 12LED 30K 24V A2 L50 DMX	-	-
911401738762	BCP381 24LED 27K 24V A2 L100	-	-
911401738772	BCP381 24LED 27K 24V A2 L100 DMX	-	-
911401738802	BCP381 24LED 30K 24V A2 L100	-	-
911401738812	BCP381 24LED 30K 24V A2 L100 DMX	-	-
911401738922	BCP381 6LED 27K 24V A2 L30	-	-
911401738932	BCP381 6LED 27K 24V A2 L30 DMX	-	-
911401738962	BCP381 6LED 30K 24V A2 L30	-	-
911401738972	BCP381 6LED 30K 24V A2 L30 DMX	-	-
911401738622	BCP381 12LED 27K 24V 40 L50	-	-
911401738632	BCP381 12LED 27K 24V 40 L50 DMX	-	-
911401738662	BCP381 12LED 30K 24V 40 L50	-	-
911401738672	BCP381 12LED 30K 24V 40 L50 DMX	-	-
911401738782	BCP381 24LED 27K 24V 40 L100	-	-
911401738792	BCP381 24LED 27K 24V 40 L100 DMX	-	-
911401738822	BCP381 24LED 30K 24V 40 L100	-	-
911401738832	BCP381 24LED 30K 24V 40 L100 DMX	-	-
911401738942	BCP381 6LED 27K 24V 40 L30	-	-
911401738952	BCP381 6LED 27K 24V 40 L30 DMX	-	-

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401738982	BCP381 6LED 30K 24V 40 L30	-	-
911401738992	BCP381 6LED 30K 24V 40 L30 DMX	-	-
911401739142	BCP382 18LED 27K 24V 17 L50	-	-
911401739152	BCP382 18LED 27K 24V 17 L50 DMX	-	-
911401739162	BCP382 18LED 27K 24V 40 L50	-	-
911401739172	BCP382 18LED 27K 24V 40 L50 DMX	-	-
911401739202	BCP382 18LED 30K 24V 17 L50	-	-
911401739212	BCP382 18LED 30K 24V 17 L50 DMX	-	-
911401739222	BCP382 18LED 30K 24V 40 L50	-	-
911401739232	BCP382 18LED 30K 24V 40 L50 DMX	-	-
911401739362	BCP382 36LED 27K 24V 17 L100	-	-
911401739372	BCP382 36LED 27K 24V 17 L100 DMX	-	-
911401739382	BCP382 36LED 27K 24V 40 L100	-	-
911401739392	BCP382 36LED 27K 24V 40 L100 DMX	-	-
911401739422	BCP382 36LED 30K 24V 17 L100	-	-
911401739432	BCP382 36LED 30K 24V 17 L100 DMX	-	-
911401739442	BCP382 36LED 30K 24V 40 L100	-	-
911401739452	BCP382 36LED 30K 24V 40 L100 DMX	-	-
911401739582	BCP382 9LED 27K 24V 17 L30	-	-
911401739592	BCP382 9LED 27K 24V 17 L30 DMX	-	-
911401739602	BCP382 9LED 27K 24V 40 L30	-	-
911401739612	BCP382 9LED 27K 24V 40 L30 DMX	-	-
911401739642	BCP382 9LED 30K 24V 17 L30	-	-
911401739652	BCP382 9LED 30K 24V 17 L30 DMX	-	-
911401739662	BCP382 9LED 30K 24V 40 L30	-	-
911401739672	BCP382 9LED 30K 24V 40 L30 DMX	-	-
911401738682	BCP381 12LED 40K 24V A2 L50	-	-
911401738692	BCP381 12LED 40K 24V A2 L50 DMX	-	-
911401738842	BCP381 24LED 40K 24V A2 L100	-	-
911401738852	BCP381 24LED 40K 24V A2 L100 DMX	-	-
91140173900	BCP381 6LED 40K 24V A2 L30	-	-
2			
911401739012	BCP381 6LED 40K 24V A2 L30 DMX	-	-
911401738702	BCP381 12LED 40K 24V 40 L50	-	-
911401738712	BCP381 12LED 40K 24V 40 L50 DMX	-	-
911401738862	BCP381 24LED 40K 24V 40 L100	-	-
911401738872	BCP381 24LED 40K 24V 40 L100 DMX	-	-
911401739022	BCP381 6LED 40K 24V 40 L30	-	-
911401739032	BCP381 6LED 40K 24V 40 L30 DMX	-	-
911401739242	BCP382 18LED 40K 24V A2 L50	-	-
911401739252	BCP382 18LED 40K 24V A2 L50 DMX	-	-
911401739262	BCP382 18LED 40K 24V 17 L50	-	-
911401739272	BCP382 18LED 40K 24V 17 L50 DMX	-	-
911401739282	BCP382 18LED 40K 24V 40 L50	-	-
911401739292	BCP382 18LED 40K 24V 40 L50 DMX	-	-
911401739462	BCP382 36LED 40K 24V A2 L100	-	-
911401739472	BCP382 36LED 40K 24V A2 L100 DMX	-	-
911401739482	BCP382 36LED 40K 24V 17 L100	-	-
911401739492	BCP382 36LED 40K 24V 17 L100 DMX	-	-
911401739502	BCP382 36LED 40K 24V 40 L100	-	-

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401739512	BCP382 36LED 40K 24V 40 L100 DMX	-	-
911401739682	BCP382 9LED 40K 24V A2 L30	-	-
911401739692	BCP382 9LED 40K 24V A2 L30 DMX	-	-
911401739702	BCP382 9LED 40K 24V 17 L30	-	-
911401739712	BCP382 9LED 40K 24V 17 L30 DMX	-	-
911401739722	BCP382 9LED 40K 24V 40 L30	-	-
911401739732	BCP382 9LED 40K 24V 40 L30 DMX	-	-
911401738722	BCP381 12LED RGB 24V A2 L50 DMX	-	-
911401738882	BCP381 24LED RGB 24V A2 L100 DMX	-	-
911401739042	BCP381 6LED RGB 24V A2 L30 DMX	-	-
911401739082	BCP382 12LED RGB 24V A2 L50 DMX	-	-
911401739302	BCP382 24LED RGB 24V A2 L100 DMX	-	-
911401739522	BCP382 6LED RGB 24V A2 L30 DMX	-	-
911401738732	BCP381 12LED RGB 24V 40 L50 DMX	-	-
911401738892	BCP381 24LED RGB 24V 40 L100 DMX	-	-
911401739052	BCP381 6LED RGB 24V 40 L30 DMX	-	-
91140173909	BCP382 12LED RGB 24V 40 L50 DMX	-	-
2			
911401739312	BCP382 24LED RGB 24V 40 L100 DMX	-	-
911401739532	BCP382 6LED RGB 24V 40 L30 DMX	-	-
911401738742	BCP381 12LED RGBNW 24V A4 L50 DMX	-	-
911401738902	BCP381 24LED RGBNW 24V A4 L100 DMX	-	-
911401739062	BCP381 6LED RGBNW 24V A4 L30 DMX	-	-
911401738752	BCP381 12LED RGBNW 24V 30 L50 DMX	-	-
911401738912	BCP381 24LED RGBNW 24V 30 L100 DMX	-	-
911401739072	BCP381 6LED RGBNW 24V 30 L30 DMX	-	-
911401739112	BCP382 12LED RGBNW 24V 30 L50 DMX	-	-
911401739332	BCP382 24LED RGBNW 24V 30 L100 DMX	-	-
911401739552	BCP382 6LED RGBNW 24V 30 L30 DMX	-	-
911401739102	BCP382 12LED RGBNW 24V A4 L50 DMX	-	-
911401739322	BCP382 24LED RGBNW 24V A4 L100 DMX	-	-
911401739542	BCP382 6LED RGBNW 24V A4 L30 DMX	-	-
911401739122	BCP382 18LED 27K 24V A2 L50	-	-
911401739132	BCP382 18LED 27K 24V A2 L50 DMX	-	-
911401739182	BCP382 18LED 30K 24V A2 L50	-	-
911401739192	BCP382 18LED 30K 24V A2 L50 DMX	-	-
911401739342	BCP382 36LED 27K 24V A2 L100	-	-
911401739352	BCP382 36LED 27K 24V A2 L100 DMX	-	-
911401739402	BCP382 36LED 30K 24V A2 L100	-	-
911401739412	BCP382 36LED 30K 24V A2 L100 DMX	-	-
911401739562	BCP382 9LED 27K 24V A2 L30	-	-
911401739572	BCP382 9LED 27K 24V A2 L30 DMX	-	-
911401739622	BCP382 9LED 30K 24V A2 L30	-	-
911401739632	BCP382 9LED 30K 24V A2 L30 DMX	-	-
911401750702	BCP383 12LED 27K 220V A2 L50	-	-
911401750712	BCP383 12LED 27K 220V A2 L50 DMX	-	-

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401750722	BCP383 12LED 27K 220V 40 L50	-	-
911401750732	BCP383 12LED 27K 220V 40 L50 DMX	-	-
911401750742	BCP383 12LED 30K 220V A2 L50	-	-
911401750752	BCP383 12LED 30K 220V A2 L50 DMX	-	-
911401750762	BCP383 12LED 30K 220V 40 L50	-	-
911401750772	BCP383 12LED 30K 220V 40 L50 DMX	-	-
911401750782	BCP383 12LED 40K 220V A2 L50	-	-
911401750792	BCP383 12LED 40K 220V A2 L50 DMX	-	-
91140175080	BCP383 12LED 40K 220V 40 L50	-	-
2			
911401750812	BCP383 12LED 40K 220V 40 L50 DMX	-	-
911401750822	BCP383 12LED RGBNW 220V A4 L50 DMX	-	-
911401750832	BCP383 12LED RGBNW 220V 30 L50 DMX	-	-
911401750842	BCP383 18LED RGB 220V A2 L50 DMX	-	-
911401750852	BCP383 18LED RGB 220V 40 L50 DMX	-	-
911401750862	BCP383 24LED 27K 220V A2 L100	-	-
911401750872	BCP383 24LED 27K 220V A2 L100 DMX	-	-
911401750882	BCP383 24LED 27K 220V 40 L100	-	-
911401750892	BCP383 24LED 27K 220V 40 L100 DMX	-	-
91140175090	BCP383 24LED 30K 220V A2 L100	-	-
2			
911401750912	BCP383 24LED 30K 220V A2 L100 DMX	-	-
911401750922	BCP383 24LED 30K 220V 40 L100	-	-
911401750932	BCP383 24LED 30K 220V 40 L100 DMX	-	-
911401750942	BCP383 24LED 40K 220V A2 L100	-	-
911401750952	BCP383 24LED 40K 220V A2 L100 DMX	-	-
91140175096	BCP383 24LED 40K 220V 40 L100	-	-
2			
911401750972	BCP383 24LED 40K 220V 40 L100 DMX	-	-
911401750982	BCP383 24LED RGBNW 220V A4 L100 DMX	-	-
91140175099	BCP383 24LED RGBNW 220V 30 L100 DMX	-	-
2			
911401751002	BCP383 36LED RGB 220V A2 L100 DMX	-	-
911401751012	BCP383 36LED RGB 220V 40 L100 DMX	-	-
911401751022	BCP383 6LED 27K 220V A2 L30	-	-
911401751032	BCP383 6LED 27K 220V A2 L30 DMX	-	-
911401751042	BCP383 6LED 27K 220V 40 L30	-	-
911401751052	BCP383 6LED 27K 220V 40 L30 DMX	-	-
911401751062	BCP383 6LED 30K 220V A2 L30	-	-
911401751072	BCP383 6LED 30K 220V A2 L30 DMX	-	-
911401751082	BCP383 6LED 30K 220V 40 L30	-	-
911401751092	BCP383 6LED 30K 220V 40 L30 DMX	-	-
911401751102	BCP383 6LED 40K 220V A2 L30	-	-
911401751112	BCP383 6LED 40K 220V A2 L30 DMX	-	-
911401751122	BCP383 6LED 40K 220V 40 L30	-	-
911401751132	BCP383 6LED 40K 220V 40 L30 DMX	-	-

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401751142	BCP383 6LED RGBNW 220V A4 L30 DMX	-	-
911401751152	BCP383 6LED RGBNW 220V 30 L30 DMX	-	-
911401751162	BCP383 9LED RGB 220V A2 L30 DMX	-	-
911401751172	BCP383 9LED RGB 220V 40 L30 DMX	-	-
911401751182	BCP384 18LED 27K 220V A2 L50	-	-
911401751192	BCP384 18LED 27K 220V A2 L50 DMX	-	-
911401751202	BCP384 18LED 27K 220V 40 L50	-	-
911401751212	BCP384 18LED 27K 220V 40 L50 DMX	-	-
911401751222	BCP384 18LED 30K 220V A2 L50	-	-
911401751232	BCP384 18LED 30K 220V A2 L50 DMX	-	-
911401751242	BCP384 18LED 30K 220V 40 L50	-	-
911401751252	BCP384 18LED 30K 220V 40 L50 DMX	-	-
911401751262	BCP384 18LED 40K 220V A2 L50	-	-
911401751272	BCP384 18LED 40K 220V A2 L50 DMX	-	-
911401751282	BCP384 18LED 40K 220V 40 L50	-	-
911401751292	BCP384 18LED 40K 220V 40 L50 DMX	-	-
911401751302	BCP384 24LED RGBNW 220V A2 L50 DMX	-	-
911401751312	BCP384 24LED RGBNW 220V 40 L50 DMX	-	-
911401751322	BCP384 24LED RGB 220V A2 L50 DMX	-	-
911401751332	BCP384 24LED RGB 220V 40 L50 DMX	-	-
911401751342	BCP384 36LED 27K 220V A2 L100	-	-
911401751352	BCP384 36LED 27K 220V A2 L100 DMX	-	-
911401751362	BCP384 36LED 27K 220V 40 L100	-	-
911401751372	BCP384 36LED 27K 220V 40 L100 DMX	-	-
911401751382	BCP384 36LED 30K 220V A2 L100	-	-
911401751392	BCP384 36LED 30K 220V A2 L100 DMX	-	-
911401751402	BCP384 36LED 30K 220V 40 L100	-	-
911401751412	BCP384 36LED 30K 220V 40 L100 DMX	-	-
911401751422	BCP384 36LED 40K 220V A2 L100	-	-
911401751432	BCP384 36LED 40K 220V A2 L100 DMX	-	-
911401751442	BCP384 36LED 40K 220V 40 L100	-	-
911401751452	BCP384 36LED 40K 220V 40 L100 DMX	-	-
911401751462	BCP384 48LED RGBNW 220V A2 L100 DMX	-	-
911401751472	BCP384 48LED RGBNW 220V 40 L100 DMX	-	-
911401751482	BCP384 48LED RGB 220V A2 L100 DMX	-	-
911401751492	BCP384 48LED RGB 220V 40 L100 DMX	-	-
911401751502	BCP384 9LED 27K 220V A2 L30	-	-
911401751512	BCP384 9LED 27K 220V A2 L30 DMX	-	-
911401751522	BCP384 9LED 27K 220V 40 L30	-	-
911401751532	BCP384 9LED 27K 220V 40 L30 DMX	-	-
911401751542	BCP384 9LED 30K 220V A2 L30	-	-
911401751552	BCP384 9LED 30K 220V A2 L30 DMX	-	-
911401751562	BCP384 9LED 30K 220V 40 L30	-	-
911401751572	BCP384 9LED 30K 220V 40 L30 DMX	-	-



## UniStrip G4

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401751582	BCP384 9LED 40K 220V A2 L30	-	-
911401751592	BCP384 9LED 40K 220V A2 L30 DMX	-	-
911401751602	BCP384 9LED 40K 220V 40 L30	-	-
911401751612	BCP384 9LED 40K 220V 40 L30 DMX	-	-
911401751622	BCP384 12LED RGBNW 220V A2 L30 DMX	-	-
911401751632	BCP384 12LED RGBNW 220V 40 L30 DMX	-	-
911401751642	BCP384 12LED RGB 220V A2 L30 DMX	-	-
911401751652	BCP384 12LED RGB 220V 40 L30 DMX	-	-
911401751662	BCP385 24LED RGB 220V A1 L52 DMX	-	-
911401751672	BCP385 30LED RGB 220V A1 L52 DMX	-	-
911401751692	BCP385 24LED 27K 220V 7 L52	-	-
911401751702	BCP385 24LED 27K 220V 7 L52 DMX	-	-
911401751712	BCP385 24LED 27K 220V A1 L52	-	-
911401751722	BCP385 24LED 27K 220V A1 L52 DMX	-	-
911401751732	BCP385 24LED 30K 220V 7 L52	-	-
911401751742	BCP385 24LED 30K 220V 7 L52 DMX	-	-
911401751752	BCP385 24LED 30K 220V A1 L52	-	-
911401751762	BCP385 24LED 30K 220V A1 L52 DMX	-	-
911401751772	BCP385 24LED 40K 220V 7 L52	-	-
911401751782	BCP385 24LED 40K 220V 7 L52 DMX	-	-
911401751792	BCP385 24LED 40K 220V A1 L52	-	-
911401751802	BCP385 24LED 40K 220V A1 L52 DMX	-	-
911401751812	BCP385 30LED 27K 220V 7 L52	-	-
911401751822	BCP385 30LED 27K 220V 7 L52 DMX	-	-
911401751832	BCP385 30LED 27K 220V A1 L52	-	-
911401751842	BCP385 30LED 27K 220V A1 L52 DMX	-	-
911401751852	BCP385 30LED 30K 220V 7 L52	-	-
911401751862	BCP385 30LED 30K 220V 7 L52 DMX	-	-
911401751872	BCP385 30LED 30K 220V A1 L52	-	-
911401751882	BCP385 30LED 30K 220V A1 L52 DMX	-	-
911401751892	BCP385 30LED 40K 220V 7 L52	-	-

Order Code	Full Product Name	Standard tilt	
		angle side entry	Standard tilt angle posttop
911401751902	BCP385 30LED 40K 220V 7 L52 DMX	-	-
911401751912	BCP385 30LED 40K 220V A1 L52	-	-
911401751922	BCP385 30LED 40K 220V A1 L52 DMX	-	-
911401751932	BCP385 48LED 27K 220V 7 L100	-	-
911401751942	BCP385 48LED 27K 220V 7 L100 DMX	-	-
911401751952	BCP385 48LED 27K 220V A1 L100	-	-
911401751962	BCP385 48LED 27K 220V A1 L100 DMX	-	-
911401751972	BCP385 48LED 30K 220V 7 L100	-	-
911401751982	BCP385 48LED 30K 220V 7 L100 DMX	-	-
911401751992	BCP385 48LED 30K 220V A1 L100	-	-
911401752002	BCP385 48LED 30K 220V A1 L100 DMX	-	-
911401752012	BCP385 48LED 40K 220V 7 L100	-	-
911401752022	BCP385 48LED 40K 220V 7 L100 DMX	-	-
911401752032	BCP385 48LED 40K 220V A1 L100	-	-
911401752042	BCP385 48LED 40K 220V A1 L100 DMX	-	-
911401752052	BCP385 60LED 27K 220V 7 L100	-	-
911401752062	BCP385 60LED 27K 220V 7 L100 DMX	-	-
911401752072	BCP385 60LED 27K 220V A1 L100	-	-
911401752082	BCP385 60LED 27K 220V A1 L100 DMX	-	-
911401752092	BCP385 60LED 30K 220V 7 L100	-	-
911401752102	BCP385 60LED 30K 220V 7 L100 DMX	-	-
911401752112	BCP385 60LED 30K 220V A1 L100	-	-
911401752122	BCP385 60LED 30K 220V A1 L100 DMX	-	-
911401752132	BCP385 60LED 40K 220V 7 L100	-	-
911401752142	BCP385 60LED 40K 220V 7 L100 DMX	-	-
911401752152	BCP385 60LED 40K 220V A1 L100	-	-
911401752162	BCP385 60LED 40K 220V A1 L100 DMX	-	-
911401752172	BCP385 48LED RGB 220V A1 L100 DMX	-	-
911401752182	BCP385 60LED RGB 220V A1 L100 DMX	-	-
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	-	-
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	-	-

